

Grade	Size	Actual thk	Actual Wd	Edge	Finish	Qty(MT)	Specification
904L	9*1500*C	8.41	1500	trimming	NO. 1	20.23	ASTM A240-08/ASME SA240-07
S32304	5*1500*C	4.93	1500	trimming	No. 1	7.81	ASTM A240M-15
S32304	5*1500*C	4.95	1500	trimming	No. 1	5.24	ASTM A240M-15
S32101	8*1000 ↑*2000 ↑	8	1400	trimming	NO. 1	0.639	ASME SA240/SA240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.665	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	1.265	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.700	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	0.805	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1980	trimming	NO. 1	0.780	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.835	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1810	trimming	#N/A	0.75	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1810	trimming	#N/A	0.83	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	#N/A	1.42	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	#N/A	1.46	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	1900	trimming	NO. 1	4.080	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1830	trimming	NO. 1	1.045	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1830	trimming	NO. 1	0.550	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	NO. 1	1.410	ASTM A240M-15
S32101	12*1000 ↑*2000 ↑	12	1500	trimming	NO. 1	2.070	ASTM A240/A240M
S32304	8*1000 ↑*2000 ↑	8	1800	trimming	NO. 1	1.410	ASTM A240/A240M
S32304	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	0.610	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	NO. 1	5.895	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	NO. 1	0.805	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	NO. 1	0.945	ASTM A240/A240M
S32304	16*1000 ↑*2000 ↑	16	2000	trimming	NO. 1	1.625	ASTM A240/A240M
S32304	18*1000 ↑*2000 ↑	18	1800	trimming	NO. 1	0.900	ASTM A240/A240M
1.4362	44*1000 ↑*2000 ↑	44	1810	trimming	1D	4.485	EN10028-7
1.4362	44*1000 ↑*2000 ↑	44	1810	trimming	1D	4.900	EN10028-7
1.4362	45*1000 ↑*2000 ↑	45	1700	trimming	1D	3.820	EN10028-7
1.4362	45*1000 ↑*2000 ↑	45	1810	trimming	1D	4.960	EN10028-7
1.4362	45*1000 ↑*2000 ↑	45	1810	trimming	1D	5.075	EN10028-7
1.4362	46*1000 ↑*2000 ↑	46	1750	trimming	1D	2.975	EN10028-7
1.4362	48*1000 ↑*2000 ↑	48	1000	trimming	1D	4.780	EN10028-7
1.4362	49*1000 ↑*2000 ↑	49	2200	trimming	1D	4.695	EN10028-7
1.4162	10*1000 ↑*2000 ↑	10	1500	trimming	1D	0.435	EN10088-4
1.4162	10*1000 ↑*2000 ↑	10	1500	trimming	1D	0.815	EN10088-4
1.4162	10*1000 ↑*2000 ↑	10	1500	trimming	1D	0.975	EN10088-4
S32003	5*1000 ↑*2000 ↑	5	1800	trimming	NO. 1	3.245	ASTM A240/A240M
S32003	6*1000 ↑*2000 ↑	6	1500	trimming	NO. 1	0.235	ASTM A240/A240M
S32003	6*1000 ↑*2000 ↑	6	1760	trimming	NO. 1	0.625	ASTM A240/A240M
S32003	6*1000 ↑*2000 ↑	6	1815	trimming	NO. 1	1.675	ASTM A240/A240M
S32003	8*1000 ↑*2000 ↑	8	1635	trimming	NO. 1	1.430	ASTM A240/A240M
S32003	8*1000 ↑*2000 ↑	8	1980	trimming	NO. 1	1.040	ASTM A240/A240M
S32003	8*1000 ↑*2000 ↑	8	1800	trimming	NO. 1	0.500	ASTM A240/A240M
S32003	8*1000 ↑*2000 ↑	8	1800	trimming	NO. 1	0.725	ASTM A240/A240M
S32003	8*1000 ↑*2000 ↑	8	1800	trimming	NO. 1	0.730	ASTM A240/A240M
S32003	8*1000 ↑*2000 ↑	8	1800	trimming	NO. 1	1.370	ASTM A240/A240M
S32003	10*1000 ↑*2000 ↑	10	1670	trimming	NO. 1	0.750	ASTM A240/A240M
S32003	10*1000 ↑*2000 ↑	10	1800	trimming	NO. 1	2.485	ASTM A240/A240M
S32003	12*1000 ↑*2000 ↑	12	1900	trimming	NO. 1	1.090	ASTM A240/A240M
S32003	12*1000 ↑*2000 ↑	12	1820	trimming	NO. 1	0.935	ASTM A240/A240M
S32003	12*1000 ↑*2000 ↑	12	1965	trimming	NO. 1	1.100	ASTM A240/A240M
S32003	12*1000 ↑*2000 ↑	12	1950	trimming	NO. 1	0.940	ASTM A240/A240M
S32003	20*1000 ↑*2000 ↑	20	2000	trimming	NO. 1	1.150	ASTM A240/A240M
S32003	20*1000 ↑*2000 ↑	20	1500	trimming	NO. 1	1.250	ASTM A240/A240M
S32003	20*1000 ↑*2000 ↑	20	1500	trimming	NO. 1	1.255	ASTM A240/A240M
S32304	18*1000 ↑*2000 ↑	18	2000	trimming	NO. 1	1.140	ASME SA240/SA240M
S32304	18*1000 ↑*2000 ↑	18	1950	trimming	NO. 1	1.770	ASME SA240/SA240M
S32304	18*1000 ↑*2000 ↑	18	1660	trimming	NO. 1	0.850	ASTM A240/A240M
S32304	18*1000 ↑*2000 ↑	18	1660	trimming	NO. 1	2.710	ASTM A240/A240M
S32304	18*1000 ↑*2000 ↑	18	1600	trimming	NO. 1	1.855	ASTM A240/A240M
S32304	18*1000 ↑*2000 ↑	18	1800	trimming	NO. 1	5.835	ASTM A240/A240M
S32304	20*1000 ↑*2000 ↑	20	1500	trimming	NO. 1	0.890	ASTM A240/A240M

S32304	25*1000 ↑*2000 ↑	25	1750	trimming	NO. 1	4.350	ASTM A240/A240M
S32304	25*1000 ↑*2000 ↑	25	1500	trimming	NO. 1	1.955	ASTM A240/A240M
S32304	25*1000 ↑*2000 ↑	25	2000	trimming	NO. 1	2.420	CCS, ASTM A240/A240M
S32304	25*1000 ↑*2000 ↑	25	2000	trimming	NO. 1	2.405	CCS, ASTM A240/A240M
S32304	28*1000 ↑*2000 ↑	28	1400	trimming	NO. 1	2.820	ASTM A240/A240M
S32304	35*1000 ↑*2000 ↑	35	1750	trimming	NO. 1	2.910	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.415	ASTM A240/A240M
S32304	8*1000 ↑*2000 ↑	8	2000	trimming	NO. 1	0.750	ASTM A240/A240M
S32304	17*1000 ↑*2000 ↑	17	1950	trimming	NO. 1	1.085	ASME SA240/SA240M
S32304	17*1000 ↑*2000 ↑	17	2000	trimming	NO. 1	2.300	ASME SA240/SA240M
S32304	18*1000 ↑*2000 ↑	18	1860	trimming	NO. 1	1.280	ASME SA240/SA240M
S32304	24*1000 ↑*2000 ↑	24	2000	trimming	NO. 1	3.340	ASTM A240/A240M
S32304	24*1000 ↑*2000 ↑	24	2000	trimming	NO. 1	3.345	ASTM A240/A240M
S32304	24*1000 ↑*2000 ↑	24	2500	trimming	NO. 1	2.835	ASTM A240/A240M
S32304	25*1000 ↑*2000 ↑	25	2020	trimming	NO. 1	2.395	ASTM A240/A240M
S32304	25*1000 ↑*2000 ↑	25	2080	trimming	NO. 1	2.775	ASTM A240/A240M
S32304	28*1000 ↑*2000 ↑	28	2350	trimming	NO. 1	2.620	ASME SA240/SA240M
S32304	28*1000 ↑*2000 ↑	28	2350	trimming	NO. 1	2.335	ASTM A240/A240M
S32304	28*1000 ↑*2000 ↑	28	2350	trimming	NO. 1	2.505	ASME SA240/SA240M
S32304	28*1000 ↑*2000 ↑	28	2350	trimming	NO. 1	2.670	ASTM A240/A240M
S32304	18*1000 ↑*2000 ↑	18	1600	trimming	NO. 1	2.665	ASTM A240/A240M
S32304	28*1000 ↑*2000 ↑	28	2350	trimming	NO. 1	2.660	ASME SA240/SA240M
S32304	28*1000 ↑*2000 ↑	28	2360	trimming	NO. 1	1.560	ASME SA240/SA240M
S32304	32*1000 ↑*2000 ↑	32	2000	trimming	NO. 1	4.775	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	1930	trimming	NO. 1	0.720	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	1900	trimming	NO. 1	1.865	ASTM A240
S32304	15*1000 ↑*2000 ↑	15	1900	trimming	No. 1	1.230	ASTM A240/A240M
1.4362	15*1000 ↑*2000 ↑	15	2000	trimming	1D	2.895	EN10028-7
S32304	15*1000 ↑*2000 ↑	15	1800	trimming	No. 1	3.910	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	No. 1	3.515	ASME SA240/SA240M
1.4362	15*1000 ↑*2000 ↑	15	2580	trimming	1D	1.710	EN10028-7
1.4362	25*1000 ↑*2000 ↑	25	1200	trimming	1D	2.49	#REF!
1.4362	4.5*1000 ↑*2000 ↑	4.5	2050	trimming	1D	3.315	EN10028-7
1.4362	4.5*1000 ↑*2000 ↑	4.5	2050	trimming	1D	0.265	EN10028-7
1.4362	20*1000 ↑*2000 ↑	20	2550	trimming	1D	2.640	EN10028-7
1.4362	11*1000 ↑*2000 ↑	11	2000	trimming	1D	0.910	EN10028-7
1.4362	11*1000 ↑*2000 ↑	11	1950	trimming	1D	3.370	EN10028-7
1.4362	13*1000 ↑*2000 ↑	13	1500	trimming	1D	0.935	EN10028-7
1.4362	13.5*1000 ↑*2000 ↑	13.5	1800	trimming	1D	1.430	EN10088-2:2005
S32003	8*1219*C	8	1219	trimming	No. 1	13.130	ASTM A240/A240M
1.4362	11*1000 ↑*2000 ↑	11	2350	trimming	1D	0.765	EN10028-7
1.4362	11*1000 ↑*2000 ↑	11	2350	trimming	1D	1.430	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	1410	trimming	1D	1.115	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	1685	trimming	1D	0.955	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	2600	trimming	1D	3.250	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	2600	trimming	1D	3.255	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	2700	trimming	1D	3.230	EN10028-7
1.4362	44*1000 ↑*2000 ↑	44	1810	trimming	1D	4.970	EN10028-7
S32101	6*1000 ↑*2000 ↑	6	1500	trimming	NO. 1	0.550	ASTM A240/A240M
S32101	6.35*1000 ↑*2000 ↑	6.35	1500	trimming	NO. 1	0.245	ASTM A240/A240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.705	ASME SA240/SA240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.360	ASME SA240/SA240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.820	ASME SA240/SA240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.225	ASME SA240/SA240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.860	ASME SA240/SA240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1300	trimming	NO. 1	2.285	ASTM A240/A240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1300	trimming	NO. 1	2.590	ASTM A240/A240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.325	ASTM A240/A240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.325	ASTM A240/A240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1500	trimming	NO. 1	0.350	ASTM A240/A240M
S32101	6.5*1000 ↑*2000 ↑	6.5	1450	trimming	NO. 1	0.525	ASTM A240/A240M
S32101	7*1000 ↑*2000 ↑	7	2000	trimming	NO. 1	0.775	ASTM A240/A240M
S32101	7*1000 ↑*2000 ↑	7	1500	trimming	NO. 1	0.380	ASTM A240/A240M
S32101	7*1000 ↑*2000 ↑	7	1500	trimming	NO. 1	1.018	ASTM A240/A240M

S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	0.450	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	1.745	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	1.475	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	1.485	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	1.750	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	1.830	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1500	trimming	NO. 1	0.675	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1550	trimming	NO. 1	0.585	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1500	trimming	NO. 1	1.640	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1800	trimming	NO. 1	0.970	ASTM A240/A240M
S32101	11.5*1000 ↑*2000 ↑	11.5	1550	trimming	NO. 1	1.770	ASTM A240/A240M
S32101	11.5*1000 ↑*2000 ↑	11.5	1550	trimming	NO. 1	0.430	ASTM A240/A240M
S32304	8*1000 ↑*2000 ↑	8	1400	trimming	NO. 1	2.310	ASTM A240/A240M
S32304	8*1000 ↑*2000 ↑	8	2000	trimming	NO. 1	2.450	ASTM A240/A240M
S32304	6*1000 ↑*2000 ↑	6	1950	trimming	NO. 1	0.630	ASTM A240/A240M
S32304	12*1000 ↑*2000 ↑	12	1500	trimming	NO. 1	0.560	ASTM A240/A240M
S32304	12*1000 ↑*2000 ↑	12	1500	trimming	NO. 1	0.600	ASTM A240/A240M
S32304	12*1000 ↑*2000 ↑	12	1500	trimming	NO. 1	0.615	ASTM A240/A240M
S32304	12*1000 ↑*2000 ↑	12	1500	trimming	NO. 1	0.520	ASTM A240/A240M
S32304	13*1000 ↑*2000 ↑	13	1300	trimming	NO. 1	2.195	ASTM A240/A240M
S32304	14*1000 ↑*2000 ↑	14	2000	trimming	NO. 1	1.160	ASME SA240/SA240M
S32304	14*1000 ↑*2000 ↑	14	1700	trimming	NO. 1	0.775	ASTM A240/A240M
S32304	14*1000 ↑*2000 ↑	14	1820	trimming	NO. 1	1.080	ASTM A240/A240M
S32304	14*1000 ↑*2000 ↑	14	2000	trimming	NO. 1	3.200	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	NO. 1	0.925	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	2000	trimming	NO. 1	2.185	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	1400	trimming	NO. 1	0.655	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	1550	trimming	NO. 1	1.370	ASTM A240/A240M
S32304	15*1000 ↑*2000 ↑	15	1900	trimming	NO. 1	1.430	ASTM A240/A240M
S32304	16*1000 ↑*2000 ↑	16	1500	trimming	NO. 1	2.190	ASME SA240/SA240M
S32304	16*1000 ↑*2000 ↑	16	1950	trimming	NO. 1	6.465	ASME SA240/SA240M
S32304	16*1000 ↑*2000 ↑	16	1650	trimming	NO. 1	0.990	ASTM A240/A240M
S32304	16*1000 ↑*2000 ↑	16	1700	trimming	NO. 1	1.060	ASTM A240/A240M
S32304	16*1000 ↑*2000 ↑	16	1600	trimming	NO. 1	2.360	ASTM A240/A240M
S32304	17.5*1000 ↑*2000 ↑	17.5	1900	trimming	NO. 1	2.145	ASME SA240/SA240M
S32304	18*1000 ↑*2000 ↑	18	2000	trimming	NO. 1	1.680	ASME SA240/SA240M
1.4362	10*1000 ↑*2000 ↑	10	1500	trimming	1D	0.830	EN10028-7
1.4362	12.7*1000 ↑*2000 ↑	12.7	2200	trimming	1D	0.805	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	2120	trimming	1D	1.800	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	2200	trimming	1D	1.415	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	2400	trimming	1D	1.215	EN10028-7
1.4362	15*1000 ↑*2000 ↑	15	1000	trimming	1D	2.145	EN10028-7
1.4362	15*1000 ↑*2000 ↑	15	2580	trimming	1D	1.695	EN10028-7
1.4362	31*1000 ↑*2000 ↑	31	2510	trimming	1D	4.140	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	1880	trimming	1D	3.815	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	1950	trimming	1D	4.820	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	2000	trimming	1D	4.975	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	2010	trimming	1D	3.040	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	2030	trimming	1D	4.140	EN10028-7
1.4362	33*1000 ↑*2000 ↑	33	1900	trimming	1D	3.750	EN10028-7
1.4362	33*1000 ↑*2000 ↑	33	1965	trimming	1D	2.705	EN10028-7
1.4362	33*1000 ↑*2000 ↑	33	2200	trimming	1D	4.500	EN10028-7
1.4362	33*1000 ↑*2000 ↑	33	2370	trimming	1D	2.855	EN10028-7
1.4362	33*1000 ↑*2000 ↑	33	2370	trimming	1D	3.430	EN10028-7
1.4362	33*1000 ↑*2000 ↑	33	2500	trimming	1D	5.065	EN10028-7
1.4362	33.5*1000 ↑*2000 ↑	33.5	2520	trimming	1D	6.545	EN10028-7
1.4362	34*1000 ↑*2000 ↑	34	1950	trimming	1D	4.185	EN10028-7
1.4362	34*1000 ↑*2000 ↑	34	2250	trimming	1D	4.255	EN10028-7
1.4362	34*1000 ↑*2000 ↑	34	2300	trimming	1D	6.030	EN10028-7
1.4362	34*1000 ↑*2000 ↑	34	2300	trimming	1D	6.020	EN10028-7
1.4362	34*1000 ↑*2000 ↑	34	2500	trimming	1D	6.430	EN10028-7
1.4362	34*1000 ↑*2000 ↑	34	2500	trimming	1D	6.455	EN10028-7
1.4362	35*1000 ↑*2000 ↑	35	2250	trimming	1D	5.185	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	2100	trimming	1D	3.955	EN10028-7

1.4362	36*1000 ↑*2000 ↑	36	2100	trimming	1D	5.195	EN10028-7
1.4362	15*1000 ↑*2000 ↑	15	2580	trimming	1D	1.700	EN10028-7
1.4362	17*1000 ↑*2000 ↑	17	2510	trimming	1D	2.070	EN10028-7
1.4362	23*1000 ↑*2000 ↑	23	2200	trimming	1D	1.670	EN10028-7
1.4362	24.5*1000 ↑*2000 ↑	24.5	2260	trimming	1D	3.210	EN10028-7
1.4362	25*1000 ↑*2000 ↑	25	2450	trimming	1D	1.355	EN10028-7
1.4362	25*1000 ↑*2000 ↑	25	2460	trimming	1D	1.610	EN10028-7
1.4362	27*1000 ↑*2000 ↑	27	1810	trimming	1D	2.930	EN10028-7
1.4362	29*1000 ↑*2000 ↑	29	1760	trimming	1D	1.370	EN10028-7
1.4362	29*1000 ↑*2000 ↑	29	2170	trimming	1D	3.835	EN10028-7
1.4362	29*1000 ↑*2000 ↑	29	2200	trimming	1D	3.735	EN10028-7
1.4362	29*1000 ↑*2000 ↑	29	2200	trimming	1D	3.950	EN10028-7
1.4362	29*1000 ↑*2000 ↑	29	2200	trimming	1D	3.900	EN10028-7
1.4362	30*1000 ↑*2000 ↑	30	2200	trimming	1D	4.090	EN10028-7
1.4362	31*1000 ↑*2000 ↑	31	2500	trimming	1D	4.325	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	2210	trimming	1D	6.075	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	2250	trimming	1D	4.490	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	2250	trimming	1D	4.910	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	2250	trimming	1D	5.880	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	2250	trimming	1D	6.025	EN10028-7
1.4362	37*1000 ↑*2000 ↑	37	1800	trimming	1D	3.480	EN10028-7
1.4362	38*1000 ↑*2000 ↑	38	1700	trimming	1D	3.235	EN10028-7
1.4362	40*1000 ↑*2000 ↑	40	2580	trimming	1D	2.495	EN10028-7
1.4362	41*1000 ↑*2000 ↑	41	2230	trimming	1D	7.185	EN10028-7
1.4362	41*1000 ↑*2000 ↑	41	2410	trimming	1D	6.215	EN10028-7
1.4362	42*1000 ↑*2000 ↑	42	2280	trimming	1D	2.280	EN10028-7
1.4362	52*1000 ↑*2000 ↑	52	1990	trimming	1D	4.520	EN10028-7
1.4362	53*1000 ↑*2000 ↑	53	2050	trimming	1D	3.660	EN10028-7
1.4362	53*1000 ↑*2000 ↑	53	2100	trimming	1D	5.990	EN10028-7
1.4362	75*1000 ↑*2000 ↑	75	2000	trimming	1D	6.270	EN10028-7
S32101	8*1000 ↑*2000 ↑	8	1600	trimming	NO.1	0.505	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1660	trimming	NO.1	0.770	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1910	trimming	NO.1	0.595	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	1930	trimming	NO.1	1.050	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.320	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.330	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.345	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.375	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.400	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.415	ASTM A240/A240M
S32101	8*1000 ↑*2000 ↑	8	2000	trimming	NO.1	0.440	ASTM A240/A240M
S32101	8.5*1000 ↑*2000 ↑	8.5	2000	trimming	NO.1	1.135	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1600	trimming	NO.1	0.755	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1600	trimming	NO.1	0.930	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1620	trimming	NO.1	1.130	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1750	trimming	NO.1	0.915	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1900	trimming	NO.1	0.870	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1900	trimming	NO.1	0.900	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	1920	trimming	NO.1	1.110	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.365	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.395	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.445	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.465	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.840	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.880	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.895	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.910	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.890	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.935	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.970	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	0.945	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	1.005	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	1.010	ASTM A240/A240M
S32101	9*1000 ↑*2000 ↑	9	2000	trimming	NO.1	1.020	ASTM A240/A240M

S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	1.055	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	0.990	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	1.070	CCS, ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	1.075	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	1.085	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	1.070	CCS, ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2000	trimming	NO. 1	1.185	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2010	trimming	NO. 1	0.595	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2010	trimming	NO. 1	0.880	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2010	trimming	NO. 1	0.930	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2010	trimming	NO. 1	1.030	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2010	trimming	NO. 1	1.070	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2010	trimming	NO. 1	1.060	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	0.675	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	0.875	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	0.935	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	0.990	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	0.980	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	0.935	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	1.025	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	1.010	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	1.030	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	1.030	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2110	trimming	NO. 1	1.040	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2120	trimming	NO. 1	0.415	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2120	trimming	NO. 1	0.505	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2120	trimming	NO. 1	0.565	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2130	trimming	NO. 1	0.810	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2160	trimming	NO. 1	0.785	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2160	trimming	NO. 1	1.030	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2160	trimming	NO. 1	1.030	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2160	trimming	NO. 1	1.110	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2200	trimming	NO. 1	1.010	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2250	trimming	NO. 1	0.825	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2300	trimming	NO. 1	0.955	CCS, ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2350	trimming	NO. 1	1.115	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2410	trimming	NO. 1	1.100	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2420	trimming	NO. 1	1.095	CCS, ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2440	trimming	NO. 1	1.100	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2440	trimming	NO. 1	1.110	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2440	trimming	NO. 1	1.195	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2450	trimming	NO. 1	1.030	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2450	trimming	NO. 1	1.055	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2450	trimming	NO. 1	1.175	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2460	trimming	NO. 1	0.950	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2460	trimming	NO. 1	1.150	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2470	trimming	NO. 1	0.945	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2480	trimming	NO. 1	0.990	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2480	trimming	NO. 1	1.070	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2480	trimming	NO. 1	1.070	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2480	trimming	NO. 1	1.085	ASTM A240/A240M
S32101	9*1000 ↑ *2000 ↑	9	2500	trimming	NO. 1	0.905	ASTM A240/A240M
1.4362	42*1000 ↑ *2000 ↑	42	1200	trimming	1D	5.010	EN10028-7
1.4362	44*1000 ↑ *2000 ↑	44	1200	trimming	1D	5.050	EN10028-7
1.4362	44*1000 ↑ *2000 ↑	44	1200	trimming	1D	4.700	EN10028-7
1.4362	44*1000 ↑ *2000 ↑	44	1200	trimming	1D	3.375	EN10028-7
1.4362	46*1000 ↑ *2000 ↑	46	1800	trimming	1D	5.115	EN10028-7
S32101	9.5*1000 ↑ *2000 ↑	9.5	1400	trimming	NO. 1	0.755	ASTM A240/A240M
S32101	12*1000 ↑ *2000 ↑	12	1250	trimming	NO. 1	0.915	ASTM A240/A240M
S32101	12*1000 ↑ *2000 ↑	12	1500	trimming	NO. 1	0.940	ASME SA240/SA240M
S32101	12.7*1000 ↑ *2000 ↑	12.7	2900	trimming	NO. 1	2.550	ASTM A240/A240M
S32101	13*1000 ↑ *2000 ↑	13	1480	trimming	NO. 1	0.910	ASME SA240/SA240M
S32101	13*1000 ↑ *2000 ↑	13	1510	trimming	NO. 1	0.660	ASME SA240/SA240M
S32101	13*1000 ↑ *2000 ↑	13	1510	trimming	NO. 1	0.865	ASME SA240/SA240M

S32101	13*1000 ↑*2000 ↑	13	1510	trimming	NO. 1	1.020	ASME SA240/SA240M
S32101	14*1000 ↑*2000 ↑	14	1800	trimming	NO. 1	0.875	ASTM A240/A240M
S32101	14*1000 ↑*2000 ↑	14	1800	trimming	NO. 1	1.650	ASTM A240/A240M
S32101	14*1000 ↑*2000 ↑	14	1820	trimming	NO. 1	1.175	ASME SA240/SA240M
S32101	15*1000 ↑*2000 ↑	15	1200	trimming	NO. 1	1.075	ASTM A240/A240M
S32101	15*1000 ↑*2000 ↑	15	1700	trimming	NO. 1	1.155	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	1400	trimming	NO. 1	0.720	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	1400	trimming	NO. 1	0.780	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	1400	trimming	NO. 1	0.780	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	1660	trimming	NO. 1	0.550	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	2010	trimming	NO. 1	0.605	CCS, ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	2150	trimming	NO. 1	1.865	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	2210	trimming	NO. 1	0.725	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	2240	trimming	NO. 1	0.795	ASTM A240/A240M
S32101	9.5*1000 ↑*2000 ↑	9.5	2240	trimming	NO. 1	1.250	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.560	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.550	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.655	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.675	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1500	trimming	NO. 1	0.705	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1800	trimming	NO. 1	0.525	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1800	trimming	NO. 1	0.555	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1800	trimming	NO. 1	0.800	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1800	trimming	NO. 1	0.795	CCS, ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1800	trimming	NO. 1	0.810	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1810	trimming	NO. 1	0.425	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2000	trimming	NO. 1	0.575	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2000	trimming	NO. 1	0.615	CCS, ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2000	trimming	NO. 1	0.815	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2000	trimming	NO. 1	0.930	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2000	trimming	NO. 1	1.815	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2010	trimming	NO. 1	0.430	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	2010	trimming	NO. 1	0.740	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1400	trimming	NO. 1	2.030	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1490	trimming	NO. 1	1.060	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1500	trimming	NO. 1	0.530	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1500	trimming	NO. 1	0.990	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1500	trimming	NO. 1	1.015	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	0.585	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.165	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.410	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.440	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.465	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.450	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.445	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.470	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.475	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2000	trimming	NO. 1	1.555	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2010	trimming	NO. 1	1.420	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2010	trimming	NO. 1	1.690	ASME SA240/SA240M
S32101	11*1000 ↑*2000 ↑	11	2400	trimming	NO. 1	1.550	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	2410	trimming	NO. 1	2.005	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	2510	trimming	NO. 1	1.155	ASME SA240/SA240M
1.4362	5*1000 ↑*2000 ↑	5	1500	trimming	1D	0.710	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	1200	trimming	1D	3.440	EN10028-7
1.4362	32*1000 ↑*2000 ↑	32	1200	trimming	1D	3.220	EN10028-7
1.4362	36*1000 ↑*2000 ↑	36	1200	trimming	1D	4.180	EN10028-7
1.4362	37*1000 ↑*2000 ↑	37	1200	trimming	1D	4.720	EN10028-7
1.4362	6*1000 ↑*2000 ↑	6	1500	trimming	1D	0.215	EN10028-7
1.4362	9*1000 ↑*2000 ↑	9	2000	trimming	1D	0.385	EN10028-7
1.4362	9*1000 ↑*2000 ↑	9	2000	trimming	1D	0.790	EN10028-7
1.4362	12*1000 ↑*2000 ↑	12	1000	trimming	1D	0.635	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	1400	trimming	1D	1.945	EN10028-7
1.4362	14*1000 ↑*2000 ↑	14	1000	trimming	1D	0.905	EN10028-7

1.4362	15.5*1000 ↑*2000 ↑	15.5	2000	trimming	1D	2.370	EN10028-7
S32101	10*1000 ↑*2000 ↑	10	1900	trimming	NO.1	0.859	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1900	trimming	NO.1	0.960	ASTM A240/A240M
S32101	10*1000 ↑*2000 ↑	10	1900	trimming	NO.1	1.295	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1600	trimming	NO.1	1.180	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1750	trimming	NO.1	1.290	ASTM A240/A240M
S32101	11*1000 ↑*2000 ↑	11	1550	trimming	NO.1	0.555	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1400	trimming	NO.1	0.970	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1500	trimming	NO.1	0.665	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1500	trimming	NO.1	1.905	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1900	trimming	NO.1	7.185	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1900	trimming	NO.1	1.155	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1400	trimming	NO.1	2.240	ASTM A240/A240M
S32101	12*1000 ↑*2000 ↑	12	1500	trimming	NO.1	0.450	ASME SA240/SA240M
S32101	12*1000 ↑*2000 ↑	12	1500	trimming	NO.1	0.570	ASME SA240/SA240M
S32101	14*1000 ↑*2000 ↑	14	1500	trimming	NO.1	0.990	ASTM A240/A240M
S32101	14*1000 ↑*2000 ↑	14	1500	trimming	NO.1	2.360	ASME SA240/SA240M
S32101	14*1000 ↑*2000 ↑	14	1500	trimming	NO.1	1.575	ASME SA240/SA240M
S32101	14*1000 ↑*2000 ↑	14	1500	trimming	NO.1	0.930	ASME SA240/SA240M
S32101	14*1000 ↑*2000 ↑	14	1500	trimming	NO.1	0.570	ASME SA240/SA240M
S32101	15*1000 ↑*2000 ↑	15	1500	trimming	NO.1	0.900	ASTM A240/A240M
S32101	15*1000 ↑*2000 ↑	15	1600	trimming	NO.1	1.950	ASME SA240/SA240M
S32101	25*1000 ↑*2000 ↑	25	1500	trimming	NO.1	1.280	ASME SA240/SA240M
S32101	28*1000 ↑*2000 ↑	28	1800	trimming	NO.1	5.915	ASTM A240/A240M
S32101	28*1000 ↑*2000 ↑	28	1800	trimming	NO.1	5.645	ASTM A240/A240M
S32101	15*1000 ↑*2000 ↑	15	1800	trimming	NO.1	0.975	ASTM A240/A240M
S32101	15*1000 ↑*2000 ↑	15	1960	trimming	NO.1	0.680	ASME SA240/SA240M
S32101	15*1000 ↑*2000 ↑	15	1970	trimming	NO.1	1.080	ASME SA240/SA240M
S32101	15*1000 ↑*2000 ↑	15	2650	trimming	NO.1	2.350	ASTM A240/A240M
S32101	16*1000 ↑*2000 ↑	16	1880	trimming	NO.1	1.705	ASME SA240/SA240M
S32101	16*1000 ↑*2000 ↑	16	1910	trimming	NO.1	1.535	ASME SA240/SA240M
S32101	16*1000 ↑*2000 ↑	16	1940	trimming	NO.1	1.475	ASME SA240/SA240M
S32101	16*1000 ↑*2000 ↑	16	1950	trimming	NO.1	1.710	ASME SA240/SA240M
S32101	16*1000 ↑*2000 ↑	16	1970	trimming	NO.1	1.250	ASME SA240/SA240M
S32101	16*1000 ↑*2000 ↑	16	1980	trimming	NO.1	1.250	ASME SA240/SA240M
S32101	16*1000 ↑*2000 ↑	16	2000	trimming	NO.1	1.385	ASME SA240/SA240M
S32101	25*1000 ↑*2000 ↑	25	1810	trimming	NO.1	1.370	ASME SA240/SA240M
S32101	12.7*1000 ↑*2000 ↑	12.7	1850	trimming		1.6	APP-VL52-Z0-023. REV. 1
S32101	12.7*1000 ↑*2000 ↑	12.7	2060	trimming		2.485	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2260	trimming		2.685	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2300	trimming		2.345	AP-GYP-001
S32101	12.7*1000 ↑*2000 ↑	12.7	2300	trimming		2.745	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2300	trimming		2.76	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2350	trimming		0.625	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2350	trimming		2.18	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2350	trimming		2.645	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2380	trimming		1.275	AP-GYP-001
S32101	12.7*1000 ↑*2000 ↑	12.7	2390	trimming		2.14	AP-GYP-001
S32101	12.7*1000 ↑*2000 ↑	12.7	2400	trimming		2.44	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2450	trimming		1.52	APP-VL52-Z0-023. REV. 1
S32101	12.7*1000 ↑*2000 ↑	12.7	2500	trimming		1.54	APP-VL52-Z0-023. REV. 1
S32101	12.7*1000 ↑*2000 ↑	12.7	2500	trimming		1.805	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2500	trimming		3.305	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2550	trimming		2.055	AP-GYP-001
S32101	12.7*1000 ↑*2000 ↑	12.7	2550	trimming		2.835	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2560	trimming		2.23	CAP-PTS-001. rev. 3
S32101	12.7*1000 ↑*2000 ↑	12.7	2600	trimming		0.75	APP-VL52-Z0-023. REV. 1
S32101	12.7*1000 ↑*2000 ↑	12.7	2600	trimming		2.365	CAP-PTS-001. rev. 3
S32101	13*1000 ↑*2000 ↑	13	1500	trimming		0.95	APP-VL52-Z0-023. REV. 1
S32101	13*1000 ↑*2000 ↑	13	1700	trimming		1.05	APP-VL52-Z0-023. REV. 1
S32101	15.9*1000 ↑*2000 ↑	15.9	1700	trimming		1.37	APP-VL52-Z0-023. REV. 1
S32101	15.9*1000 ↑*2000 ↑	15.9	1750	trimming		2.39	APP-VL52-Z0-023. REV. 1
S32101	15.9*1000 ↑*2000 ↑	15.9	1800	trimming		4.69	APP-VL52-Z0-023. REV. 1
S32101	15.9*1000 ↑*2000 ↑	15.9	1800	trimming		2.405	APP-VL52-Z0-023. REV. 1

S32101	15.9*1000 ↑*2000 ↑	15.9	1800	trimming	2.535	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2300	trimming	3.67	CAP-PTS-001. rev. 3
S32101	9.05*1000 ↑*2000 ↑	19.05	2350	trimming	1.915	APP-VL52-Z0-023. REV. 1
S32101	25.4*1000 ↑*2000 ↑	25.4	2600	trimming	3.82	CAP-PTS-001. rev. 3
S32101	25.4*1000 ↑*2000 ↑	25.4	2600	trimming	4.885	CAP-PTS-001. rev. 3
S32101	25.4*1000 ↑*2000 ↑	25.4	2620	trimming	3.575	CAP-PTS-001. rev. 3
S32101	38.1*1000 ↑*2000 ↑	38.1	1090	trimming	2.41	APP-VL52-Z0-023. REV. 1
S32101	38.1*1000 ↑*2000 ↑	38.1	1100	trimming	2.825	APP-VL52-Z0-023. REV. 1
S32101	38.1*1000 ↑*2000 ↑	38.1	1230	trimming	3.405	APP-VL52-Z0-023. REV. 1
S32101	38.1*1000 ↑*2000 ↑	38.1	1250	trimming	2.925	CAP-PTS-001. rev. 3
S32101	38.1*1000 ↑*2000 ↑	38.1	1250	trimming	3.025	CAP-PTS-001. rev. 3
S32101	38.1*1000 ↑*2000 ↑	38.1	1300	trimming	3.155	APP-VL52-Z0-023. REV. 1
S32101	12.7*1000 ↑*2000 ↑	12.7	1700	trimming	0.655	CAP-PTS-001. rev. 3
S32101	15.9*1000 ↑*2000 ↑	15.9	2000	trimming	2.65	CAP-PTS-001. rev. 3
S32101	15.9*1000 ↑*2000 ↑	15.9	2500	trimming	2.025	CAP-PTS-001. rev. 3
S32101	15.9*1000 ↑*2000 ↑	15.9	2610	trimming	3.155	CAP-PTS-001. rev. 3
S32101	9.05*1000 ↑*2000 ↑	19.05	1300	trimming	2.2	CAP-PTS-001. rev. 3
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	2.775	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	2.8	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	2.83	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.225	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.29	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.505	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.925	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.93	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.92	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.86	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.91	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2200	trimming	3.88	APP-VL52-Z0-023. REV. 1
S32101	9.05*1000 ↑*2000 ↑	19.05	2300	trimming	3.205	APP-VL52-Z0-023. REV. 1