



# Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	316L	2.3*1219*C	2.281	1254	Mill Edge	2B	1	9.823	Actual weight	2018/5/10	ASTM A240M-15	7180358476
2	Cold rolled coil	316L	2.3*1219*C	2.281	1254	Mill Edge	2B	1	10.033	Actual weight	2018/5/10	ASTM A240M-15	7180358477
3	Cold rolled coil	316L	2.3*1219*C	2.276	1256	Mill Edge	2B	1	9.883	Actual weight	2018/5/10	ASTM A240M-15	7180358488
4	Cold rolled coil	316L	2.3*1219*C	2.276	1256	Mill Edge	2B	1	10.133	Actual weight	2018/5/10	ASTM A240M-15	7180358489
5	Cold rolled coil	316L	2.8*1219*C	2.716	1253	Mill Edge	2B	1	9.387	Actual weight	2018/5/10	ASTM A240M-15	7180358466
6	Cold rolled coil	316L	2.8*1219*C	2.716	1253	Mill Edge	2B	1	9.906	Actual weight	2018/5/10	ASTM A240M-15	7180358467
7	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.362	Actual weight	2018/5/10	JIS G 4305:2012	7180355865
8	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.033	Actual weight	2018/5/10	JIS G 4305:2012	7180355866
9	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.522	Actual weight	2018/5/14	ASTM A240M-15	7180360507
10	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.104	Actual weight	2018/5/31	ASTM A240M-15	7180360653
11	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.433	Actual weight	2018/5/14	ASTM A240M-15	7180360655
12	Cold rolled coil	316L	1*1500*C	0.951	1535	Mill Edge	2B	1	12.666	Actual weight	2018/5/14	ASTM A240M-15	7180360505
13	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.810	Actual weight	2018/5/15	ASTM A240M-15	7180360508
14	Cold rolled coil	316L	1.5*1500*C	1.422	1538	Mill Edge	2B	1	12.269	Actual weight	2018/5/14	ASTM A240M-15	7180361575
15	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.229	Actual weight	2018/5/14	ASTM A240M-15	7180361577
16	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.059	Actual weight	2018/5/14	ASTM A240M-15	7180361578
17	Cold rolled coil	316L	2.3*1500*C	2.235	1540	Mill Edge	2B	1	12.672	Actual weight	2018/5/15	ASTM A240M-15	7180360654
18	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	8.041	Actual weight	2018/5/14	JIS G 4305:2012	7180360634
19	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.159	Actual weight	2018/5/14	JIS G 4305:2012	7180360635
20	Cold rolled coil	304L	1.5*1219*C	1.471	1251	Mill Edge	2B	1	5.894	Actual weight	2018/5/21	ASTM A240M-15	7180365017
21	Cold rolled coil	316L	1.2*1219*C	1.156	1252	Mill Edge	2B	1	11.033	Actual weight	2018/5/21	ASTM A240M-15	7180364594



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	316L	1.2*1219*C	1.156	1252	Mill Edge	2B	1	11.033	Actual weight	2018/5/21	ASTM A240M-15	7180364595
23	Cold rolled coil	316L	2*1219*C	1.922	1253	Mill Edge	2B	1	10.190	Actual weight	2018/5/21	ASTM A240M-15	7180364298
24	Cold rolled coil	316L	2*1219*C	1.922	1253	Mill Edge	2B	1	10.280	Actual weight	2018/5/21	ASTM A240M-15	7180364302
25	Cold rolled coil	316L	2.8*1219*C	2.767	1251	Mill Edge	2B	1	10.305	Actual weight	2018/5/24	ASTM A240M-15	7180363683
26	Cold rolled coil	316L	2.8*1219*C	2.767	1251	Mill Edge	2B	1	10.665	Actual weight	2018/5/21	ASTM A240M-15	7180363684
27	Cold rolled coil	316L	3*1219*C	2.902	1254	Mill Edge	2B	1	9.957	Actual weight	2018/5/17	ASTM A240M-15	7180363099
28	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.319	Actual weight	2018/5/18	JIS G 4305:2012	7180360636
29	Cold rolled coil	SUS304	5*2000*C	4.778	2043	Mill Edge	2B	1	10.531	Actual weight	2018/5/18	JIS G 4305:2012	7180360630
30	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.070	Actual weight	2018/5/22	ASTM A240M-15	7180366859
31	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.719	Actual weight	2018/5/22	ASTM A240M-15	7180366860
32	Cold rolled coil	304L	2.5*1219*C	2.431	1255	Mill Edge	2B	1	6.090	Actual weight	2018/5/22	ASTM A240M-15	7180366864
33	Cold rolled coil	304L	2.5*1219*C	2.431	1255	Mill Edge	2B	1	5.671	Actual weight	2018/5/22	ASTM A240M-15	7180366866
34	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.490	Actual weight	2018/6/1	JIS G 4305:2012	7180372372
35	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.585	Actual weight	2018/6/1	JIS G 4305:2012	7180372373
36	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.246	Actual weight	2018/6/1	JIS G 4305:2012	7180372374
37	Cold rolled coil	SUS430	3*1219*C	2.787	1219	Slit Edge	2B	1	5.668	Actual weight	2018/6/6	JIS G 4305:2012	7180374651
38	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	5.780	Actual weight	2018/6/9	GB/T3280-2015	7180379420
39	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	6.013	Actual weight	2018/6/9	GB/T3280-2015	7180379422
40	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.405	Actual weight	2018/6/6	GB/T3280-2015	7180380617
41	Cold rolled coil	SUS304	1.5*2000*C	1.465	2030	Mill Edge	2B	1	10.150	Actual weight	2018/6/8	JIS G 4305:2012	7180379013
42	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.395	Actual weight	2018/6/8	GB/T3280-2015	7180380616
43	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	5.952	Actual weight	2018/6/8	GB/T3280-2015	7180380618
44	Cold rolled coil	06Cr18Ni11Ti	2*1219*C	1.907	1219	Slit Edge	2B	1	5.768	Actual weight	2018/6/9	GB/T3280-2015	7180380604
45	Cold rolled coil	06Cr18Ni11Ti	2*1219*C	1.922	1219	Slit Edge	2B	1	5.344	Actual weight	2018/6/9	GB/T3280-2015	7180380650
46	Cold rolled coil	06Cr18Ni11Ti	2*1219*C	1.922	1219	Slit Edge	2B	1	5.848	Actual weight	2018/6/9	GB/T3280-2015	7180380662
47	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	5.735	Actual weight	2018/6/11	GB/T3280-2015	7180379423



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.452	Actual weight	2018/6/12	GB/T3280-2015	7180383432
49	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.098	Actual weight	2018/6/12	GB/T3280-2015	7180383433
50	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	5.974	Actual weight	2018/6/12	GB/T3280-2015	7180383484
51	Cold rolled coil	316L	2*1500*C	1.932	1542	Mill Edge	2B	1	10.405	Actual weight	2018/6/14	ASTM A240M-15	7180380940
52	Cold rolled coil	SUS430	0.7*1219*C	0.67	1264	Mill Edge	2B	1	6.059	Actual weight	2018/6/30	JIS G 4305:2012	7180395250
53	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	8.070	Actual weight	2018/2/11	ASME SA-240M-2015	7180288639
54	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.440	Actual weight	2018/2/11	ASME SA-240M-2015	7180291667
55	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
56	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.660	Actual weight	2018/4/23	ASME SA-240M-2015	7180343738
57	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.980	Actual weight	2018/4/25	ASME SA-240M-2015	7180343961
58	Hot rolled coil	S32205	6*1500*C	5.85	1500	Slit Edge	No.1	1	13.070	Actual weight	2018/4/28	ASME SA-240M-2015	7180344086
59	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.910	Actual weight	2018/4/28	ASME SA-240M-2015	7180345320
60	Hot rolled coil	S32205	6*1500*C	5.83	1500	Slit Edge	No.1	1	13.110	Actual weight	2018/4/28	ASME SA-240M-2015	7180345342
61	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	19.415	Actual weight	2018/5/2	ASME SA-240M-2015	7180350319
62	Hot rolled coil	S32205	3*1500*C	2.94	1500	Slit Edge	No.1	1	18.970	Actual weight	2018/5/3	ASME SA-240M-2015	7180350320
63	Hot rolled coil	S32205	3*1500*C	2.94	1500	Slit Edge	No.1	1	19.060	Actual weight	2018/5/3	ASME SA-240M-2015	7180350330
64	Hot rolled coil	S32205	3*1500*C	2.92	1500	Slit Edge	No.1	1	19.240	Actual weight	2018/5/2	ASME SA-240M-2015	7180350331
65	Hot rolled coil	S32205	3*1500*C	2.95	1500	Slit Edge	No.1	1	19.210	Actual weight	2018/5/2	ASME SA-240M-2015	7180350409
66	Hot rolled coil	S32205	3*1500*C	2.971	1500	Slit Edge	No.1	1	18.510	Actual weight	2018/5/2	ASME SA-240M-2015	7180351577
67	Hot rolled coil	S32205	3*1500*C	2.986	1500	Slit Edge	No.1	1	19.280	Actual weight	2018/5/2	ASME SA-240M-2015	7180351578
68	Hot rolled coil	S32205	3*1500*C	2.989	1500	Slit Edge	No.1	1	19.440	Actual weight	2018/5/2	ASME SA-240M-2015	7180351579
69	Hot rolled coil	S32205	3*1500*C	2.993	1500	Slit Edge	No.1	1	20.020	Actual weight	2018/5/2	ASME SA-240M-2015	7180351580
70	Hot rolled coil	S32205	3*1500*C	2.994	1500	Slit Edge	No.1	1	19.660	Actual weight	2018/5/2	ASME SA-240M-2015	7180351581
71	Hot rolled coil	S32205	3*1500*C	2.975	1500	Slit Edge	No.1	1	16.810	Actual weight	2018/5/2	ASME SA-240M-2015	7180351582
72	Hot rolled coil	S32205	3*1500*C	2.94	1500	Slit Edge	No.1	1	18.910	Actual weight	2018/5/5	ASME SA-240M-2015	7180350850
73	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/8	GB/T4238-2015	7180356756



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
75	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.390	Actual weight	2018/5/10	ASME SA-240M-2015	7180351757
76	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.420	Actual weight	2018/5/10	ASME SA-240M-2015	7180351758
77	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
78	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.970	Actual weight	2018/5/14	GB/T4238-2015	7180360488
79	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	13.200	Actual weight	2018/5/14	GB/T4238-2015	7180360489
80	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.230	Actual weight	2018/5/14	GB/T4238-2015	7180360491
81	Hot rolled coil	06Cr23Ni13	8*1500*C	7.84	1500	Slit Edge	1D	1	13.320	Actual weight	2018/5/14	GB/T4238-2015	7180361572
82	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	13.560	Actual weight	2018/5/15	GB/T4238-2015	7180362171
83	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.710	Actual weight	2018/5/15	GB/T4238-2015	7180362260
84	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
85	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/15	GB/T4238-2015	7180362471
86	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.040	Actual weight	2018/5/17	GB/T4238-2015	7180360490
87	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	12.960	Actual weight	2018/5/17	GB/T4238-2015	7180360640
88	Hot rolled coil	06Cr23Ni13	6*1500*C	5.915	1500	Slit Edge	1D	1	12.980	Actual weight	2018/5/17	GB/T4238-2015	7180360641
89	Hot rolled coil	06Cr23Ni13	8*1500*C	7.84	1500	Slit Edge	1D	1	14.000	Actual weight	2018/5/17	GB/T4238-2015	7180361571
90	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	12.910	Actual weight	2018/5/18	GB/T4238-2015	7180362374
91	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.640	Actual weight	2018/5/18	GB/T4238-2015	7180362261
92	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	12.990	Actual weight	2018/5/22	GB/T4238-2015	7180367681
93	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	13.290	Actual weight	2018/5/26	GB/T4238-2015	7180367746
94	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/5/29	ASME SA-240M-2015	7180371466
95	Hot rolled coil	S32205	6*1500*C	5.77	1500	Slit Edge	No.1	1	13.350	Actual weight	2018/5/29	ASME SA-240M-2015	7180371467
96	Hot rolled coil	S32205	3*1500*C	2.92	1500	Slit Edge	No.1	1	20.940	Actual weight	2018/6/2	ASME SA-240M-2015	7180376276
97	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.260	Actual weight	2018/6/2	ASME SA-240M-2015	7180371601
98	Hot rolled coil	S32205	4.9*1500*C	4.815	1500	Slit Edge	No.1	1	10.170	Actual weight	2018/6/9	ASME SA-240M-2015	7180382438
99	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	14.610	Actual weight	2018/6/11	ASME SA-240M-2015	7180382842



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled coil	S32205	4*1500*C	3.859	1500	Slit Edge	No.1	1	18.040	Actual weight	2018/6/12	ASME SA-240M-2015	7180382843
101	Hot rolled coil	S32205	4*1500*C	3.869	1500	Slit Edge	No.1	1	18.350	Actual weight	2018/6/12	ASME SA-240M-2015	7180382844
102	Hot rolled coil	S32205	4*1500*C	3.872	1500	Slit Edge	No.1	1	19.420	Actual weight	2018/6/12	ASME SA-240M-2015	7180383273
103	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	12.040	Actual weight	2018/6/12	ASME SA-240M-2015	7180383097
104	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.060	Actual weight	2018/6/12	ASME SA-240M-2015	7180384083
105	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.470	Actual weight	2018/6/12	ASME SA-240M-2015	7180384084
106	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	13.170	Actual weight	2018/6/12	ASME SA-240M-2015	7180384085
107	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.750	Actual weight	2018/6/12	ASME SA-240M-2015	7180384087
108	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	13.400	Actual weight	2018/6/12	ASME SA-240M-2015	7180384088
109	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.140	Actual weight	2018/6/19	ASME SA-240M-2015	7180387010
110	Hot rolled coil	S32205	6*1500*C	5.87	1500	Slit Edge	No.1	1	13.160	Actual weight	2018/6/21	ASME SA-240M-2015	7180388008
111	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.360	Actual weight	2018/6/22	GB/T4238-2015	7180390064
112	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.020	Actual weight	2018/6/22	GB/T4238-2015	7180390065
113	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.280	Actual weight	2018/6/22	ASME SA-240M-2015	7180387011
114	Hot rolled coil	S32205	6*1500*C	5.86	1500	Slit Edge	No.1	1	12.920	Actual weight	2018/6/22	ASME SA-240M-2015	7180387867
115	Hot rolled coil	S32205	5*1500*C	4.827	1500	Slit Edge	No.1	1	13.290	Actual weight	2018/6/25	ASME SA-240M-2015	7180392326
116	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	11.000	Actual weight	2018/6/27	ASME SA-240M-2015	7180393722
117	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	10.180	Actual weight	2018/6/28	ASME SA-240M-2015	7180393723
118	Hot rolled coil	S32205	5*1500*C	4.862	1500	Slit Edge	No.1	1	15.020	Actual weight	2018/6/28	ASME SA-240M-2015	7180393972
119	Hot rolled coil	S32205	5*1500*C	4.803	1500	Slit Edge	No.1	1	16.770	Actual weight	2018/6/29	ASME SA-240M-2015	7180395665
120	Hot rolled coil	S30408	10*2000*C	9.85	2042	Mill Edge	1D	1	14.730	Actual weight	2018/6/30	GB24511-2009	7180397111
121	Hot rolled coil	S30408	10*2000*C	9.85	2042	Mill Edge	1D	1	15.300	Actual weight	2018/6/30	GB24511-2009	7180397314
122	Hot rolled coil	S32205	4.9*1500*C	4.79	1500	Slit Edge	No.1	1	10.810	Actual weight	2018/7/2	ASME SA-240M-2015	7180396110
123	Hot rolled coil	S32205	4.9*1500*C	4.79	1500	Slit Edge	No.1	1	10.910	Actual weight	2018/7/2	ASME SA-240M-2015	7180396111
124	Hot rolled coil	S32205	5*1500*C	4.76	1500	Slit Edge	No.1	1	13.190	Actual weight	2018/7/2	ASME SA-240M-2015	7180396612
125	Hot rolled coil	S32205	5*1500*C	4.76	1500	Slit Edge	No.1	1	13.090	Actual weight	2018/7/2	ASME SA-240M-2015	7180396613



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.540	Actual weight	2018/4/11	GB24511-2009	7180336156
127	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.915	Actual weight	2018/4/16	GB24511-2009	7180336157
128	Hot rolled coil	S30408	14*1500*C	13.87	1500	Slit Edge	1D	1	13.760	Actual weight	2018/5/23	GB24511-2009	7180362183
129	Hot rolled coil	S30408	14*1500*C	13.87	1500	Slit Edge	1D	1	13.860	Actual weight	2018/5/23	GB24511-2009	7180362185