



# Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.362	Actual weight	2018/5/10	JIS G 4305:2012	7180355865
2	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.033	Actual weight	2018/5/10	JIS G 4305:2012	7180355866
3	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.522	Actual weight	2018/5/14	ASTM A240M-15	7180360507
4	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.104	Actual weight	2018/5/31	ASTM A240M-15	7180360653
5	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.433	Actual weight	2018/5/14	ASTM A240M-15	7180360655
6	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.810	Actual weight	2018/5/15	ASTM A240M-15	7180360508
7	Cold rolled coil	316L	1.5*1500*C	1.422	1538	Mill Edge	2B	1	12.269	Actual weight	2018/5/14	ASTM A240M-15	7180361575
8	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.229	Actual weight	2018/5/14	ASTM A240M-15	7180361577
9	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.059	Actual weight	2018/5/14	ASTM A240M-15	7180361578
10	Cold rolled coil	316L	2.3*1500*C	2.235	1540	Mill Edge	2B	1	12.672	Actual weight	2018/5/15	ASTM A240M-15	7180360654
11	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	8.041	Actual weight	2018/5/14	JIS G 4305:2012	7180360634
12	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.159	Actual weight	2018/5/14	JIS G 4305:2012	7180360635
13	Cold rolled coil	304L	1.5*1219*C	1.471	1251	Mill Edge	2B	1	5.894	Actual weight	2018/5/21	ASTM A240M-15	7180365017
14	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.319	Actual weight	2018/5/18	JIS G 4305:2012	7180360636
15	Cold rolled coil	SUS304	5*2000*C	4.778	2043	Mill Edge	2B	1	10.531	Actual weight	2018/5/18	JIS G 4305:2012	7180360630
16	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.070	Actual weight	2018/5/22	ASTM A240M-15	7180366859
17	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.719	Actual weight	2018/5/22	ASTM A240M-15	7180366860
18	Cold rolled coil	304L	2.5*1219*C	2.431	1255	Mill Edge	2B	1	6.090	Actual weight	2018/5/22	ASTM A240M-15	7180366864
19	Cold rolled coil	304L	2.5*1219*C	2.431	1255	Mill Edge	2B	1	5.671	Actual weight	2018/5/22	ASTM A240M-15	7180366866
20	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.490	Actual weight	2018/6/1	JIS G 4305:2012	7180372372
21	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.585	Actual weight	2018/6/1	JIS G 4305:2012	7180372373



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.246	Actual weight	2018/6/1	JIS G 4305:2012	7180372374
23	Cold rolled coil	SUS430	3*1219*C	2.787	1219	Slit Edge	2B	1	5.668	Actual weight	2018/6/6	JIS G 4305:2012	7180374651
24	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	6.013	Actual weight	2018/6/9	GB/T3280-2015	7180379422
25	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.405	Actual weight	2018/6/6	GB/T3280-2015	7180380617
26	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.395	Actual weight	2018/6/8	GB/T3280-2015	7180380616
27	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	5.952	Actual weight	2018/6/8	GB/T3280-2015	7180380618
28	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	5.735	Actual weight	2018/6/11	GB/T3280-2015	7180379423
29	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.452	Actual weight	2018/6/12	GB/T3280-2015	7180383432
30	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.098	Actual weight	2018/6/12	GB/T3280-2015	7180383433
31	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	5.974	Actual weight	2018/6/12	GB/T3280-2015	7180383484
32	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.657	Actual weight	2018/7/2	JIS G 4305:2012	7180397125
33	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.338	Actual weight	2018/7/2	JIS G 4305:2012	7180397130
34	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
35	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	6.464	Actual weight	2018/7/2	JIS G 4305:2012	7180397138
36	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
37	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
38	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
39	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
40	Cold rolled coil	SUS304	3*1800*C	2.944	1800	Slit Edge	2B	1	14.289	Actual weight	2018/7/9	JIS G 4305:2012	7180403120
41	Cold rolled coil	SUS304	3*1800*C	2.944	1800	Slit Edge	2B	1	14.239	Actual weight	2018/7/9	JIS G 4305:2012	7180403121
42	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
43	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
44	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
45	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
46	Cold rolled coil	304L	1.5*1219*C	1.455	1262	Mill Edge	2B	1	7.131	Actual weight	2018/7/11	ASTM A240M-15	7180404735
47	Cold rolled coil	SUH409L	1.5*1219*C	1.478	1219	Slit Edge	2D	1	12.546	Actual weight	2018/7/9	JIS G 4312:2011	7180384477



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Cold rolled coil	SUH409L	2.5*1219*C	2.362	1255	Mill Edge	2D	1	16.494	Actual weight	2018/7/9	JIS G 4312:2011	7180384150
49	Cold rolled coil	439M	1*1500*C	0.969	1532	Mill Edge	2D	1	6.666	Actual weight	2018/7/10	Q/TX039-2015	7180389103
50	Cold rolled coil	439M	1*1500*C	0.969	1532	Mill Edge	2D	1	6.159	Actual weight	2018/7/10	Q/TX039-2015	7180389106
51	Cold rolled coil	439M	1*1500*C	0.969	1532	Mill Edge	2D	1	6.517	Actual weight	2018/7/10	Q/TX039-2015	7180389105
52	Cold rolled coil	439M	1.2*1500*C	1.169	1534	Mill Edge	2D	1	7.498	Actual weight	2018/7/10	Q/TX039-2015	7180389686
53	Cold rolled coil	439M	1.2*1500*C	1.169	1534	Mill Edge	2D	1	6.483	Actual weight	2018/7/10	Q/TX039-2015	7180389685
54	Cold rolled coil	1.4509/441	1*1130*C	0.961	1130	Slit Edge	2D	1	15.452	Actual weight	2018/7/9	EN10088-2:2005	7180392060
55	Cold rolled coil	1.4512	0.8*1219*C	0.767	1219	Slit Edge	2D	1	6.775	Actual weight	2018/7/5	EN10088-2:2014	7180395326
56	Cold rolled coil	SUH409L	1*1500*C	0.931	1531	Mill Edge	2B	1	23.501	Actual weight	2018/7/9	JIS G 4312:2011	7180395658
57	Cold rolled coil	SUH409L	1.8*950*C	1.704	950	Slit Edge	2B	1	6.604	Actual weight	2018/7/5	Q/TB3070-2007	7180396616
58	Cold rolled coil	SUS436L	0.6*1175*C	0.564	1175	Slit Edge	2D	1	6.055	Actual weight	2018/7/7	JIS G 4305:2012	7180398395
59	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	8.070	Actual weight	2018/2/11	ASME SA-240M-2015	7180288639
60	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.440	Actual weight	2018/2/11	ASME SA-240M-2015	7180291667
61	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
62	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.660	Actual weight	2018/4/23	ASME SA-240M-2015	7180343738
63	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.980	Actual weight	2018/4/25	ASME SA-240M-2015	7180343961
64	Hot rolled coil	S32205	6*1500*C	5.85	1500	Slit Edge	No.1	1	13.070	Actual weight	2018/4/28	ASME SA-240M-2015	7180344086
65	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.910	Actual weight	2018/4/28	ASME SA-240M-2015	7180345320
66	Hot rolled coil	S32205	6*1500*C	5.83	1500	Slit Edge	No.1	1	13.110	Actual weight	2018/4/28	ASME SA-240M-2015	7180345342
67	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	19.415	Actual weight	2018/5/2	ASME SA-240M-2015	7180350319
68	Hot rolled coil	S32205	3*1500*C	2.95	1500	Slit Edge	No.1	1	19.210	Actual weight	2018/5/2	ASME SA-240M-2015	7180350409
69	Hot rolled coil	S32205	3*1500*C	2.971	1500	Slit Edge	No.1	1	18.510	Actual weight	2018/5/2	ASME SA-240M-2015	7180351577
70	Hot rolled coil	S32205	3*1500*C	2.986	1500	Slit Edge	No.1	1	19.280	Actual weight	2018/5/2	ASME SA-240M-2015	7180351578
71	Hot rolled coil	S32205	3*1500*C	2.989	1500	Slit Edge	No.1	1	19.440	Actual weight	2018/5/2	ASME SA-240M-2015	7180351579
72	Hot rolled coil	S32205	3*1500*C	2.993	1500	Slit Edge	No.1	1	20.020	Actual weight	2018/5/2	ASME SA-240M-2015	7180351580
73	Hot rolled coil	S32205	3*1500*C	2.994	1500	Slit Edge	No.1	1	19.660	Actual weight	2018/5/2	ASME SA-240M-2015	7180351581



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S32205	3*1500*C	2.975	1500	Slit Edge	No.1	1	16.810	Actual weight	2018/5/2	ASME SA-240M-2015	7180351582
75	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/8	GB/T4238-2015	7180356756
76	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
77	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.390	Actual weight	2018/5/10	ASME SA-240M-2015	7180351757
78	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.420	Actual weight	2018/5/10	ASME SA-240M-2015	7180351758
79	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
80	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.970	Actual weight	2018/5/14	GB/T4238-2015	7180360488
81	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	13.200	Actual weight	2018/5/14	GB/T4238-2015	7180360489
82	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.230	Actual weight	2018/5/14	GB/T4238-2015	7180360491
83	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	13.560	Actual weight	2018/5/15	GB/T4238-2015	7180362171
84	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.710	Actual weight	2018/5/15	GB/T4238-2015	7180362260
85	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
86	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/15	GB/T4238-2015	7180362471
87	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.040	Actual weight	2018/5/17	GB/T4238-2015	7180360490
88	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	12.960	Actual weight	2018/5/17	GB/T4238-2015	7180360640
89	Hot rolled coil	06Cr23Ni13	6*1500*C	5.915	1500	Slit Edge	1D	1	12.980	Actual weight	2018/5/17	GB/T4238-2015	7180360641
90	Hot rolled coil	06Cr23Ni13	8*1500*C	7.84	1500	Slit Edge	1D	1	14.000	Actual weight	2018/5/17	GB/T4238-2015	7180361571
91	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	12.910	Actual weight	2018/5/18	GB/T4238-2015	7180362374
92	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.640	Actual weight	2018/5/18	GB/T4238-2015	7180362261
93	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	12.990	Actual weight	2018/5/22	GB/T4238-2015	7180367681
94	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	13.290	Actual weight	2018/5/26	GB/T4238-2015	7180367746
95	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/5/29	ASME SA-240M-2015	7180371466
96	Hot rolled coil	S32205	6*1500*C	5.77	1500	Slit Edge	No.1	1	13.350	Actual weight	2018/5/29	ASME SA-240M-2015	7180371467
97	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.260	Actual weight	2018/6/2	ASME SA-240M-2015	7180371601
98	Hot rolled coil	S32205	4.9*1500*C	4.815	1500	Slit Edge	No.1	1	10.170	Actual weight	2018/6/9	ASME SA-240M-2015	7180382438
99	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	14.610	Actual weight	2018/6/11	ASME SA-240M-2015	7180382842



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled coil	S32205	4*1500*C	3.859	1500	Slit Edge	No.1	1	18.040	Actual weight	2018/6/12	ASME SA-240M-2015	7180382843
101	Hot rolled coil	S32205	4*1500*C	3.869	1500	Slit Edge	No.1	1	18.350	Actual weight	2018/6/12	ASME SA-240M-2015	7180382844
102	Hot rolled coil	S32205	4*1500*C	3.872	1500	Slit Edge	No.1	1	19.420	Actual weight	2018/6/12	ASME SA-240M-2015	7180383273
103	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	12.040	Actual weight	2018/6/12	ASME SA-240M-2015	7180383097
104	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.060	Actual weight	2018/6/12	ASME SA-240M-2015	7180384083
105	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.470	Actual weight	2018/6/12	ASME SA-240M-2015	7180384084
106	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	13.170	Actual weight	2018/6/12	ASME SA-240M-2015	7180384085
107	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.750	Actual weight	2018/6/12	ASME SA-240M-2015	7180384087
108	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	13.400	Actual weight	2018/6/12	ASME SA-240M-2015	7180384088
109	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.140	Actual weight	2018/6/19	ASME SA-240M-2015	7180387010
110	Hot rolled coil	S32205	6*1500*C	5.87	1500	Slit Edge	No.1	1	13.160	Actual weight	2018/6/21	ASME SA-240M-2015	7180388008
111	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.360	Actual weight	2018/6/22	GB/T4238-2015	7180390064
112	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.020	Actual weight	2018/6/22	GB/T4238-2015	7180390065
113	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.280	Actual weight	2018/6/22	ASME SA-240M-2015	7180387011
114	Hot rolled coil	S32205	6*1500*C	5.86	1500	Slit Edge	No.1	1	12.920	Actual weight	2018/6/22	ASME SA-240M-2015	7180387867
115	Hot rolled coil	S32205	5*1500*C	4.827	1500	Slit Edge	No.1	1	13.290	Actual weight	2018/6/25	ASME SA-240M-2015	7180392326
116	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	11.000	Actual weight	2018/6/27	ASME SA-240M-2015	7180393722
117	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	10.180	Actual weight	2018/6/28	ASME SA-240M-2015	7180393723
118	Hot rolled coil	S32205	5*1500*C	4.862	1500	Slit Edge	No.1	1	15.020	Actual weight	2018/6/28	ASME SA-240M-2015	7180393972
119	Hot rolled coil	S32205	5*1500*C	4.803	1500	Slit Edge	No.1	1	16.770	Actual weight	2018/6/29	ASME SA-240M-2015	7180395665
120	Hot rolled coil	S32205	4.9*1500*C	4.79	1500	Slit Edge	No.1	1	10.810	Actual weight	2018/7/2	ASME SA-240M-2015	7180396110
121	Hot rolled coil	S32205	4.9*1500*C	4.79	1500	Slit Edge	No.1	1	10.910	Actual weight	2018/7/2	ASME SA-240M-2015	7180396111
122	Hot rolled coil	S32205	5*1500*C	4.76	1500	Slit Edge	No.1	1	13.190	Actual weight	2018/7/2	ASME SA-240M-2015	7180396612
123	Hot rolled coil	S32205	5*1500*C	4.76	1500	Slit Edge	No.1	1	13.090	Actual weight	2018/7/2	ASME SA-240M-2015	7180396613
124	Hot rolled coil	S32205	5*1500*C	4.88	1500	Slit Edge	No.1	1	12.850	Actual weight	2018/7/4	ASME SA-240M-2015	7180326991
125	Hot rolled coil	S32205	6*1500*C	5.88	1500	Slit Edge	No.1	1	12.890	Actual weight	2018/7/4	ASME SA-240M-2015	7180326989





Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled coil	S32205	5*1500*C	4.803	1500	Slit Edge	No.1	1	13.300	Actual weight	2018/7/10	ASME SA-240M-2015	7180399305
127	Hot rolled coil	S30408	6*2000*C	5.86	2041	Mill Edge	1D	1	28.680	Actual weight	2018/7/12	GB24511-2009	7180403439
128	Hot rolled coil	S30408	6*2000*C	5.84	2039	Mill Edge	1D	1	29.070	Actual weight	2018/7/12	GB24511-2009	7180403648
129	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.915	Actual weight	2018/4/16	GB24511-2009	7180336157
130	Hot rolled coil	S30408	14*1500*C	13.87	1500	Slit Edge	1D	1	13.760	Actual weight	2018/5/23	GB24511-2009	7180362183
131	Hot rolled coil	S30408	14*1500*C	13.87	1500	Slit Edge	1D	1	13.860	Actual weight	2018/5/23	GB24511-2009	7180362185
132	Hot rolled coil	S30408	8*2000*C	7.88	2000	Slit Edge	1D	1	14.990	Actual weight	2018/7/3	GB24511-2009	7180392113
133	Hot rolled coil	S30408	8*1800*C	7.85	1841	Mill Edge	1D	1	15.120	Actual weight	2018/7/3	GB24511-2009	7180399388
134	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
135	Hot rolled coil	S30408	6*1800*C	5.863	1800	Slit Edge	1D	1	14.920	Actual weight	2018/7/4	GB24511-2009	7180399184
136	Hot rolled coil	S30408	8*1800*C	7.89	1800	Slit Edge	1D	1	14.310	Actual weight	2018/7/4	GB24511-2009	7180399465
137	Hot rolled coil	S30408	8*1800*C	7.89	1800	Slit Edge	1D	1	14.080	Actual weight	2018/7/4	GB24511-2009	7180399476
138	Hot rolled coil	S30408	10*1800*C	9.86	1800	Slit Edge	1D	1	14.320	Actual weight	2018/7/4	GB24511-2009	7180399178
139	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
140	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
141	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
142	Hot rolled coil	S30408	8*1800*C	7.85	1841	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399387
143	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
144	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
145	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
146	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
147	Hot rolled coil	S30408	10*1800*C	9.86	1800	Slit Edge	1D	1	14.060	Actual weight	2018/7/9	GB24511-2009	7180399179
148	Hot rolled coil	S30408	12*1800*C	11.84	1800	Slit Edge	1D	1	15.470	Actual weight	2018/7/9	GB24511-2009	7180401133
149	Hot rolled coil	S30408	4*1500*C	3.851	1500	Slit Edge	1D	1	13.550	Actual weight	2018/7/10	GB24511-2009	7180398698
150	Hot rolled coil	S30408	5*1500*C	4.835	1500	Slit Edge	1D	1	13.840	Actual weight	2018/7/10	GB24511-2009	7180398696
151	Hot rolled coil	S30408	6*1500*C	5.824	1500	Slit Edge	1D	1	13.440	Actual weight	2018/7/10	GB24511-2009	7180399197



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
152	Hot rolled coil	S30408	8*1800*C	7.74	1800	Slit Edge	1D	1	14.420	Actual weight	2018/7/10	GB24511-2009	7180398768
153	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
154	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.790	Actual weight	2018/7/12	GB24511-2009	7180401998
155	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.640	Actual weight	2018/7/12	GB24511-2009	7180402000
156	Hot rolled coil	S30408	12*1800*C	11.83	1800	Slit Edge	1D	1	15.090	Actual weight	2018/7/12	GB24511-2009	7180400028