



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.362	Actual weight	2018/5/10	JIS G 4305:2012	7180355865
2	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.033	Actual weight	2018/5/10	JIS G 4305:2012	7180355866
3	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	8.041	Actual weight	2018/5/14	JIS G 4305:2012	7180360634
4	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.159	Actual weight	2018/5/14	JIS G 4305:2012	7180360635
5	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.319	Actual weight	2018/5/18	JIS G 4305:2012	7180360636
6	Cold rolled coil	SUS304	5*2000*C	4.778	2043	Mill Edge	2B	1	10.531	Actual weight	2018/5/18	JIS G 4305:2012	7180360630
7	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.070	Actual weight	2018/5/22	ASTM A240M-15	7180366859
8	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.719	Actual weight	2018/5/22	ASTM A240M-15	7180366860
9	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.490	Actual weight	2018/6/1	JIS G 4305:2012	7180372372
10	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.585	Actual weight	2018/6/1	JIS G 4305:2012	7180372373
11	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.246	Actual weight	2018/6/1	JIS G 4305:2012	7180372374
12	Cold rolled coil	SUS430	3*1219*C	2.787	1219	Slit Edge	2B	1	5.668	Actual weight	2018/6/6	JIS G 4305:2012	7180374651
13	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	6.013	Actual weight	2018/6/9	GB/T3280-2015	7180379422
14	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.405	Actual weight	2018/6/6	GB/T3280-2015	7180380617
15	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.395	Actual weight	2018/6/8	GB/T3280-2015	7180380616
16	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	5.952	Actual weight	2018/6/8	GB/T3280-2015	7180380618
17	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	5.735	Actual weight	2018/6/11	GB/T3280-2015	7180379423
18	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.452	Actual weight	2018/6/12	GB/T3280-2015	7180383432
19	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.098	Actual weight	2018/6/12	GB/T3280-2015	7180383433
20	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	5.974	Actual weight	2018/6/12	GB/T3280-2015	7180383484
21	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.657	Actual weight	2018/7/2	JIS G 4305:2012	7180397125



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.338	Actual weight	2018/7/2	JIS G 4305:2012	7180397130
23	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
24	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	6.464	Actual weight	2018/7/2	JIS G 4305:2012	7180397138
25	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
26	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
27	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
28	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
29	Cold rolled coil	SUS304	3*1800*C	2.944	1800	Slit Edge	2B	1	14.289	Actual weight	2018/7/9	JIS G 4305:2012	7180403120
30	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
31	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
32	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
33	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
34	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
35	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
36	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.475	Actual weight	2018/7/16	JIS G 4305:2012	7180405722
37	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.135	Actual weight	2018/7/16	JIS G 4305:2012	7180405723
38	Cold rolled coil	316L	0.5*1000*C	0.471	1000	Slit Edge	2B	1	6.537	Actual weight	2018/7/18	ASTM A240M-15	7180392498
39	Cold rolled coil	316L	0.5*1000*C	0.475	1000	Slit Edge	2B	1	6.121	Actual weight	2018/7/18	ASTM A240M-15	7180404188
40	Cold rolled coil	316L	0.5*1000*C	0.475	1000	Slit Edge	2B	1	5.456	Actual weight	2018/7/18	ASTM A240M-15	7180404357
41	Cold rolled coil	316L	0.6*1219*C	0.563	1219	Slit Edge	2B	1	6.737	Actual weight	2018/7/18	ASTM A240M-15	7180391704
42	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.698	Actual weight	2018/7/18	ASTM A240M-15	7180409398
43	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.603	Actual weight	2018/7/18	ASTM A240M-15	7180409399
44	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.543	Actual weight	2018/7/18	ASTM A240M-15	7180409400
45	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	6.277	Actual weight	2018/7/21	JIS G 4305:2012	7180411980
46	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	6.058	Actual weight	2018/7/21	JIS G 4305:2012	7180411981
47	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	5.938	Actual weight	2018/7/21	JIS G 4305:2012	7180411982



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.440	Actual weight	2018/2/11	ASME SA-240M-2015	7180291667
49	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
50	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	19.415	Actual weight	2018/5/2	ASME SA-240M-2015	7180350319
51	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
52	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
53	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.970	Actual weight	2018/5/14	GB/T4238-2015	7180360488
54	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	13.200	Actual weight	2018/5/14	GB/T4238-2015	7180360489
55	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.230	Actual weight	2018/5/14	GB/T4238-2015	7180360491
56	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/15	GB/T4238-2015	7180362471
57	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.040	Actual weight	2018/5/17	GB/T4238-2015	7180360490
58	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.640	Actual weight	2018/5/18	GB/T4238-2015	7180362261
59	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	13.290	Actual weight	2018/5/26	GB/T4238-2015	7180367746
60	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.750	Actual weight	2018/6/12	ASME SA-240M-2015	7180384087
61	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	13.400	Actual weight	2018/6/12	ASME SA-240M-2015	7180384088
62	Hot rolled coil	S32205	6*1500*C	5.87	1500	Slit Edge	No.1	1	13.160	Actual weight	2018/6/21	ASME SA-240M-2015	7180388008
63	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.020	Actual weight	2018/6/22	GB/T4238-2015	7180390065
64	Hot rolled coil	S32205	6*1500*C	5.86	1500	Slit Edge	No.1	1	12.920	Actual weight	2018/6/22	ASME SA-240M-2015	7180387867
65	Hot rolled coil	S32205	5*1500*C	4.827	1500	Slit Edge	No.1	1	13.290	Actual weight	2018/6/25	ASME SA-240M-2015	7180392326
66	Hot rolled coil	S32205	5*1500*C	4.862	1500	Slit Edge	No.1	1	15.020	Actual weight	2018/6/28	ASME SA-240M-2015	7180393972
67	Hot rolled coil	S32205	6*1500*C	5.88	1500	Slit Edge	No.1	1	12.890	Actual weight	2018/7/4	ASME SA-240M-2015	7180326989
68	Hot rolled coil	S30408	6*2000*C	5.86	2041	Mill Edge	1D	1	28.680	Actual weight	2018/7/12	GB24511-2009	7180403439
69	Hot rolled coil	S30408	8*2000*C	7.82	2042	Mill Edge	1D	1	29.030	Actual weight	2018/7/13	GB24511-2009	7180403437
70	Hot rolled coil	S30408	8*2000*C	7.83	2040	Mill Edge	1D	1	29.000	Actual weight	2018/7/13	GB24511-2009	7180403601
71	Hot rolled coil	S30408	8*2000*C	7.83	2041	Mill Edge	1D	1	29.050	Actual weight	2018/7/13	GB24511-2009	7180403625
72	Hot rolled coil	S30408	10*1800*C	9.84	1842	Mill Edge	1D	1	14.820	Actual weight	2018/7/16	GB24511-2009	7180406631
73	Hot rolled coil	S30408	10*2000*C	9.81	2042	Mill Edge	1D	1	28.960	Actual weight	2018/7/16	GB24511-2009	7180403436



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S32205	3*1500*C	2.893	1500	Slit Edge	No.1	1	18.640	Actual weight	2018/7/14	ASME SA-240M-2015	7180406981
75	Hot rolled coil	S32205	3*1500*C	2.86	1500	Slit Edge	No.1	1	20.300	Actual weight	2018/7/16	ASME SA-240M-2015	7180406982
76	Hot rolled coil	S32205	4*1500*C	3.933	1500	Slit Edge	No.1	1	17.660	Actual weight	2018/7/16	ASME SA-240M-2015	7180407223
77	Hot rolled coil	S32205	4*1500*C	3.887	1500	Slit Edge	No.1	1	17.660	Actual weight	2018/7/14	ASME SA-240M-2015	7180407224
78	Hot rolled coil	S32205	8*1500*C	7.81	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/7/16	ASME SA-240M-2015	7180405707
79	Hot rolled coil	S30408	10*2000*C	9.77	2044	Mill Edge	1D	1	15.130	Actual weight	2018/7/17	GB24511-2009	7180407837
80	Hot rolled coil	S30408	12*1800*C	11.85	1844	Mill Edge	1D	1	14.820	Actual weight	2018/7/18	GB24511-2009	7180406246
81	Hot rolled coil	S30408	8*1800*C	7.84	1844	Mill Edge	1D	1	29.100	Actual weight	2018/7/19	GB24511-2009	7180409981
82	Hot rolled coil	S30408	10*2000*C	9.77	2044	Mill Edge	1D	1	15.220	Actual weight	2018/7/19	GB24511-2009	7180407836
83	Hot rolled coil	S32205	3.9*1500*C	3.774	1500	Slit Edge	No.1	1	8.770	Actual weight	2018/7/19	ASME SA-240M-2015	7180407536
84	Hot rolled coil	S32205	3.9*1500*C	3.774	1500	Slit Edge	No.1	1	8.690	Actual weight	2018/7/19	ASME SA-240M-2015	7180407537
85	Hot rolled coil	S32205	3.9*1500*C	3.774	1500	Slit Edge	No.1	1	8.090	Actual weight	2018/7/19	ASME SA-240M-2015	7180407538
86	Hot rolled coil	S32205	3.9*1500*C	3.811	1500	Slit Edge	No.1	1	11.040	Actual weight	2018/7/19	ASME SA-240M-2015	7180407841
87	Hot rolled coil	06Cr23Ni13	6*1500*C	5.79	1500	Slit Edge	1D	1	13.110	Actual weight	2017/12/14	GB/T4238-2015	7170238826
88	Hot rolled coil	S32205	4*1500*C	3.915	1500	Slit Edge	No.1	1	17.720	Actual weight	2018/7/20	ASME SA-240M-2015	7180407225
89	Hot rolled coil	S30408	6*2000*C	5.9	2044	Mill Edge	1D	1	14.440	Actual weight	2018/7/23	GB24511-2009	7180413953
90	Hot rolled coil	S30408	6*2000*C	5.87	2037	Mill Edge	1D	1	14.420	Actual weight	2018/7/23	GB24511-2009	7180413966
91	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.220	Actual weight	2018/7/23	GB24511-2009	7180406009
92	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.280	Actual weight	2018/7/23	GB24511-2009	7180406010
93	Hot rolled coil	S30408	8*2000*C	7.88	2050	Mill Edge	1D	1	15.290	Actual weight	2018/7/23	GB24511-2009	7180406011
94	Hot rolled coil	S30408	10*1800*C	9.87	1845	Mill Edge	1D	1	29.090	Actual weight	2018/7/21	GB24511-2009	7180410499
95	Hot rolled coil	S30408	10*1800*C	9.83	1845	Mill Edge	1D	1	29.100	Actual weight	2018/7/21	GB24511-2009	7180410597
96	Hot rolled coil	S30408	12*1800*C	11.85	1844	Mill Edge	1D	1	15.110	Actual weight	2018/7/23	GB24511-2009	7180406393
97	Hot rolled coil	S31603	8*1800*C	7.82	1847	Mill Edge	1D	1	15.070	Actual weight	2018/7/23	GB24511-2009	7180412105
98	Hot rolled coil	S31603	10*1800*C	9.78	1844	Mill Edge	1D	1	15.260	Actual weight	2018/7/23	GB24511-2009	7180411410
99	Hot rolled coil	S31603	10*1800*C	9.81	1848	Mill Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180412038



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled coil	S32205	4.9*1500*C	4.77	1500	Slit Edge	No.1	1	8.990	Actual weight	2018/7/23	ASME SA-240M-2015	7180405732
101	Hot rolled coil	S32205	4.9*1500*C	4.77	1500	Slit Edge	No.1	1	9.050	Actual weight	2018/7/23	ASME SA-240M-2015	7180405733
102	Hot rolled coil	S32205	4.9*1500*C	4.77	1500	Slit Edge	No.1	1	8.320	Actual weight	2018/7/23	ASME SA-240M-2015	7180405734
103	Hot rolled coil	S32205	5*1500*C	4.905	1500	Slit Edge	No.1	1	13.450	Actual weight	2018/7/23	ASME SA-240M-2015	7180412473
104	Hot rolled coil	S32205	8*1500*C	7.85	1500	Slit Edge	No.1	1	14.780	Actual weight	2018/7/23	ASME SA-240M-2015	7180405708
105	Hot rolled coil	S32205	8*1500*C	7.84	1500	Slit Edge	No.1	1	12.840	Actual weight	2018/7/23	ASME SA-240M-2015	7180406028
106	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.915	Actual weight	2018/4/16	GB24511-2009	7180336157
107	Hot rolled coil	S30408	8*2000*C	7.88	2000	Slit Edge	1D	1	14.990	Actual weight	2018/7/3	GB24511-2009	7180392113
108	Hot rolled coil	S30408	8*1800*C	7.85	1841	Mill Edge	1D	1	15.120	Actual weight	2018/7/3	GB24511-2009	7180399388
109	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
110	Hot rolled coil	S30408	6*1800*C	5.863	1800	Slit Edge	1D	1	14.920	Actual weight	2018/7/4	GB24511-2009	7180399184
111	Hot rolled coil	S30408	8*1800*C	7.89	1800	Slit Edge	1D	1	14.310	Actual weight	2018/7/4	GB24511-2009	7180399465
112	Hot rolled coil	S30408	8*1800*C	7.89	1800	Slit Edge	1D	1	14.080	Actual weight	2018/7/4	GB24511-2009	7180399476
113	Hot rolled coil	S30408	10*1800*C	9.86	1800	Slit Edge	1D	1	14.320	Actual weight	2018/7/4	GB24511-2009	7180399178
114	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
115	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
116	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
117	Hot rolled coil	S30408	8*1800*C	7.85	1841	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399387
118	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
119	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
120	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
121	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
122	Hot rolled coil	S30408	4*1500*C	3.851	1500	Slit Edge	1D	1	13.550	Actual weight	2018/7/10	GB24511-2009	7180398698
123	Hot rolled coil	S30408	5*1500*C	4.835	1500	Slit Edge	1D	1	13.840	Actual weight	2018/7/10	GB24511-2009	7180398696
124	Hot rolled coil	S30408	6*1500*C	5.824	1500	Slit Edge	1D	1	13.440	Actual weight	2018/7/10	GB24511-2009	7180399197
125	Hot rolled coil	S30408	8*1800*C	7.74	1800	Slit Edge	1D	1	14.420	Actual weight	2018/7/10	GB24511-2009	7180398768



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
127	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
128	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.400	Actual weight	2018/7/19	GB24511-2009	5183103006
129	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.390	Actual weight	2018/7/19	GB24511-2009	5183103016
130	Hot rolled plat	S30408	30*2000*6000	30	2000	Slit Edge	1D	1	2.905	Actual weight	2018/7/19	GB24511-2009	5184105877
131	Hot rolled plat	S30408	30*2000*6000	30	2000	Slit Edge	1D	1	2.905	Actual weight	2018/7/19	GB24511-2009	5184105880
132	Hot rolled plat	S30408	35*2000*6000	35	2000	Slit Edge	1D	1	3.370	Actual weight	2018/7/19	GB24511-2009	5184105219
133	Hot rolled coil	S30403	3*1500*C	2.933	1500	Slit Edge	1D	1	13.430	Actual weight	2018/7/23	GB24511-2009	7180403419
134	Hot rolled coil	S30403	3*1500*C	2.933	1500	Slit Edge	1D	1	13.950	Actual weight	2018/7/23	GB24511-2009	7180403420
135	Hot rolled coil	S30408	10*2000*C	9.79	2000	Slit Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180410492
136	Hot rolled coil	S30408	12*2000*C	11.84	2000	Slit Edge	1D	1	15.030	Actual weight	2018/7/23	GB24511-2009	7180402699