



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.490	Actual weight	2018/6/1	JIS G 4305:2012	7180372372
2	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.585	Actual weight	2018/6/1	JIS G 4305:2012	7180372373
3	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.246	Actual weight	2018/6/1	JIS G 4305:2012	7180372374
4	Cold rolled coil	SUS430	3*1219*C	2.787	1219	Slit Edge	2B	1	5.668	Actual weight	2018/6/6	JIS G 4305:2012	7180374651
5	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	6.013	Actual weight	2018/6/9	GB/T3280-2015	7180379422
6	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.405	Actual weight	2018/6/6	GB/T3280-2015	7180380617
7	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.395	Actual weight	2018/6/8	GB/T3280-2015	7180380616
8	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	5.952	Actual weight	2018/6/8	GB/T3280-2015	7180380618
9	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	5.735	Actual weight	2018/6/11	GB/T3280-2015	7180379423
10	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.452	Actual weight	2018/6/12	GB/T3280-2015	7180383432
11	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.098	Actual weight	2018/6/12	GB/T3280-2015	7180383433
12	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	5.974	Actual weight	2018/6/12	GB/T3280-2015	7180383484
13	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.657	Actual weight	2018/7/2	JIS G 4305:2012	7180397125
14	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.338	Actual weight	2018/7/2	JIS G 4305:2012	7180397130
15	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
16	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
17	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
18	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
19	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
20	Cold rolled coil	SUS304	3*1800*C	2.944	1800	Slit Edge	2B	1	14.289	Actual weight	2018/7/9	JIS G 4305:2012	7180403120
21	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
23	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
24	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
25	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
26	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
27	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.475	Actual weight	2018/7/16	JIS G 4305:2012	7180405722
28	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.135	Actual weight	2018/7/16	JIS G 4305:2012	7180405723
29	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.698	Actual weight	2018/7/18	ASTM A240M-15	7180409398
30	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.603	Actual weight	2018/7/18	ASTM A240M-15	7180409399
31	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.543	Actual weight	2018/7/18	ASTM A240M-15	7180409400
32	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	6.277	Actual weight	2018/7/21	JIS G 4305:2012	7180411980
33	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	6.058	Actual weight	2018/7/21	JIS G 4305:2012	7180411981
34	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	5.938	Actual weight	2018/7/21	JIS G 4305:2012	7180411982
35	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.647	Actual weight	2018/7/25	JIS G 4305:2012	7180412776
36	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
37	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.660	Actual weight	2018/4/23	ASME SA-240M-2015	7180343738
38	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.980	Actual weight	2018/4/25	ASME SA-240M-2015	7180343961
39	Hot rolled coil	S32205	6*1500*C	5.85	1500	Slit Edge	No.1	1	13.070	Actual weight	2018/4/28	ASME SA-240M-2015	7180344086
40	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.910	Actual weight	2018/4/28	ASME SA-240M-2015	7180345320
41	Hot rolled coil	S32205	6*1500*C	5.83	1500	Slit Edge	No.1	1	13.110	Actual weight	2018/4/28	ASME SA-240M-2015	7180345342
42	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	19.415	Actual weight	2018/5/2	ASME SA-240M-2015	7180350319
43	Hot rolled coil	S32205	3*1500*C	2.95	1500	Slit Edge	No.1	1	19.210	Actual weight	2018/5/2	ASME SA-240M-2015	7180350409
44	Hot rolled coil	S32205	3*1500*C	2.971	1500	Slit Edge	No.1	1	18.510	Actual weight	2018/5/2	ASME SA-240M-2015	7180351577
45	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
46	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.390	Actual weight	2018/5/10	ASME SA-240M-2015	7180351757
47	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.420	Actual weight	2018/5/10	ASME SA-240M-2015	7180351758



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
49	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	13.200	Actual weight	2018/5/14	GB/T4238-2015	7180360489
50	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
51	Hot rolled coil	06Cr23Ni13	8*1500*C	7.84	1500	Slit Edge	1D	1	14.000	Actual weight	2018/5/17	GB/T4238-2015	7180361571
52	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/5/29	ASME SA-240M-2015	7180371466
53	Hot rolled coil	S32205	4.9*1500*C	4.815	1500	Slit Edge	No.1	1	10.170	Actual weight	2018/6/9	ASME SA-240M-2015	7180382438
54	Hot rolled coil	S32205	4*1500*C	3.859	1500	Slit Edge	No.1	1	18.040	Actual weight	2018/6/12	ASME SA-240M-2015	7180382843
55	Hot rolled coil	S32205	4*1500*C	3.869	1500	Slit Edge	No.1	1	18.350	Actual weight	2018/6/12	ASME SA-240M-2015	7180382844
56	Hot rolled coil	S32205	4*1500*C	3.872	1500	Slit Edge	No.1	1	19.420	Actual weight	2018/6/12	ASME SA-240M-2015	7180383273
57	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.140	Actual weight	2018/6/19	ASME SA-240M-2015	7180387010
58	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.280	Actual weight	2018/6/22	ASME SA-240M-2015	7180387011
59	Hot rolled coil	S32205	5*1500*C	4.827	1500	Slit Edge	No.1	1	13.290	Actual weight	2018/6/25	ASME SA-240M-2015	7180392326
60	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	11.000	Actual weight	2018/6/27	ASME SA-240M-2015	7180393722
61	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	10.180	Actual weight	2018/6/28	ASME SA-240M-2015	7180393723
62	Hot rolled coil	S32205	5*1500*C	4.862	1500	Slit Edge	No.1	1	15.020	Actual weight	2018/6/28	ASME SA-240M-2015	7180393972
63	Hot rolled coil	S32205	5*1500*C	4.803	1500	Slit Edge	No.1	1	16.770	Actual weight	2018/6/29	ASME SA-240M-2015	7180395665
64	Hot rolled coil	S30408	6*2000*C	5.84	2039	Mill Edge	1D	1	29.070	Actual weight	2018/7/12	GB24511-2009	7180403648
65	Hot rolled coil	S30408	8*2000*C	7.82	2042	Mill Edge	1D	1	29.030	Actual weight	2018/7/13	GB24511-2009	7180403437
66	Hot rolled coil	S30408	8*2000*C	7.83	2040	Mill Edge	1D	1	29.000	Actual weight	2018/7/13	GB24511-2009	7180403601
67	Hot rolled coil	S30408	8*2000*C	7.83	2041	Mill Edge	1D	1	29.050	Actual weight	2018/7/13	GB24511-2009	7180403625
68	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.040	Actual weight	2018/7/16	GB24511-2009	7180406006
69	Hot rolled coil	S30408	8*2000*C	7.88	2050	Mill Edge	1D	1	15.080	Actual weight	2018/7/16	GB24511-2009	7180406007
70	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.160	Actual weight	2018/7/16	GB24511-2009	7180406008
71	Hot rolled coil	S30408	8*2000*C	7.81	2047	Mill Edge	1D	1	14.770	Actual weight	2018/7/14	GB24511-2009	7180406248
72	Hot rolled coil	S30408	10*1800*C	9.84	1842	Mill Edge	1D	1	14.820	Actual weight	2018/7/16	GB24511-2009	7180406631
73	Hot rolled coil	S30408	10*2000*C	9.81	2042	Mill Edge	1D	1	28.960	Actual weight	2018/7/16	GB24511-2009	7180403436



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S30408	10*2000*C	9.74	2042	Mill Edge	1D	1	28.940	Actual weight	2018/7/16	GB24511-2009	7180403626
75	Hot rolled coil	S30408	10*2000*C	9.81	2041	Mill Edge	1D	1	27.720	Actual weight	2018/7/16	GB24511-2009	7180404002
76	Hot rolled coil	S30408	12*2000*C	11.86	2035	Mill Edge	1D	1	14.790	Actual weight	2018/7/16	GB24511-2009	7180404917
77	Hot rolled coil	S32205	3.9*1500*C	3.834	1500	Slit Edge	No.1	1	8.960	Actual weight	2018/7/16	ASME SA-240M-2015	7180406983
78	Hot rolled coil	S32205	3.9*1500*C	3.834	1500	Slit Edge	No.1	1	9.000	Actual weight	2018/7/16	ASME SA-240M-2015	7180406984
79	Hot rolled coil	S32205	3.9*1500*C	3.834	1500	Slit Edge	No.1	1	8.710	Actual weight	2018/7/16	ASME SA-240M-2015	7180406985
80	Hot rolled coil	S32205	8*1500*C	7.81	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/7/16	ASME SA-240M-2015	7180405707
81	Hot rolled coil	S32205	8*1500*C	7.81	1500	Slit Edge	No.1	1	15.860	Actual weight	2018/7/14	ASME SA-240M-2015	7180406002
82	Hot rolled coil	S32205	8*1500*C	7.84	1500	Slit Edge	No.1	1	12.990	Actual weight	2018/7/16	ASME SA-240M-2015	7180406031
83	Hot rolled coil	S30408	12*1800*C	11.83	1844	Mill Edge	1D	1	14.800	Actual weight	2018/7/19	GB24511-2009	7180406245
84	Hot rolled coil	S30408	12*1800*C	11.85	1844	Mill Edge	1D	1	14.770	Actual weight	2018/7/19	GB24511-2009	7180406247
85	Hot rolled coil	06Cr23Ni13	6*1500*C	5.79	1500	Slit Edge	1D	1	13.110	Actual weight	2017/12/14	GB/T4238-2015	7170238826
86	Hot rolled coil	S30408	10*1800*C	9.83	1844	Mill Edge	1D	1	15.400	Actual weight	2018/7/20	GB24511-2009	7180406395
87	Hot rolled coil	S30408	8*1800*C	7.85	1845	Mill Edge	1D	1	15.130	Actual weight	2018/7/23	GB24511-2009	7180407233
88	Hot rolled coil	S30408	8*1800*C	7.84	1846	Mill Edge	1D	1	15.140	Actual weight	2018/7/23	GB24511-2009	7180411446
89	Hot rolled coil	S30408	10*1800*C	9.84	1842	Mill Edge	1D	1	15.390	Actual weight	2018/7/23	GB24511-2009	7180406394
90	Hot rolled coil	S30408	10*1800*C	9.87	1845	Mill Edge	1D	1	29.090	Actual weight	2018/7/21	GB24511-2009	7180410499
91	Hot rolled coil	S31603	8*1800*C	7.82	1847	Mill Edge	1D	1	15.070	Actual weight	2018/7/23	GB24511-2009	7180412105
92	Hot rolled coil	S31603	8*1800*C	7.86	1845	Mill Edge	1D	1	15.340	Actual weight	2018/7/21	GB24511-2009	7180412119
93	Hot rolled coil	S31603	10*1800*C	9.78	1844	Mill Edge	1D	1	15.210	Actual weight	2018/7/23	GB24511-2009	7180411409
94	Hot rolled coil	S31603	10*1800*C	9.78	1844	Mill Edge	1D	1	15.260	Actual weight	2018/7/23	GB24511-2009	7180411410
95	Hot rolled coil	S30408	8*1800*C	7.81	1847	Mill Edge	1D	1	15.030	Actual weight	2018/7/24	GB24511-2009	7180407219
96	Hot rolled coil	S31603	6*1800*C	5.82	1845	Mill Edge	1D	1	14.640	Actual weight	2018/7/24	GB24511-2009	7180411809
97	Hot rolled coil	S31603	6*1800*C	5.86	1845	Mill Edge	1D	1	14.670	Actual weight	2018/7/24	GB24511-2009	7180411811
98	Hot rolled coil	S31603	6*1800*C	5.86	1845	Mill Edge	1D	1	14.650	Actual weight	2018/7/24	GB24511-2009	7180411812
99	Hot rolled coil	S32205	6*2000*C	5.88	2000	Slit Edge	No.1	1	12.810	Actual weight	2018/7/24	ASME SA-240M-2015	7180407217



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled coil	S30408	6*1800*C	5.87	1844	Mill Edge	1D	1	14.690	Actual weight	2018/7/26	GB24511-2009	7180411782
101	Hot rolled coil	S30408	6*2000*C	5.89	2043	Mill Edge	1D	1	14.700	Actual weight	2018/7/26	GB24511-2009	7180413951
102	Hot rolled coil	S30408	6*1800*C	5.86	1845	Mill Edge	1D	1	14.540	Actual weight	2018/7/27	GB24511-2009	7180411778
103	Hot rolled coil	S30408	6*1800*C	5.86	1845	Mill Edge	1D	1	14.500	Actual weight	2018/7/27	GB24511-2009	7180411780
104	Hot rolled coil	S30408	6*1800*C	5.88	1844	Mill Edge	1D	1	14.510	Actual weight	2018/7/27	GB24511-2009	7180411798
105	Hot rolled coil	S30408	8*2000*C	7.88	2000	Slit Edge	1D	1	14.990	Actual weight	2018/7/3	GB24511-2009	7180392113
106	Hot rolled coil	S30408	8*1800*C	7.85	1841	Mill Edge	1D	1	15.120	Actual weight	2018/7/3	GB24511-2009	7180399388
107	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
108	Hot rolled coil	S30408	6*1800*C	5.863	1800	Slit Edge	1D	1	14.920	Actual weight	2018/7/4	GB24511-2009	7180399184
109	Hot rolled coil	S30408	8*1800*C	7.89	1800	Slit Edge	1D	1	14.310	Actual weight	2018/7/4	GB24511-2009	7180399465
110	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
111	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
112	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
113	Hot rolled coil	S30408	8*1800*C	7.85	1841	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399387
114	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
115	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
116	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
117	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
118	Hot rolled coil	S30408	4*1500*C	3.851	1500	Slit Edge	1D	1	13.550	Actual weight	2018/7/10	GB24511-2009	7180398698
119	Hot rolled coil	S30408	5*1500*C	4.835	1500	Slit Edge	1D	1	13.840	Actual weight	2018/7/10	GB24511-2009	7180398696
120	Hot rolled coil	S30408	6*1500*C	5.824	1500	Slit Edge	1D	1	13.440	Actual weight	2018/7/10	GB24511-2009	7180399197
121	Hot rolled coil	S30408	8*1800*C	7.74	1800	Slit Edge	1D	1	14.420	Actual weight	2018/7/10	GB24511-2009	7180398768
122	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
123	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
124	Hot rolled coil	S30403	3*1500*C	2.933	1500	Slit Edge	1D	1	13.430	Actual weight	2018/7/23	GB24511-2009	7180403419
125	Hot rolled coil	S30403	3*1500*C	2.933	1500	Slit Edge	1D	1	13.950	Actual weight	2018/7/23	GB24511-2009	7180403420

