



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.452	Actual weight	2018/6/12	GB/T3280-2015	7180383432
2	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.098	Actual weight	2018/6/12	GB/T3280-2015	7180383433
3	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	5.974	Actual weight	2018/6/12	GB/T3280-2015	7180383484
4	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.657	Actual weight	2018/7/2	JIS G 4305:2012	7180397125
5	Cold rolled coil	SUS430	1*1219*C	0.908	1219	Slit Edge	2B	1	5.338	Actual weight	2018/7/2	JIS G 4305:2012	7180397130
6	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
7	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
8	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
9	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
10	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
11	Cold rolled coil	SUS304	3*1800*C	2.944	1800	Slit Edge	2B	1	14.289	Actual weight	2018/7/9	JIS G 4305:2012	7180403120
12	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
13	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
14	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
15	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
16	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.280	Actual weight	2018/7/31	ASTM A240M-15	7180404894
17	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.280	Actual weight	2018/7/31	ASTM A240M-15	7180404895
18	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.450	Actual weight	2018/7/31	ASTM A240M-15	7180404898
19	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
20	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
21	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.475	Actual weight	2018/7/16	JIS G 4305:2012	7180405722



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.135	Actual weight	2018/7/16	JIS G 4305:2012	7180405723
23	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.698	Actual weight	2018/7/18	ASTM A240M-15	7180409398
24	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.603	Actual weight	2018/7/18	ASTM A240M-15	7180409399
25	Cold rolled coil	304L	1.2*1219*C	1.148	1248	Mill Edge	2B	1	6.543	Actual weight	2018/7/18	ASTM A240M-15	7180409400
26	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	6.277	Actual weight	2018/7/21	JIS G 4305:2012	7180411980
27	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	6.058	Actual weight	2018/7/21	JIS G 4305:2012	7180411981
28	Cold rolled coil	SUS430	2*1219*C	1.841	1219	Slit Edge	2B	1	5.938	Actual weight	2018/7/21	JIS G 4305:2012	7180411982
29	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.647	Actual weight	2018/7/25	JIS G 4305:2012	7180412776
30	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.866	Actual weight	2018/7/27	JIS G 4305:2012	7180412777
31	Cold rolled coil	SUS430	1*1219*C	0.918	1219	Slit Edge	2B	1	5.139	Actual weight	2018/7/27	JIS G 4305:2012	7180416088
32	Cold rolled coil	SUS430	1*1219*C	0.918	1219	Slit Edge	2B	1	5.174	Actual weight	2018/7/27	JIS G 4305:2012	7180416097
33	Cold rolled coil	SUS430	1*1219*C	0.918	1219	Slit Edge	2B	1	4.477	Actual weight	2018/7/30	JIS G 4305:2012	7180416389
34	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.921	Actual weight	2018/7/30	JIS G 4305:2012	7180416681
35	Cold rolled coil	SUS430	1.5*1219*C	1.398	1219	Slit Edge	2B	1	5.406	Actual weight	2018/7/30	JIS G 4305:2012	7180416662
36	Cold rolled coil	SUS430	1.5*1219*C	1.398	1219	Slit Edge	2B	1	5.526	Actual weight	2018/7/30	JIS G 4305:2012	7180416663
37	Cold rolled coil	SUS430	2*1219*C	1.948	1219	Slit Edge	2B	1	5.634	Actual weight	2018/7/30	JIS G 4305:2012	7180416816
38	Cold rolled coil	SUS430	2*1219*C	1.948	1219	Slit Edge	2B	1	4.266	Actual weight	2018/7/30	JIS G 4305:2012	7180416855
39	Cold rolled coil	SUS430	2*1219*C	1.948	1219	Slit Edge	2B	1	5.264	Actual weight	2018/7/30	JIS G 4305:2012	7180416856
40	Cold rolled coil	SUS304	4*2000*C	3.899	2000	Slit Edge	2B	1	14.194	Actual weight	2018/7/30	JIS G 4305:2012	7180414534
41	Cold rolled coil	SUS430	0.9*1219*C	0.888	1219	Slit Edge	2B	1	6.988	Actual weight	2018/7/30	JIS G 4305:2012	7180417480
42	Cold rolled coil	SUS430	1.5*1219*C	1.398	1219	Slit Edge	2B	1	5.710	Actual weight	2018/7/30	JIS G 4305:2012	7180416661
43	Cold rolled coil	SUS430	1.5*1219*C	1.464	1219	Slit Edge	2B	1	6.702	Actual weight	2018/8/1	JIS G 4305:2012	7180418025
44	Cold rolled coil	SUS430	1.5*1219*C	1.464	1219	Slit Edge	2B	1	6.064	Actual weight	2018/7/30	JIS G 4305:2012	7180418026
45	Cold rolled coil	SUS430	1.9*1219*C	1.831	1219	Slit Edge	2B	1	5.039	Actual weight	2018/8/1	JIS G 4305:2012	7180418491
46	Cold rolled coil	SUS430	1.9*1219*C	1.831	1219	Slit Edge	2B	1	4.860	Actual weight	2018/8/1	JIS G 4305:2012	7180418492
47	Cold rolled coil	SUS430	1.9*1219*C	1.771	1219	Slit Edge	2B	1	5.259	Actual weight	2018/8/1	JIS G 4305:2012	7180418616



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Cold rolled coil	SUS430	1.9*1219*C	1.771	1219	Slit Edge	2B	1	5.039	Actual weight	2018/8/1	JIS G 4305:2012	7180418618
49	Cold rolled coil	SUS304	4*2000*C	3.875	2000	Slit Edge	2B	1	13.345	Actual weight	2018/8/2	JIS G 4305:2012	7180418619
50	Cold rolled coil	SUS430	2*1219*C	1.925	1219	Slit Edge	2B	1	4.311	Actual weight	2018/8/3	JIS G 4305:2012	7180418800
51	Cold rolled coil	SUS430	2*1219*C	1.925	1219	Slit Edge	2B	1	5.100	Actual weight	2018/8/3	JIS G 4305:2012	7180418801
52	Cold rolled coil	SUS430	1.9*1219*C	1.771	1219	Slit Edge	2B	1	4.590	Actual weight	2018/8/6	JIS G 4305:2012	7180418617
53	Cold rolled coil	SUS430	2*1219*C	1.925	1219	Slit Edge	2B	1	5.100	Actual weight	2018/8/4	JIS G 4305:2012	7180418802
54	Cold rolled coil	SUS430	1.1*1000*C	1.078	1000	Slit Edge	2B	1	6.821	Actual weight	2018/8/4	JIS G 4305:2012	7180422426
55	Cold rolled coil	SUS430	1.1*1219*C	1.072	1219	Slit Edge	2B	1	6.635	Actual weight	2018/8/6	JIS G 4305:2012	7180422172
56	Cold rolled coil	SUS430	1.1*1219*C	1.072	1219	Slit Edge	2B	1	6.805	Actual weight	2018/8/6	JIS G 4305:2012	7180422173
57	Cold rolled coil	SUS430	1.1*1000*C	1.078	1000	Slit Edge	2B	1	7.194	Actual weight	2018/8/7	JIS G 4305:2012	7180422468
58	Cold rolled coil	022Cr17Ni12Mo2	2*1500*C	1.987	1530	Mill Edge	2B	1	12.546	Actual weight	2018/8/10	GB/T3280-2015	7180425524
59	Cold rolled coil	022Cr17Ni12Mo2	2*1500*C	1.987	1530	Mill Edge	2B	1	12.132	Actual weight	2018/8/10	GB/T3280-2015	7180425525
60	Cold rolled coil	SUS430	1*1000*C	0.9	1000	Slit Edge	2B	1	6.896	Actual weight	2018/8/11	JIS G 4305:2012	7180423798
61	Cold rolled coil	SUS430	1*1000*C	0.9	1000	Slit Edge	2B	1	7.170	Actual weight	2018/8/11	JIS G 4305:2012	7180423890
62	Cold rolled coil	SUS430	2.3*1219*C	2.287	1219	Slit Edge	2B	1	5.131	Actual weight	2018/8/11	JIS G 4305:2012	7180423691
63	Cold rolled coil	SUS430	2.3*1219*C	2.287	1219	Slit Edge	2B	1	5.301	Actual weight	2018/8/11	JIS G 4305:2012	7180423692
64	Cold rolled coil	SUS430	2.3*1219*C	2.287	1219	Slit Edge	2B	1	5.082	Actual weight	2018/8/11	JIS G 4305:2012	7180423800
65	Cold rolled coil	022Cr17Ni12Mo2	1*1219*C	0.97	1253	Mill Edge	2B	1	10.249	Actual weight	2018/8/10	GB/T3280-2015	7180423636
66	Cold rolled coil	022Cr17Ni12Mo2	2*1219*C	1.967	1258	Mill Edge	2B	1	9.960	Actual weight	2018/8/11	GB/T3280-2015	7180424589
67	Cold rolled coil	022Cr17Ni12Mo2	2*1219*C	1.967	1258	Mill Edge	2B	1	9.591	Actual weight	2018/8/11	GB/T3280-2015	7180424591
68	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
69	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.660	Actual weight	2018/4/23	ASME SA-240M-2015	7180343738
70	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.980	Actual weight	2018/4/25	ASME SA-240M-2015	7180343961
71	Hot rolled coil	S32205	6*1500*C	5.85	1500	Slit Edge	No.1	1	13.070	Actual weight	2018/4/28	ASME SA-240M-2015	7180344086
72	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.910	Actual weight	2018/4/28	ASME SA-240M-2015	7180345320
73	Hot rolled coil	S32205	6*1500*C	5.83	1500	Slit Edge	No.1	1	13.110	Actual weight	2018/4/28	ASME SA-240M-2015	7180345342



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S32205	3*1500*C	2.993	1500	Slit Edge	No.1	1	20.020	Actual weight	2018/5/2	ASME SA-240M-2015	7180351580
75	Hot rolled coil	S32205	3*1500*C	2.994	1500	Slit Edge	No.1	1	19.660	Actual weight	2018/5/2	ASME SA-240M-2015	7180351581
76	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
77	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
78	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.970	Actual weight	2018/5/14	GB/T4238-2015	7180360488
79	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	13.200	Actual weight	2018/5/14	GB/T4238-2015	7180360489
80	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.230	Actual weight	2018/5/14	GB/T4238-2015	7180360491
81	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	13.560	Actual weight	2018/5/15	GB/T4238-2015	7180362171
82	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
83	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.040	Actual weight	2018/5/17	GB/T4238-2015	7180360490
84	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	12.910	Actual weight	2018/5/18	GB/T4238-2015	7180362374
85	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/5/29	ASME SA-240M-2015	7180371466
86	Hot rolled coil	S32205	6*1500*C	5.77	1500	Slit Edge	No.1	1	13.350	Actual weight	2018/5/29	ASME SA-240M-2015	7180371467
87	Hot rolled coil	S32205	4.9*1500*C	4.815	1500	Slit Edge	No.1	1	10.170	Actual weight	2018/6/9	ASME SA-240M-2015	7180382438
88	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.140	Actual weight	2018/6/19	ASME SA-240M-2015	7180387010
89	Hot rolled coil	S32205	4.9*1500*C	4.787	1500	Slit Edge	No.1	1	9.280	Actual weight	2018/6/22	ASME SA-240M-2015	7180387011
90	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	11.000	Actual weight	2018/6/27	ASME SA-240M-2015	7180393722
91	Hot rolled coil	S32205	4.9*1500*C	4.775	1500	Slit Edge	No.1	1	10.180	Actual weight	2018/6/28	ASME SA-240M-2015	7180393723
92	Hot rolled coil	S32205	5*1500*C	4.88	1500	Slit Edge	No.1	1	12.850	Actual weight	2018/7/4	ASME SA-240M-2015	7180326991
93	Hot rolled coil	S30408	8*2000*C	7.83	2040	Mill Edge	1D	1	29.000	Actual weight	2018/7/13	GB24511-2009	7180403601
94	Hot rolled coil	S30408	8*2000*C	7.83	2041	Mill Edge	1D	1	29.050	Actual weight	2018/7/13	GB24511-2009	7180403625
95	Hot rolled coil	S30408	8*2000*C	7.88	2050	Mill Edge	1D	1	15.080	Actual weight	2018/7/16	GB24511-2009	7180406007
96	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.160	Actual weight	2018/7/16	GB24511-2009	7180406008
97	Hot rolled coil	S30408	10*1800*C	9.84	1842	Mill Edge	1D	1	14.820	Actual weight	2018/7/16	GB24511-2009	7180406631
98	Hot rolled coil	S30408	10*2000*C	9.81	2042	Mill Edge	1D	1	28.960	Actual weight	2018/7/16	GB24511-2009	7180403436
99	Hot rolled coil	S32205	3*1500*C	2.893	1500	Slit Edge	No.1	1	18.640	Actual weight	2018/7/14	ASME SA-240M-2015	7180406981



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled coil	S32205	4*1500*C	3.928	1500	Slit Edge	No.1	1	18.780	Actual weight	2018/7/16	ASME SA-240M-2015	7180406974
101	Hot rolled coil	S32205	4*1500*C	3.914	1500	Slit Edge	No.1	1	17.710	Actual weight	2018/7/16	ASME SA-240M-2015	7180407221
102	Hot rolled coil	S32205	4*1500*C	3.942	1500	Slit Edge	No.1	1	17.600	Actual weight	2018/7/16	ASME SA-240M-2015	7180407222
103	Hot rolled coil	S32205	4*1500*C	3.933	1500	Slit Edge	No.1	1	17.660	Actual weight	2018/7/16	ASME SA-240M-2015	7180407223
104	Hot rolled coil	S30408	12*1800*C	11.85	1844	Mill Edge	1D	1	14.770	Actual weight	2018/7/19	GB24511-2009	7180406247
105	Hot rolled coil	S30408	12*1800*C	11.83	1844	Mill Edge	1D	1	15.430	Actual weight	2018/7/20	GB24511-2009	7180406396
106	Hot rolled coil	S32205	5*1500*C	4.91	1500	Slit Edge	No.1	1	10.860	Actual weight	2018/7/20	ASME SA-240M-2015	7180406059
107	Hot rolled coil	S30408	10*1800*C	9.87	1845	Mill Edge	1D	1	29.090	Actual weight	2018/7/21	GB24511-2009	7180410499
108	Hot rolled coil	S31603	8*1800*C	7.82	1847	Mill Edge	1D	1	15.070	Actual weight	2018/7/23	GB24511-2009	7180412105
109	Hot rolled coil	S31603	8*1800*C	7.86	1845	Mill Edge	1D	1	15.340	Actual weight	2018/7/21	GB24511-2009	7180412119
110	Hot rolled coil	S31603	10*1800*C	9.78	1844	Mill Edge	1D	1	15.210	Actual weight	2018/7/23	GB24511-2009	7180411409
111	Hot rolled coil	S31603	10*1800*C	9.78	1844	Mill Edge	1D	1	15.260	Actual weight	2018/7/23	GB24511-2009	7180411410
112	Hot rolled coil	S31603	10*1800*C	9.81	1848	Mill Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180412038
113	Hot rolled coil	S32205	5*1500*C	4.905	1500	Slit Edge	No.1	1	13.450	Actual weight	2018/7/23	ASME SA-240M-2015	7180412473
114	Hot rolled coil	S31603	6*1800*C	5.82	1845	Mill Edge	1D	1	14.640	Actual weight	2018/7/24	GB24511-2009	7180411809
115	Hot rolled coil	S31603	6*1800*C	5.86	1845	Mill Edge	1D	1	14.670	Actual weight	2018/7/24	GB24511-2009	7180411811
116	Hot rolled coil	S31603	6*1800*C	5.86	1845	Mill Edge	1D	1	14.650	Actual weight	2018/7/24	GB24511-2009	7180411812
117	Hot rolled coil	S31603	8*1800*C	7.86	1845	Mill Edge	1D	1	15.150	Actual weight	2018/7/24	GB24511-2009	7180412116
118	Hot rolled coil	S32205	5*1500*C	4.91	1500	Slit Edge	No.1	1	13.170	Actual weight	2018/7/25	ASME SA-240M-2015	7180405648
119	Hot rolled coil	S30408	6*1800*C	5.87	1844	Mill Edge	1D	1	14.690	Actual weight	2018/7/26	GB24511-2009	7180411782
120	Hot rolled coil	S30408	10*2000*C	9.85	2044	Mill Edge	1D	1	14.960	Actual weight	2018/7/30	GB24511-2009	7180409136
121	Hot rolled coil	S31603	10*2000*C	9.87	2045	Mill Edge	1D	1	14.830	Actual weight	2018/8/1	GB24511-2009	7180419325
122	Hot rolled coil	S31603	6*2000*C	5.87	2046	Mill Edge	1D	1	14.790	Actual weight	2018/8/9	GB24511-2009	7180420216
123	Hot rolled coil	S31603	8*2000*C	7.81	2046	Mill Edge	1D	1	15.360	Actual weight	2018/8/9	GB24511-2009	7180419511
124	Hot rolled coil	S30408	8*2000*C	7.88	2000	Slit Edge	1D	1	14.990	Actual weight	2018/7/3	GB24511-2009	7180392113
125	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled coil	S30408	6*1800*C	5.863	1800	Slit Edge	1D	1	14.920	Actual weight	2018/7/4	GB24511-2009	7180399184
127	Hot rolled coil	S30408	8*1800*C	7.89	1800	Slit Edge	1D	1	14.310	Actual weight	2018/7/4	GB24511-2009	7180399465
128	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
129	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
130	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
131	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
132	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
133	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
134	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
135	Hot rolled coil	S30408	5*1500*C	4.835	1500	Slit Edge	1D	1	13.840	Actual weight	2018/7/10	GB24511-2009	7180398696
136	Hot rolled coil	S30408	8*1800*C	7.74	1800	Slit Edge	1D	1	14.420	Actual weight	2018/7/10	GB24511-2009	7180398768
137	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
138	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
139	Hot rolled coil	S30408	10*2000*C	9.79	2000	Slit Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180410492
140	Hot rolled coil	S30408	12*2000*C	11.84	2000	Slit Edge	1D	1	15.030	Actual weight	2018/7/23	GB24511-2009	7180402699
141	Hot rolled coil	S30408	12*1500*C	11.8	1500	Slit Edge	1D	1	14.360	Actual weight	2018/7/25	GB24511-2009	7180403986
142	Hot rolled coil	S30408	12*1800*C	11.84	1800	Slit Edge	1D	1	13.980	Actual weight	2018/7/25	GB24511-2009	7180400898
143	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.550	Actual weight	2018/7/26	GB24511-2009	5183110357
144	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/7/26	GB24511-2009	5183110358
145	Hot rolled plat	S31603	16*2000*7000	16	2000	Slit Edge	1D	1	1.785	Actual weight	2018/8/6	GB24511-2009	5184109828
146	Hot rolled plat	S31603	16*2000*7000	16	2000	Slit Edge	1D	1	1.825	Actual weight	2018/8/6	GB24511-2009	5184110951
147	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.740	Actual weight	2018/8/13	GB24511-2009	7180426432
148	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.620	Actual weight	2018/8/13	GB24511-2009	7180426433
149	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.880	Actual weight	2018/8/13	GB24511-2009	7180426434
150	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.520	Actual weight	2018/8/13	GB24511-2009	7180426435
151	Hot rolled coil	S30408	14*1500*C	13.86	1500	Slit Edge	1D	1	14.010	Actual weight	2018/8/13	GB24511-2009	7180426430



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
152	Hot rolled coil	S30408	14*1500*C	13.86	1500	Slit Edge	1D	1	13.370	Actual weight	2018/8/13	GB24511-2009	7180426431
153	Hot rolled coil	S31603	3*1500*C	2.92	1500	Slit Edge	1D	1	13.690	Actual weight	2018/8/13	GB24511-2009	7180413218
154	Hot rolled coil	S31603	3*1500*C	2.92	1500	Slit Edge	1D	1	13.680	Actual weight	2018/8/13	GB24511-2009	7180413219