



# Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.452	Actual weight	2018/6/12	GB/T3280-2015	7180383432
2	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	6.098	Actual weight	2018/6/12	GB/T3280-2015	7180383433
3	Cold rolled coil	06Cr18Ni11Ti	1.5*1219*C	1.411	1219	Slit Edge	2B	1	5.974	Actual weight	2018/6/12	GB/T3280-2015	7180383484
4	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
5	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
6	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
7	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
8	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
9	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
10	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
11	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
12	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
13	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.280	Actual weight	2018/7/31	ASTM A240M-15	7180404894
14	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.280	Actual weight	2018/7/31	ASTM A240M-15	7180404895
15	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.450	Actual weight	2018/7/31	ASTM A240M-15	7180404898
16	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
17	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
18	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.475	Actual weight	2018/7/16	JIS G 4305:2012	7180405722
19	Cold rolled coil	SUS304	4*1800*C	3.899	1800	Slit Edge	2B	1	13.135	Actual weight	2018/7/16	JIS G 4305:2012	7180405723
20	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.647	Actual weight	2018/7/25	JIS G 4305:2012	7180412776
21	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.866	Actual weight	2018/7/27	JIS G 4305:2012	7180412777



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.921	Actual weight	2018/7/30	JIS G 4305:2012	7180416681
23	Cold rolled coil	SUS304	4*2000*C	3.899	2000	Slit Edge	2B	1	14.194	Actual weight	2018/7/30	JIS G 4305:2012	7180414534
24	Cold rolled coil	SUS430	0.9*1219*C	0.888	1219	Slit Edge	2B	1	6.988	Actual weight	2018/7/30	JIS G 4305:2012	7180417480
25	Cold rolled coil	SUS304	4*2000*C	3.875	2000	Slit Edge	2B	1	13.345	Actual weight	2018/8/2	JIS G 4305:2012	7180418619
26	Cold rolled coil	SUS430	1.1*1219*C	1.072	1219	Slit Edge	2B	1	6.635	Actual weight	2018/8/6	JIS G 4305:2012	7180422172
27	Cold rolled coil	SUS430	1.1*1219*C	1.072	1219	Slit Edge	2B	1	6.805	Actual weight	2018/8/6	JIS G 4305:2012	7180422173
28	Cold rolled coil	022Cr17Ni12Mo2	2*1219*C	1.993	1255	Mill Edge	2B	1	9.466	Actual weight	2018/8/16	GB/T3280-2015	7180424848
29	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
30	Hot rolled coil	S32205	3*1500*C	2.971	1500	Slit Edge	No.1	1	18.510	Actual weight	2018/5/2	ASME SA-240M-2015	7180351577
31	Hot rolled coil	S32205	3*1500*C	2.986	1500	Slit Edge	No.1	1	19.280	Actual weight	2018/5/2	ASME SA-240M-2015	7180351578
32	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
33	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
34	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.970	Actual weight	2018/5/14	GB/T4238-2015	7180360488
35	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	13.560	Actual weight	2018/5/15	GB/T4238-2015	7180362171
36	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
37	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/15	GB/T4238-2015	7180362471
38	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	12.910	Actual weight	2018/5/18	GB/T4238-2015	7180362374
39	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.640	Actual weight	2018/5/18	GB/T4238-2015	7180362261
40	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.360	Actual weight	2018/6/22	GB/T4238-2015	7180390064
41	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.020	Actual weight	2018/6/22	GB/T4238-2015	7180390065
42	Hot rolled coil	S32205	5*1500*C	4.862	1500	Slit Edge	No.1	1	15.020	Actual weight	2018/6/28	ASME SA-240M-2015	7180393972
43	Hot rolled coil	S30408	10*2000*C	9.81	2041	Mill Edge	1D	1	27.720	Actual weight	2018/7/16	GB24511-2009	7180404002
44	Hot rolled coil	S32205	3.9*1500*C	3.82	1500	Slit Edge	No.1	1	8.810	Actual weight	2018/7/16	ASME SA-240M-2015	7180406986
45	Hot rolled coil	S32205	3.9*1500*C	3.82	1500	Slit Edge	No.1	1	8.790	Actual weight	2018/7/16	ASME SA-240M-2015	7180406987
46	Hot rolled coil	S32205	3.9*1500*C	3.82	1500	Slit Edge	No.1	1	9.380	Actual weight	2018/7/16	ASME SA-240M-2015	7180406988
47	Hot rolled coil	S32205	4*1500*C	3.887	1500	Slit Edge	No.1	1	17.660	Actual weight	2018/7/14	ASME SA-240M-2015	7180407224



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Hot rolled coil	S30408	8*2000*C	7.87	2047	Mill Edge	1D	1	15.250	Actual weight	2018/7/20	GB24511-2009	7180407377
49	Hot rolled coil	S32205	4*1500*C	3.915	1500	Slit Edge	No.1	1	17.720	Actual weight	2018/7/20	ASME SA-240M-2015	7180407225
50	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.220	Actual weight	2018/7/23	GB24511-2009	7180406009
51	Hot rolled coil	S30408	8*2000*C	7.87	2045	Mill Edge	1D	1	15.280	Actual weight	2018/7/23	GB24511-2009	7180406010
52	Hot rolled coil	S30408	8*2000*C	7.88	2050	Mill Edge	1D	1	15.290	Actual weight	2018/7/23	GB24511-2009	7180406011
53	Hot rolled coil	S30408	10*1800*C	9.84	1842	Mill Edge	1D	1	15.390	Actual weight	2018/7/23	GB24511-2009	7180406394
54	Hot rolled coil	S30408	10*1800*C	9.83	1845	Mill Edge	1D	1	29.100	Actual weight	2018/7/21	GB24511-2009	7180410597
55	Hot rolled coil	S30408	12*1800*C	11.85	1844	Mill Edge	1D	1	15.110	Actual weight	2018/7/23	GB24511-2009	7180406393
56	Hot rolled coil	S30408	8*2000*C	7.87	2047	Mill Edge	1D	1	15.830	Actual weight	2018/7/24	GB24511-2009	7180407373
57	Hot rolled coil	S31603	10*1800*C	9.81	1849	Mill Edge	1D	1	15.230	Actual weight	2018/7/24	GB24511-2009	7180412117
58	Hot rolled coil	S32205	4*1500*C	3.911	1500	Slit Edge	No.1	1	12.950	Actual weight	2018/7/24	ASME SA-240M-2015	7180407951
59	Hot rolled coil	S32205	4.9*1500*C	4.781	1500	Slit Edge	No.1	1	8.440	Actual weight	2018/7/25	ASME SA-240M-2015	7180413660
60	Hot rolled coil	S32205	4.9*1500*C	4.781	1500	Slit Edge	No.1	1	8.440	Actual weight	2018/7/25	ASME SA-240M-2015	7180413661
61	Hot rolled coil	S32205	4.9*1500*C	4.781	1500	Slit Edge	No.1	1	7.840	Actual weight	2018/7/25	ASME SA-240M-2015	7180413678
62	Hot rolled coil	S31603	6*1800*C	5.86	1845	Mill Edge	1D	1	14.690	Actual weight	2018/7/26	GB24511-2009	7180411805
63	Hot rolled coil	S31603	6*1800*C	5.82	1848	Mill Edge	1D	1	14.710	Actual weight	2018/7/26	GB24511-2009	7180411807
64	Hot rolled coil	S31603	6*1800*C	5.86	1845	Mill Edge	1D	1	14.600	Actual weight	2018/7/26	GB24511-2009	7180411813
65	Hot rolled coil	S31603	8*1800*C	7.82	1846	Mill Edge	1D	1	15.340	Actual weight	2018/7/26	GB24511-2009	7180412242
66	Hot rolled coil	S30408	6*1800*C	5.88	1844	Mill Edge	1D	1	14.510	Actual weight	2018/7/27	GB24511-2009	7180411798
67	Hot rolled coil	S30408	6*1800*C	5.87	1844	Mill Edge	1D	1	14.220	Actual weight	2018/7/27	GB24511-2009	7180415675
68	Hot rolled coil	S31603	10*1800*C	9.81	1848	Mill Edge	1D	1	16.850	Actual weight	2018/7/27	GB24511-2009	7180413695
69	Hot rolled coil	S30408	8*2000*C	7.87	2047	Mill Edge	1D	1	14.370	Actual weight	2018/7/30	GB24511-2009	7180407365
70	Hot rolled coil	S30408	10*2000*C	9.88	2045	Mill Edge	1D	1	15.090	Actual weight	2018/7/30	GB24511-2009	7180409260
71	Hot rolled coil	S30408	12*2000*C	11.88	2037	Mill Edge	1D	1	12.360	Actual weight	2018/7/30	GB24511-2009	7180412991
72	Hot rolled coil	S31603	8*1800*C	7.82	1847	Mill Edge	1D	1	15.360	Actual weight	2018/7/30	GB24511-2009	7180412102
73	Hot rolled coil	S31603	10*1800*C	9.81	1849	Mill Edge	1D	1	15.250	Actual weight	2018/7/30	GB24511-2009	7180412118



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S31603	6*2000*C	5.89	2043	Mill Edge	1D	1	14.690	Actual weight	2018/8/2	GB24511-2009	7180420173
75	Hot rolled coil	S31603	6*2000*C	5.89	2043	Mill Edge	1D	1	14.590	Actual weight	2018/8/2	GB24511-2009	7180420174
76	Hot rolled coil	S31603	8*2000*C	7.82	2044	Mill Edge	1D	1	14.580	Actual weight	2018/8/2	GB24511-2009	7180419368
77	Hot rolled coil	06Cr23Ni13	4*1500*C	3.892	1500	Slit Edge	1D	1	12.680	Actual weight	2018/8/9	GB/T4238-2015	7180424965
78	Hot rolled coil	S31603	10*2000*C	9.92	2045	Mill Edge	1D	1	15.320	Actual weight	2018/8/9	GB24511-2009	7180419505
79	Hot rolled coil	06Cr23Ni13	4*1500*C	3.892	1500	Slit Edge	1D	1	13.330	Actual weight	2018/8/10	GB/T4238-2015	7180424960
80	Hot rolled coil	S32205	5*1500*C	4.905	1500	Slit Edge	No.1	1	10.650	Actual weight	2018/7/16	ASME SA-240M-2015	7180412981
81	Hot rolled coil	S32205	5.8*1500*C	5.76	1500	Slit Edge	No.1	1	7.130	Actual weight	2018/7/22	ASME SA-240M-2017	7180417070
82	Hot rolled coil	S32205	8*2000*C	7.83	2000	Slit Edge	No.1	1	13.440	Actual weight	2018/8/21	ASME SA-240M-2015	7180431365
83	Hot rolled coil	S32205	8*2000*C	7.83	2000	Slit Edge	No.1	1	14.400	Actual weight	2018/8/18	ASME SA-240M-2015	7180431366
84	Hot rolled coil	S30408	8*2000*C	7.88	2000	Slit Edge	1D	1	14.990	Actual weight	2018/7/3	GB24511-2009	7180392113
85	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
86	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
87	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
88	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
89	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
90	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
91	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
92	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
93	Hot rolled coil	S30408	8*1800*C	7.74	1800	Slit Edge	1D	1	14.420	Actual weight	2018/7/10	GB24511-2009	7180398768
94	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
95	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
96	Hot rolled coil	S30408	10*2000*C	9.79	2000	Slit Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180410492
97	Hot rolled coil	S30408	12*2000*C	11.84	2000	Slit Edge	1D	1	15.030	Actual weight	2018/7/23	GB24511-2009	7180402699
98	Hot rolled coil	S30408	12*1800*C	11.84	1800	Slit Edge	1D	1	13.980	Actual weight	2018/7/25	GB24511-2009	7180400898
99	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.550	Actual weight	2018/7/26	GB24511-2009	5183110357



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/7/26	GB24511-2009	5183110358
101	Hot rolled plat	S31603	16*2000*7000	16	2000	Slit Edge	1D	1	1.785	Actual weight	2018/8/6	GB24511-2009	5184109828
102	Hot rolled plat	S31603	16*2000*7000	16	2000	Slit Edge	1D	1	1.825	Actual weight	2018/8/6	GB24511-2009	5184110951
103	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.740	Actual weight	2018/8/13	GB24511-2009	7180426432
104	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.620	Actual weight	2018/8/13	GB24511-2009	7180426433
105	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.880	Actual weight	2018/8/13	GB24511-2009	7180426434
106	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.520	Actual weight	2018/8/13	GB24511-2009	7180426435
107	Hot rolled coil	S31603	3*1500*C	2.92	1500	Slit Edge	1D	1	13.680	Actual weight	2018/8/13	GB24511-2009	7180413219
108	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183077192
109	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109881
110	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/8/14	GB24511-2009	5183109882
111	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109883
112	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109884
113	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109885
114	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.550	Actual weight	2018/8/14	GB24511-2009	5183109887
115	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.915	Actual weight	2018/8/14	GB24511-2009	5183110813
116	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.910	Actual weight	2018/8/14	GB24511-2009	5183110814
117	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.915	Actual weight	2018/8/14	GB24511-2009	5183110815
118	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.915	Actual weight	2018/8/14	GB24511-2009	5183110816
119	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.910	Actual weight	2018/8/14	GB24511-2009	5183110817
120	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.915	Actual weight	2018/8/14	GB24511-2009	5183110818
121	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.915	Actual weight	2018/8/14	GB24511-2009	5183121091
122	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.905	Actual weight	2018/8/14	GB24511-2009	5183121092
123	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.905	Actual weight	2018/8/14	GB24511-2009	5183121093
124	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.905	Actual weight	2018/8/14	GB24511-2009	5183121094
125	Hot rolled plat	S30408	20*2000*6000	20	2000	Slit Edge	1D	1	1.905	Actual weight	2018/8/14	GB24511-2009	5183121095



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/8/14	GB24511-2009	5183117505
127	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/8/14	GB24511-2009	5183117506
128	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/8/14	GB24511-2009	5183117507
129	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.400	Actual weight	2018/8/14	GB24511-2009	5183103010
130	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.390	Actual weight	2018/8/14	GB24511-2009	5183103011
131	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.400	Actual weight	2018/8/14	GB24511-2009	5183103012
132	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.400	Actual weight	2018/8/14	GB24511-2009	5183103013
133	Hot rolled plat	S30408	30*1800*6000	30	1800	Slit Edge	1D	1	2.620	Actual weight	2018/8/14	GB24511-2009	5184114957
134	Hot rolled coil	S30408	4*1500*C	3.841	1500	Slit Edge	1D	1	13.680	Actual weight	2018/8/17	GB24511-2009	7180428455
135	Hot rolled coil	S30408	6*1500*C	5.864	1500	Slit Edge	1D	1	13.190	Actual weight	2018/8/17	GB24511-2009	7180427359
136	Hot rolled coil	S30408	6*1500*C	5.864	1500	Slit Edge	1D	1	13.320	Actual weight	2018/8/17	GB24511-2009	7180427360
137	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	13.530	Actual weight	2018/8/17	GB24511-2009	7180429819
138	Hot rolled coil	S30408	10*1500*C	9.85	1500	Slit Edge	1D	1	14.640	Actual weight	2018/8/17	GB24511-2009	7180429820
139	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	14.020	Actual weight	2018/8/17	GB24511-2009	7180429826
140	Hot rolled coil	S30408	10*1500*C	9.85	1500	Slit Edge	1D	1	12.820	Actual weight	2018/8/17	GB24511-2009	7180429881
141	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.490	Actual weight	2018/8/17	GB24511-2009	7180426982
142	Hot rolled coil	S30408	5*1500*C	4.814	1500	Slit Edge	1D	1	13.710	Actual weight	2018/8/20	GB24511-2009	7180428930
143	Hot rolled coil	S30408	5*1500*C	4.814	1500	Slit Edge	1D	1	13.710	Actual weight	2018/8/20	GB24511-2009	7180428931
144	Hot rolled coil	S30408	6*1500*C	5.876	1500	Slit Edge	1D	1	13.390	Actual weight	2018/8/20	GB24511-2009	7180429274
145	Hot rolled coil	S30408	6*1500*C	5.876	1500	Slit Edge	1D	1	13.110	Actual weight	2018/8/20	GB24511-2009	7180429275
146	Hot rolled coil	S30408	8*1500*C	7.82	1500	Slit Edge	1D	1	12.430	Actual weight	2018/8/20	GB24511-2009	7180430047
147	Hot rolled coil	S30408	10*1500*C	9.87	1500	Slit Edge	1D	1	14.120	Actual weight	2018/8/20	GB24511-2009	7180430179
148	Hot rolled coil	S31603	4*1500*C	3.946	1500	Slit Edge	1D	1	13.490	Actual weight	2018/8/20	GB24511-2009	7180430783
149	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.375	Actual weight	2018/8/22	GB24511-2009	5183121351
150	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122731
151	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122732



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
152	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122733
153	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122734
154	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122735
155	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122736
156	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122737
157	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122738
158	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122739
159	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122740
160	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/8/22	GB24511-2009	5183124549
161	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/8/22	GB24511-2009	5183124550
162	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/8/22	GB24511-2009	5183121165
163	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/8/22	GB24511-2009	5183121172
164	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.725	Actual weight	2018/8/22	GB24511-2009	5183121173
165	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121189
166	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.155	Actual weight	2018/8/22	GB24511-2009	5183121190
167	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.155	Actual weight	2018/8/22	GB24511-2009	5183121191
168	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121192
169	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121193
170	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121194
171	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.145	Actual weight	2018/8/22	GB24511-2009	5183121195
172	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.390	Actual weight	2018/8/22	GB24511-2009	5183121215
173	Hot rolled plat	S30408	30*2000*6000	30	2000	Slit Edge	1D	1	2.915	Actual weight	2018/8/22	GB24511-2009	5184125312
174	Hot rolled plat	S30408	30*2000*6000	30	2000	Slit Edge	1D	1	2.910	Actual weight	2018/8/22	GB24511-2009	5184125313
175	Hot rolled plat	S30408	30*2000*6000	30	2000	Slit Edge	1D	1	2.905	Actual weight	2018/8/22	GB24511-2009	5184125314
176	Hot rolled plat	S30408	30*2000*6000	30	2000	Slit Edge	1D	1	2.920	Actual weight	2018/8/22	GB24511-2009	5184125315
177	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.030	Actual weight	2018/8/22	GB24511-2009	5184124924



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
178	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.050	Actual weight	2018/8/22	GB24511-2009	5184124925
179	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.025	Actual weight	2018/8/22	GB24511-2009	5184125952
169	Hot rolled plat	S30408	30*1800*6000	30	1800	Slit Edge	1D	1	2.620	Actual weight	2018/8/14	GB24511-2009	5184114957