



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
2	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
3	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
4	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
5	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
6	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
7	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
8	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
9	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
10	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.280	Actual weight	2018/7/31	ASTM A240M-15	7180404894
11	Cold rolled coil	304L	2.5*1219*C	2.409	1258	Mill Edge	2B	1	6.280	Actual weight	2018/7/31	ASTM A240M-15	7180404895
12	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
13	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
14	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.647	Actual weight	2018/7/25	JIS G 4305:2012	7180412776
15	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.866	Actual weight	2018/7/27	JIS G 4305:2012	7180412777
16	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.921	Actual weight	2018/7/30	JIS G 4305:2012	7180416681
17	Cold rolled coil	SUS430	1.9*1000*C	1.777	1000	Slit Edge	2B	1	7.414	Actual weight	2018/8/30	JIS G 4305:2012	7180439787
18	Cold rolled coil	SUS430	1.9*1000*C	1.777	1000	Slit Edge	2B	1	6.970	Actual weight	2018/8/30	JIS G 4305:2012	7180439788
19	Cold rolled coil	SUS430	2*1219*C	1.966	1219	Slit Edge	2B	1	4.491	Actual weight	2018/9/7	JIS G 4305:2012	7180439353
20	Cold rolled coil	SUS430	2.8*1219*C	2.789	1219	Slit Edge	2B	1	4.744	Actual weight	2018/9/11	JIS G 4305:2012	7180441741
21	Cold rolled coil	SUS430	2.8*1219*C	2.789	1219	Slit Edge	2B	1	4.764	Actual weight	2018/9/11	JIS G 4305:2012	7180441742



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	SUS430	2.8*1219*C	2.789	1219	Slit Edge	2B	1	5.283	Actual weight	2018/9/11	JIS G 4305:2012	7180441743
23	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
24	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
25	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	12.910	Actual weight	2018/5/18	GB/T4238-2015	7180362374
26	Hot rolled coil	06Cr23Ni13	4*1500*C	3.89	1500	Slit Edge	1D	1	13.360	Actual weight	2018/6/22	GB/T4238-2015	7180390064
27	Hot rolled coil	S31603	10*1800*C	9.81	1849	Mill Edge	1D	1	15.230	Actual weight	2018/7/24	GB24511-2009	7180412117
28	Hot rolled coil	S31603	10*1800*C	9.81	1848	Mill Edge	1D	1	16.850	Actual weight	2018/7/27	GB24511-2009	7180413695
29	Hot rolled coil	S31603	10*1800*C	9.81	1849	Mill Edge	1D	1	15.250	Actual weight	2018/7/30	GB24511-2009	7180412118
30	Hot rolled coil	S32205	8*1800*C	7.92	1800	Slit Edge	No.1	1	25.230	Actual weight	2018/7/6	ASME SA-240M-2013	7180403244
31	Hot rolled coil	S32205	6*1800*C	5.95	1800	Slit Edge	No.1	1	24.905	Actual weight	2018/7/9	ASME SA-240M-2013	7180403242
32	Hot rolled coil	S32205	6*1800*C	5.94	1800	Slit Edge	No.1	1	24.890	Actual weight	2018/7/9	ASME SA-240M-2013	7180403243
33	Hot rolled coil	S32205	6*1800*C	5.96	1800	Slit Edge	No.1	1	25.980	Actual weight	2018/7/9	ASME SA-240M-2013	7180403245
34	Hot rolled coil	S32205	6*1800*C	5.94	1800	Slit Edge	No.1	1	24.910	Actual weight	2018/7/9	ASME SA-240M-2013	7180403246
35	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	14.720	Actual weight	2018/8/23	ASME SA-240M-2015	7180431367
36	Hot rolled coil	06Cr23Ni13	3*1500*C	2.895	1500	Slit Edge	1D	1	13.580	Actual weight	2018/8/24	GB/T4238-2015	7180432778
37	Hot rolled coil	06Cr23Ni13	3*1500*C	2.895	1500	Slit Edge	1D	1	13.420	Actual weight	2018/8/24	GB/T4238-2015	7180432779
38	Hot rolled coil	06Cr23Ni13	6*1500*C	5.77	1500	Slit Edge	1D	1	12.450	Actual weight	2018/8/29	GB/T4238-2015	7180437722
39	Hot rolled coil	06Cr23Ni13	6*1500*C	5.8	1500	Slit Edge	1D	1	12.330	Actual weight	2018/8/30	GB/T4238-2015	7180437723
40	Hot rolled coil	06Cr25Ni20	4*1500*C	3.823	1500	Slit Edge	1D	1	13.550	Actual weight	2018/8/30	GB/T4238-2015	7180439450
41	Hot rolled coil	06Cr25Ni20	4*1500*C	3.821	1500	Slit Edge	1D	1	14.030	Actual weight	2018/8/30	GB/T4238-2015	7180439885
42	Hot rolled coil	06Cr25Ni20	6*1500*C	5.73	1500	Slit Edge	1D	1	13.760	Actual weight	2018/8/30	GB/T4238-2015	7180439890
43	Hot rolled coil	06Cr25Ni20	6*1500*C	5.74	1500	Slit Edge	1D	1	13.690	Actual weight	2018/8/30	GB/T4238-2015	7180439893
44	Hot rolled coil	06Cr25Ni20	6*1500*C	5.74	1500	Slit Edge	1D	1	13.890	Actual weight	2018/8/30	GB/T4238-2015	7180439894
45	Hot rolled coil	06Cr23Ni13	6*1500*C	5.77	1500	Slit Edge	1D	1	13.190	Actual weight	2018/8/31	GB/T4238-2015	7180437441
46	Hot rolled coil	06Cr23Ni13	6*1500*C	5.8	1500	Slit Edge	1D	1	13.260	Actual weight	2018/8/31	GB/T4238-2015	7180437442
47	Hot rolled coil	06Cr25Ni20	4*1500*C	3.823	1500	Slit Edge	1D	1	13.890	Actual weight	2018/9/3	GB/T4238-2015	7180439449



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Hot rolled coil	06Cr25Ni20	4*1500*C	3.802	1500	Slit Edge	1D	1	14.160	Actual weight	2018/9/3	GB/T4238-2015	7180439883
49	Hot rolled coil	06Cr25Ni20	4*1500*C	3.821	1500	Slit Edge	1D	1	13.620	Actual weight	2018/9/3	GB/T4238-2015	7180439884
50	Hot rolled coil	06Cr25Ni20	6*1500*C	5.69	1500	Slit Edge	1D	1	13.890	Actual weight	2018/8/31	GB/T4238-2015	7180437446
51	Hot rolled coil	S30408	12*1500*C	11.78	1543	Mill Edge	1D	1	13.500	Actual weight	2018/9/3	GB24511-2009	7180434689
52	Hot rolled coil	S30408	12*1500*C	11.8	1544	Mill Edge	1D	1	13.840	Actual weight	2018/9/3	GB24511-2009	7180434691
53	Hot rolled coil	S30408	12*1500*C	11.77	1540	Mill Edge	1D	1	13.990	Actual weight	2018/9/3	GB24511-2009	7180434699
54	Hot rolled coil	S30408	12*1500*C	11.77	1540	Mill Edge	1D	1	14.070	Actual weight	2018/9/3	GB24511-2009	7180434700
55	Hot rolled coil	S30408	12*1500*C	11.81	1544	Mill Edge	1D	1	13.900	Actual weight	2018/9/3	GB24511-2009	7180434702
56	Hot rolled coil	S30408	12*1500*C	11.79	1544	Mill Edge	1D	1	14.020	Actual weight	2018/9/3	GB24511-2009	7180434704
57	Hot rolled coil	S30408	12*1500*C	11.75	1540	Mill Edge	1D	1	13.900	Actual weight	2018/9/3	GB24511-2009	7180434705
58	Hot rolled coil	S30408	12*1500*C	11.74	1543	Mill Edge	1D	1	13.920	Actual weight	2018/8/31	GB24511-2009	7180434708
59	Hot rolled coil	S30408	12*1500*C	11.83	1543	Mill Edge	1D	1	13.820	Actual weight	2018/8/31	GB24511-2009	7180435135
60	Hot rolled coil	S30408	12*1500*C	11.83	1543	Mill Edge	1D	1	13.500	Actual weight	2018/9/3	GB24511-2009	7180435139
61	Hot rolled coil	06Cr23Ni13	3*1500*C	2.876	1500	Slit Edge	1D	1	13.380	Actual weight	2018/9/6	GB/T4238-2015	7180440609
62	Hot rolled coil	06Cr25Ni20	5*1500*C	4.83	1500	Slit Edge	1D	1	13.530	Actual weight	2018/9/6	GB/T4238-2015	7180440152
63	Hot rolled coil	06Cr25Ni20	3*1219*C	2.795	1219	Slit Edge	1D	1	10.085	Actual weight	2018/9/8	GB/T4238-2015	7180443618
64	Hot rolled coil	06Cr25Ni20	3*1219*C	2.795	1219	Slit Edge	1D	1	10.275	Actual weight	2018/9/8	GB/T4238-2015	7180443620
65	Hot rolled coil	06Cr25Ni20	3*1219*C	2.83	1219	Slit Edge	1D	1	9.920	Actual weight	2018/9/8	GB/T4238-2015	7180443626
66	Hot rolled coil	06Cr25Ni20	3*1219*C	2.89	1219	Slit Edge	1D	1	9.520	Actual weight	2018/9/8	GB/T4238-2015	7180443639
67	Hot rolled coil	S32205	6*1450*C	5.76	1450	Slit Edge	No.1	1	18.350	Actual weight	2018/8/2	ASME SA-240M-2015	7180425340
68	Hot rolled coil	S32205	7.1*1600*C	6.85	1600	Slit Edge	No.1	1	21.280	Actual weight	2018/8/13	ASME SA-240M-2013	7180431347
69	Hot rolled coil	S22053	3*1219*C	3.066	1219	Slit Edge	1D	1	10.526	Actual weight	2018/8/26	GB24511-2009	7180441757
70	Hot rolled coil	S32205	10*2000*C	9.89	2000	Slit Edge	No.1	1	30.250	Actual weight	2018/8/27	ASTM A240M-15	7180442158
71	Hot rolled coil	S32205	6.6*1500*C	6.42	1500	Slit Edge	No.1	1	17.090	Actual weight	2018/8/30	ASTM A240M-15	7180445801
72	Hot rolled coil	S32205	8.8*1500*C	8.62	1500	Slit Edge	No.1	1	22.580	Actual weight	2018/8/30	ASTM A240M-15	7180445802
73	Hot rolled coil	S32205	6.6*1735*C	6.57	1735	Slit Edge	No.1	1	18.510	Actual weight	2018/9/12	ASTM A240M-15	7180453455



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S30408	12*1500*C	11.86	1500	Slit Edge	1D	1	12.430	Actual weight	2018/9/14	GB24511-2009	7180435169
75	Hot rolled coil	S30408	12*1500*C	11.78	1500	Slit Edge	1D	1	14.030	Actual weight	2018/9/17	GB24511-2009	7180435132
76	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
77	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
78	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
79	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
80	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
81	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
82	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
83	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
84	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
85	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
86	Hot rolled coil	S30408	10*2000*C	9.79	2000	Slit Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180410492
87	Hot rolled coil	S30408	12*2000*C	11.84	2000	Slit Edge	1D	1	15.030	Actual weight	2018/7/23	GB24511-2009	7180402699
88	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/7/26	GB24511-2009	5183110358
89	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.740	Actual weight	2018/8/13	GB24511-2009	7180426432
90	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.620	Actual weight	2018/8/13	GB24511-2009	7180426433
91	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.880	Actual weight	2018/8/13	GB24511-2009	7180426434
92	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.520	Actual weight	2018/8/13	GB24511-2009	7180426435
93	Hot rolled coil	S31603	3*1500*C	2.92	1500	Slit Edge	1D	1	13.680	Actual weight	2018/8/13	GB24511-2009	7180413219
94	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183077192
95	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109881
96	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/8/14	GB24511-2009	5183109882
97	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109883
98	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109884
99	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109885



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.550	Actual weight	2018/8/14	GB24511-2009	5183109887
101	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/8/14	GB24511-2009	5183117506
102	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/8/14	GB24511-2009	5183117507
103	Hot rolled plat	S30408	25*2000*6000	25	2000	Slit Edge	1D	1	2.400	Actual weight	2018/8/14	GB24511-2009	5183103013
104	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	13.530	Actual weight	2018/8/17	GB24511-2009	7180429819
105	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	14.020	Actual weight	2018/8/17	GB24511-2009	7180429826
106	Hot rolled coil	S30408	10*1500*C	9.85	1500	Slit Edge	1D	1	12.820	Actual weight	2018/8/17	GB24511-2009	7180429881
107	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.490	Actual weight	2018/8/17	GB24511-2009	7180426982
108	Hot rolled coil	S30408	10*1500*C	9.87	1500	Slit Edge	1D	1	14.120	Actual weight	2018/8/20	GB24511-2009	7180430179
109	Hot rolled coil	S31603	4*1500*C	3.946	1500	Slit Edge	1D	1	13.490	Actual weight	2018/8/20	GB24511-2009	7180430783
110	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122731
111	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122732
112	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122733
113	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122736
114	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122737
115	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122738
116	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122739
117	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122740
118	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/8/22	GB24511-2009	5183121172
119	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.725	Actual weight	2018/8/22	GB24511-2009	5183121173
120	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.155	Actual weight	2018/8/22	GB24511-2009	5183121191
121	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121192
122	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121193
123	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121194
124	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.145	Actual weight	2018/8/22	GB24511-2009	5183121195
125	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.030	Actual weight	2018/8/22	GB24511-2009	5184124924



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.050	Actual weight	2018/8/22	GB24511-2009	5184124925
127	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.025	Actual weight	2018/8/22	GB24511-2009	5184125952
128	Hot rolled coil	S30408	8*1800*C	7.85	1800	Slit Edge	1D	1	14.370	Actual weight	2018/8/27	GB24511-2009	7180428462
129	Hot rolled coil	S30408	14*1500*C	13.77	1500	Slit Edge	1D	1	13.980	Actual weight	2018/8/29	GB24511-2009	7180432780
130	Hot rolled coil	S30408	14*1500*C	13.77	1500	Slit Edge	1D	1	13.450	Actual weight	2018/8/29	GB24511-2009	7180432781
131	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.395	Actual weight	2018/9/3	GB24511-2009	5183128870
132	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131662
133	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131664
134	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131670
135	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131672
136	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.375	Actual weight	2018/9/3	GB24511-2009	5183131674
137	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131676
138	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.375	Actual weight	2018/9/3	GB24511-2009	5183131678
139	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.725	Actual weight	2018/9/3	GB24511-2009	5183132354
140	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/9/3	GB24511-2009	5183132355
141	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/9/3	GB24511-2009	5183132358
142	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/9/3	GB24511-2009	5183132359
143	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/9/3	GB24511-2009	5183132360
144	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/9/3	GB24511-2009	5183132361
145	Hot rolled plat	S30408	20*1800*6000	20	1800	Slit Edge	1D	1	1.720	Actual weight	2018/9/3	GB24511-2009	5183132362
146	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/9/3	GB24511-2009	5183133491
147	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/9/3	GB24511-2009	5183133493
148	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/9/3	GB24511-2009	5183133494
149	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/9/3	GB24511-2009	5183133495
150	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.810	Actual weight	2018/9/3	GB24511-2009	5183128919
151	Hot rolled plat	S30408	30*1800*6000	30	1800	Slit Edge	1D	1	2.630	Actual weight	2018/9/3	GB24511-2009	5184124927



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
152	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.030	Actual weight	2018/9/3	GB24511-2009	5184127494
153	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.715	Actual weight	2018/9/6	GB24511-2009	5183134550
154	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.720	Actual weight	2018/9/6	GB24511-2009	5183134551
155	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.720	Actual weight	2018/9/6	GB24511-2009	5183134552
156	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.715	Actual weight	2018/9/6	GB24511-2009	5183134553
157	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.715	Actual weight	2018/9/6	GB24511-2009	5183134554
158	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.720	Actual weight	2018/9/6	GB24511-2009	5183134555
159	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133511
160	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133512
161	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133513
162	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133514
163	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133515
164	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133516
165	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133522
166	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.440	Actual weight	2018/9/6	GB24511-2009	5183133523
167	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.100	Actual weight	2018/9/6	GB24511-2009	5183138979
168	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138980
169	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138981
170	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138982
171	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138983
172	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134865
173	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134867
174	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134868
175	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134870
176	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.790	Actual weight	2018/9/6	GB24511-2009	5183134871
177	Hot rolled coil	S30408	8*1500*C	7.76	1500	Slit Edge	1D	1	13.650	Actual weight	2018/9/6	GB24511-2009	7180435495



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
178	Hot rolled coil	S30408	8*1500*C	7.76	1500	Slit Edge	1D	1	13.680	Actual weight	2018/9/6	GB24511-2009	7180435496
179	Hot rolled coil	S30408	12*1500*C	11.78	1500	Slit Edge	1D	1	13.240	Actual weight	2018/9/7	GB24511-2009	7180435133
180	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.600	Actual weight	2018/9/7	GB24511-2009	7180435158
181	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	12.800	Actual weight	2018/9/7	GB24511-2009	7180435159
182	Hot rolled coil	S30408	12*1500*C	11.77	1500	Slit Edge	1D	1	13.880	Actual weight	2018/9/7	GB24511-2009	7180435921
183	Hot rolled plat	S31603	20*2000*7000	20	2000	Slit Edge	1D	1	2.280	Actual weight	2018/9/10	GB24511-2009	5184112867
184	Hot rolled plat	S31603	25*2000*7000	25	2000	Slit Edge	1D	1	2.835	Actual weight	2018/9/10	GB24511-2009	5184117080
185	Hot rolled plat	S31603	30*2000*7000	30	2000	Slit Edge	1D	1	3.415	Actual weight	2018/9/10	GB24511-2009	5184112539
186	Hot rolled plat	S31603	30*2000*7000	30	2000	Slit Edge	1D	1	3.405	Actual weight	2018/9/10	GB24511-2009	5184115715
187	Hot rolled plat	S31603	35*2000*7000	35	2000	Slit Edge	1D	1	3.955	Actual weight	2018/9/10	GB24511-2009	5184112049
188	Hot rolled plat	S31603	35*2000*7000	35	2000	Slit Edge	1D	1	3.955	Actual weight	2018/9/10	GB24511-2009	5184117998