



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.970	Actual weight	2018/7/2	JIS G 4305:2012	7180396143
2	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.740	Actual weight	2018/7/2	JIS G 4305:2012	7180396144
3	Cold rolled coil	SUS430	1.2*1219*C	1.179	1219	Slit Edge	2B	1	5.382	Actual weight	2018/7/2	JIS G 4305:2012	7180396207
4	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
5	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
6	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
7	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
8	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
9	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
10	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
11	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
12	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.647	Actual weight	2018/7/25	JIS G 4305:2012	7180412776
13	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.866	Actual weight	2018/7/27	JIS G 4305:2012	7180412777
14	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.921	Actual weight	2018/7/30	JIS G 4305:2012	7180416681
15	Cold rolled coil	SUS430	1.9*1000*C	1.777	1000	Slit Edge	2B	1	7.414	Actual weight	2018/8/30	JIS G 4305:2012	7180439787
16	Cold rolled coil	SUS430	1.9*1000*C	1.777	1000	Slit Edge	2B	1	6.970	Actual weight	2018/8/30	JIS G 4305:2012	7180439788
17	Cold rolled coil	SUS430	2*1219*C	1.966	1219	Slit Edge	2B	1	4.491	Actual weight	2018/9/7	JIS G 4305:2012	7180439353
18	Cold rolled coil	SUS430	2.8*1219*C	2.789	1219	Slit Edge	2B	1	4.744	Actual weight	2018/9/11	JIS G 4305:2012	7180441741
19	Cold rolled coil	SUS430	2.8*1219*C	2.789	1219	Slit Edge	2B	1	4.764	Actual weight	2018/9/11	JIS G 4305:2012	7180441742
20	Cold rolled coil	SUS430	2.8*1219*C	2.789	1219	Slit Edge	2B	1	5.283	Actual weight	2018/9/11	JIS G 4305:2012	7180441743
21	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Hot rolled coil	06Cr23Ni13	4*1500*C	3.892	1500	Slit Edge	1D	1	12.680	Actual weight	2018/8/9	GB/T4238-2015	7180424965
23	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	14.720	Actual weight	2018/8/23	ASME SA-240M-2015	7180431367
24	Hot rolled coil	06Cr23Ni13	3*1500*C	2.895	1500	Slit Edge	1D	1	13.580	Actual weight	2018/8/24	GB/T4238-2015	7180432778
25	Hot rolled coil	06Cr23Ni13	6*1500*C	5.88	1500	Slit Edge	1D	1	13.060	Actual weight	2018/8/29	GB/T4238-2015	7180437155
26	Hot rolled coil	06Cr23Ni13	4*1500*C	3.805	1500	Slit Edge	1D	1	13.600	Actual weight	2018/8/30	GB/T4238-2015	7180439429
27	Hot rolled coil	06Cr23Ni13	6*1500*C	5.76	1500	Slit Edge	1D	1	12.630	Actual weight	2018/8/30	GB/T4238-2015	7180437497
28	Hot rolled coil	06Cr25Ni20	4*1500*C	3.84	1500	Slit Edge	1D	1	14.100	Actual weight	2018/9/3	GB/T4238-2015	7180440156
29	Hot rolled coil	06Cr25Ni20	4*1500*C	3.79	1500	Slit Edge	1D	1	13.560	Actual weight	2018/9/3	GB/T4238-2015	7180440158
30	Hot rolled coil	06Cr25Ni20	5*1500*C	4.83	1500	Slit Edge	1D	1	14.030	Actual weight	2018/9/3	GB/T4238-2015	7180440162
31	Hot rolled coil	06Cr25Ni20	6*1500*C	5.69	1500	Slit Edge	1D	1	13.890	Actual weight	2018/8/31	GB/T4238-2015	7180437446
32	Hot rolled coil	S30408	12*1500*C	11.78	1543	Mill Edge	1D	1	13.500	Actual weight	2018/9/3	GB24511-2009	7180434689
33	Hot rolled coil	S30408	12*1500*C	11.8	1544	Mill Edge	1D	1	13.840	Actual weight	2018/9/3	GB24511-2009	7180434691
34	Hot rolled coil	S30408	12*1500*C	11.77	1540	Mill Edge	1D	1	13.990	Actual weight	2018/9/3	GB24511-2009	7180434699
35	Hot rolled coil	S30408	12*1500*C	11.77	1540	Mill Edge	1D	1	14.070	Actual weight	2018/9/3	GB24511-2009	7180434700
36	Hot rolled coil	S30408	12*1500*C	11.81	1544	Mill Edge	1D	1	13.900	Actual weight	2018/9/3	GB24511-2009	7180434702
37	Hot rolled coil	S30408	12*1500*C	11.79	1544	Mill Edge	1D	1	14.020	Actual weight	2018/9/3	GB24511-2009	7180434704
38	Hot rolled coil	S30408	12*1500*C	11.75	1540	Mill Edge	1D	1	13.900	Actual weight	2018/9/3	GB24511-2009	7180434705
39	Hot rolled coil	S30408	12*1500*C	11.74	1543	Mill Edge	1D	1	13.920	Actual weight	2018/8/31	GB24511-2009	7180434708
40	Hot rolled coil	06Cr23Ni13	3*1500*C	2.876	1500	Slit Edge	1D	1	13.380	Actual weight	2018/9/6	GB/T4238-2015	7180440609
41	Hot rolled coil	06Cr25Ni20	3*1219*C	2.795	1219	Slit Edge	1D	1	10.085	Actual weight	2018/9/8	GB/T4238-2015	7180443618
42	Hot rolled coil	06Cr25Ni20	3*1219*C	2.89	1219	Slit Edge	1D	1	9.520	Actual weight	2018/9/8	GB/T4238-2015	7180443639
43	Hot rolled coil	06Cr25Ni20	6*1500*C	5.75	1500	Slit Edge	1D	1	13.260	Actual weight	2018/9/10	GB/T4238-2015	7180441957
44	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
45	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
46	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
47	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
49	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
50	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
51	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
52	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
53	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
54	Hot rolled coil	S30408	10*2000*C	9.79	2000	Slit Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180410492
55	Hot rolled coil	S30408	12*2000*C	11.84	2000	Slit Edge	1D	1	15.030	Actual weight	2018/7/23	GB24511-2009	7180402699
56	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/7/26	GB24511-2009	5183110358
57	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.740	Actual weight	2018/8/13	GB24511-2009	7180426432
58	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.620	Actual weight	2018/8/13	GB24511-2009	7180426433
59	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.880	Actual weight	2018/8/13	GB24511-2009	7180426434
60	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.520	Actual weight	2018/8/13	GB24511-2009	7180426435
61	Hot rolled coil	S31603	3*1500*C	2.92	1500	Slit Edge	1D	1	13.680	Actual weight	2018/8/13	GB24511-2009	7180413219
62	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109881
63	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/8/14	GB24511-2009	5183109882
64	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109883
65	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109884
66	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109885
67	Hot rolled plat	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.550	Actual weight	2018/8/14	GB24511-2009	5183109887
68	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/8/14	GB24511-2009	5183117506
69	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/8/14	GB24511-2009	5183117507
70	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	13.530	Actual weight	2018/8/17	GB24511-2009	7180429819
71	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	14.020	Actual weight	2018/8/17	GB24511-2009	7180429826
72	Hot rolled coil	S30408	10*1500*C	9.85	1500	Slit Edge	1D	1	12.820	Actual weight	2018/8/17	GB24511-2009	7180429881
73	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.490	Actual weight	2018/8/17	GB24511-2009	7180426982



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled coil	S30408	10*1500*C	9.87	1500	Slit Edge	1D	1	14.120	Actual weight	2018/8/20	GB24511-2009	7180430179
75	Hot rolled coil	S31603	4*1500*C	3.946	1500	Slit Edge	1D	1	13.490	Actual weight	2018/8/20	GB24511-2009	7180430783
76	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122733
77	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122736
78	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122737
79	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122738
80	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122739
81	Hot rolled plat	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122740
82	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.155	Actual weight	2018/8/22	GB24511-2009	5183121191
83	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121192
84	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121193
85	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121194
86	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.145	Actual weight	2018/8/22	GB24511-2009	5183121195
87	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.050	Actual weight	2018/8/22	GB24511-2009	5184124925
88	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.025	Actual weight	2018/8/22	GB24511-2009	5184125952
89	Hot rolled coil	S30408	8*1800*C	7.85	1800	Slit Edge	1D	1	14.370	Actual weight	2018/8/27	GB24511-2009	7180428462
90	Hot rolled coil	S30408	14*1500*C	13.77	1500	Slit Edge	1D	1	13.980	Actual weight	2018/8/29	GB24511-2009	7180432780
91	Hot rolled coil	S30408	14*1500*C	13.77	1500	Slit Edge	1D	1	13.450	Actual weight	2018/8/29	GB24511-2009	7180432781
92	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.395	Actual weight	2018/9/3	GB24511-2009	5183128870
93	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131662
94	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131664
95	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131670
96	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131672
97	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.375	Actual weight	2018/9/3	GB24511-2009	5183131674
98	Hot rolled plat	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131676
99	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/9/3	GB24511-2009	5183133491



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/9/3	GB24511-2009	5183133493
101	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/9/3	GB24511-2009	5183133494
102	Hot rolled plat	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/9/3	GB24511-2009	5183133495
103	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.810	Actual weight	2018/9/3	GB24511-2009	5183128919
104	Hot rolled plat	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.030	Actual weight	2018/9/3	GB24511-2009	5184127494
105	Hot rolled plat	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.720	Actual weight	2018/9/6	GB24511-2009	5183134555
106	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133511
107	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133512
108	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133513
109	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133514
110	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133515
111	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133516
112	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133522
113	Hot rolled plat	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.440	Actual weight	2018/9/6	GB24511-2009	5183133523
114	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.100	Actual weight	2018/9/6	GB24511-2009	5183138979
115	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138980
116	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138981
117	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138982
118	Hot rolled plat	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138983
119	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134865
120	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134867
121	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134868
122	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134870
123	Hot rolled plat	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.790	Actual weight	2018/9/6	GB24511-2009	5183134871
124	Hot rolled coil	S30408	8*1500*C	7.76	1500	Slit Edge	1D	1	13.650	Actual weight	2018/9/6	GB24511-2009	7180435495
125	Hot rolled coil	S30408	8*1500*C	7.76	1500	Slit Edge	1D	1	13.680	Actual weight	2018/9/6	GB24511-2009	7180435496



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled coil	S30408	12*1500*C	11.78	1500	Slit Edge	1D	1	13.240	Actual weight	2018/9/7	GB24511-2009	7180435133
127	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.600	Actual weight	2018/9/7	GB24511-2009	7180435158
128	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	12.800	Actual weight	2018/9/7	GB24511-2009	7180435159
129	Hot rolled coil	S30408	12*1500*C	11.77	1500	Slit Edge	1D	1	13.880	Actual weight	2018/9/7	GB24511-2009	7180435921
130	Hot rolled plat	S31603	20*2000*7000	20	2000	Slit Edge	1D	1	2.280	Actual weight	2018/9/10	GB24511-2009	5184112867
131	Hot rolled plat	S31603	25*2000*7000	25	2000	Slit Edge	1D	1	2.835	Actual weight	2018/9/10	GB24511-2009	5184117080
132	Hot rolled plat	S31603	30*2000*7000	30	2000	Slit Edge	1D	1	3.415	Actual weight	2018/9/10	GB24511-2009	5184112539
133	Hot rolled plat	S31603	30*2000*7000	30	2000	Slit Edge	1D	1	3.405	Actual weight	2018/9/10	GB24511-2009	5184115715
134	Hot rolled plat	S31603	35*2000*7000	35	2000	Slit Edge	1D	1	3.955	Actual weight	2018/9/10	GB24511-2009	5184112049
135	Hot rolled plat	S31603	35*2000*7000	35	2000	Slit Edge	1D	1	3.955	Actual weight	2018/9/10	GB24511-2009	5184117998
136	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.160	Actual weight	2018/9/25	GB24511-2009	5184111098
137	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.160	Actual weight	2018/9/25	GB24511-2009	5184111099
138	Hot rolled plat	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.160	Actual weight	2018/9/25	GB24511-2009	5184118874
139	Hot rolled plat	S30408	30*1800*6000	30	1800	Slit Edge	1D	1	2.615	Actual weight	2018/9/25	GB24511-2009	5184109366
140	Hot rolled plat	S30408	35*2000*6000	35	2000	Slit Edge	1D	1	3.370	Actual weight	2018/9/25	GB24511-2009	5184112046