



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.157	Actual weight	2018/7/5	JIS G 4305:2012	7180399515
2	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.312	Actual weight	2018/7/5	JIS G 4305:2012	7180399519
3	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.987	Actual weight	2018/7/10	GB/T3280-2015	7180404069
4	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.962	Actual weight	2018/7/12	GB/T3280-2015	7180404070
5	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.865	1219	Slit Edge	2B	1	5.848	Actual weight	2018/7/12	GB/T3280-2015	7180404071
6	Cold rolled coil	06Cr18Ni11Ti	3*1219*C	2.886	1219	Slit Edge	2B	1	5.403	Actual weight	2018/7/10	GB/T3280-2015	7180404443
7	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403270
8	Cold rolled coil	SUS304	2*2000*C	1.96	2000	Slit Edge	2B	1	13.290	Actual weight	2018/7/20	JIS G 4305:2012	7180403271
9	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.647	Actual weight	2018/7/25	JIS G 4305:2012	7180412776
10	Cold rolled coil	SUS304	2*1800*C	1.935	1800	Slit Edge	2B	1	14.866	Actual weight	2018/7/27	JIS G 4305:2012	7180412777
11	Cold rolled coil	SUS430	1.2*1219*C	1.191	1219	Slit Edge	2B	1	5.921	Actual weight	2018/7/30	JIS G 4305:2012	7180416681
12	Cold rolled coil	SUS430	1.9*1000*C	1.777	1000	Slit Edge	2B	1	7.414	Actual weight	2018/8/30	JIS G 4305:2012	7180439787
13	Cold rolled coil	SUS430	1.9*1000*C	1.777	1000	Slit Edge	2B	1	6.970	Actual weight	2018/8/30	JIS G 4305:2012	7180439788
14	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
15	Hot rolled coil	06Cr23Ni13	4*1500*C	3.892	1500	Slit Edge	1D	1	12.680	Actual weight	2018/8/9	GB/T4238-2015	7180424965
16	Hot rolled coil	06Cr23Ni13	3*1500*C	2.895	1500	Slit Edge	1D	1	13.580	Actual weight	2018/8/24	GB/T4238-2015	7180432778
17	Hot rolled coil	06Cr23Ni13	6*1500*C	5.88	1500	Slit Edge	1D	1	13.060	Actual weight	2018/8/29	GB/T4238-2015	7180437155
18	Hot rolled coil	06Cr23Ni13	4*1500*C	3.805	1500	Slit Edge	1D	1	13.600	Actual weight	2018/8/30	GB/T4238-2015	7180439429
19	Hot rolled coil	06Cr23Ni13	6*1500*C	5.76	1500	Slit Edge	1D	1	12.630	Actual weight	2018/8/30	GB/T4238-2015	7180437497
20	Hot rolled coil	06Cr25Ni20	4*1500*C	3.84	1500	Slit Edge	1D	1	14.100	Actual weight	2018/9/3	GB/T4238-2015	7180440156
21	Hot rolled coil	06Cr25Ni20	4*1500*C	3.79	1500	Slit Edge	1D	1	13.560	Actual weight	2018/9/3	GB/T4238-2015	7180440158



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Hot rolled coil	06Cr25Ni20	5*1500*C	4.83	1500	Slit Edge	1D	1	14.030	Actual weight	2018/9/3	GB/T4238-2015	7180440162
23	Hot rolled coil	06Cr25Ni20	6*1500*C	5.69	1500	Slit Edge	1D	1	13.890	Actual weight	2018/8/31	GB/T4238-2015	7180437446
24	Hot rolled coil	S30408	12*1500*C	11.83	1543	Mill Edge	1D	1	13.820	Actual weight	2018/8/31	GB24511-2009	7180435135
25	Hot rolled coil	S30408	12*1500*C	11.83	1543	Mill Edge	1D	1	13.500	Actual weight	2018/9/3	GB24511-2009	7180435139
26	Hot rolled coil	S30408	12*1500*C	11.86	1540	Mill Edge	1D	1	14.120	Actual weight	2018/9/3	GB24511-2009	7180435152
27	Hot rolled coil	S30408	12*1500*C	11.81	1540	Mill Edge	1D	1	13.840	Actual weight	2018/9/3	GB24511-2009	7180435540
28	Hot rolled coil	S30408	12*1500*C	11.81	1540	Mill Edge	1D	1	13.730	Actual weight	2018/9/3	GB24511-2009	7180435543
29	Hot rolled coil	S30408	12*1500*C	11.77	1543	Mill Edge	1D	1	14.260	Actual weight	2018/9/4	GB24511-2009	7180434687
30	Hot rolled coil	S30408	12*1500*C	11.83	1543	Mill Edge	1D	1	14.320	Actual weight	2018/9/4	GB24511-2009	7180435134
31	Hot rolled coil	S30408	12*1500*C	11.84	1540	Mill Edge	1D	1	14.180	Actual weight	2018/9/4	GB24511-2009	7180435537
32	Hot rolled coil	S30408	12*1500*C	11.81	1540	Mill Edge	1D	1	14.190	Actual weight	2018/9/4	GB24511-2009	7180435539
33	Hot rolled coil	06Cr23Ni13	3*1500*C	2.876	1500	Slit Edge	1D	1	13.380	Actual weight	2018/9/6	GB/T4238-2015	7180440609
34	Hot rolled coil	06Cr25Ni20	3*1219*C	2.795	1219	Slit Edge	1D	1	10.085	Actual weight	2018/9/8	GB/T4238-2015	7180443618
35	Hot rolled coil	06Cr25Ni20	3*1219*C	2.89	1219	Slit Edge	1D	1	9.520	Actual weight	2018/9/8	GB/T4238-2015	7180443639
36	Hot rolled coil	06Cr25Ni20	6*1500*C	5.75	1500	Slit Edge	1D	1	13.260	Actual weight	2018/9/10	GB/T4238-2015	7180441957
37	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	15.190	Actual weight	2018/7/3	GB24511-2009	7180399389
38	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.500	Actual weight	2018/7/6	GB24511-2009	7180399186
39	Hot rolled coil	S30408	6*1800*C	5.88	1840	Mill Edge	1D	1	14.520	Actual weight	2018/7/6	GB24511-2009	7180399187
40	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	14.680	Actual weight	2018/7/6	GB24511-2009	7180399175
41	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.120	Actual weight	2018/7/6	GB24511-2009	7180399384
42	Hot rolled coil	S30408	8*2000*C	7.86	2038	Mill Edge	1D	1	15.060	Actual weight	2018/7/6	GB24511-2009	7180399385
43	Hot rolled coil	S30408	10*1800*C	9.84	1840	Mill Edge	1D	1	14.920	Actual weight	2018/7/6	GB24511-2009	7180399374
44	Hot rolled coil	S30408	10*2000*C	9.86	2040	Mill Edge	1D	1	15.090	Actual weight	2018/7/6	GB24511-2009	7180399592
45	Hot rolled coil	S30408	10*1800*C	9.85	1800	Slit Edge	1D	1	15.190	Actual weight	2018/7/12	GB24511-2009	7180400031
46	Hot rolled coil	S30408	6*2000*C	5.85	2045	Mill Edge	1D	1	13.810	Actual weight	2018/7/16	GB24511-2009	7180399174
47	Hot rolled coil	S30408	10*2000*C	9.79	2000	Slit Edge	1D	1	13.650	Actual weight	2018/7/23	GB24511-2009	7180410492



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Hot rolled coil	S30408	12*2000*C	11.84	2000	Slit Edge	1D	1	15.030	Actual weight	2018/7/23	GB24511-2009	7180402699
49	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/7/26	GB24511-2009	5183110358
50	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.740	Actual weight	2018/8/13	GB24511-2009	7180426432
51	Hot rolled coil	S30408	12*1500*C	11.84	1500	Slit Edge	1D	1	13.620	Actual weight	2018/8/13	GB24511-2009	7180426433
52	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.880	Actual weight	2018/8/13	GB24511-2009	7180426434
53	Hot rolled coil	S30408	12*1500*C	11.81	1500	Slit Edge	1D	1	13.520	Actual weight	2018/8/13	GB24511-2009	7180426435
54	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109881
55	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.540	Actual weight	2018/8/14	GB24511-2009	5183109882
56	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109883
57	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109884
58	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.545	Actual weight	2018/8/14	GB24511-2009	5183109885
59	Hot rolled plate	S30408	18*1800*6000	18	1800	Slit Edge	1D	1	1.550	Actual weight	2018/8/14	GB24511-2009	5183109887
60	Hot rolled plate	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/8/14	GB24511-2009	5183117506
61	Hot rolled plate	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/8/14	GB24511-2009	5183117507
62	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	13.530	Actual weight	2018/8/17	GB24511-2009	7180429819
63	Hot rolled coil	S30408	10*1500*C	9.86	1500	Slit Edge	1D	1	14.020	Actual weight	2018/8/17	GB24511-2009	7180429826
64	Hot rolled coil	S30408	10*1500*C	9.85	1500	Slit Edge	1D	1	12.820	Actual weight	2018/8/17	GB24511-2009	7180429881
65	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.490	Actual weight	2018/8/17	GB24511-2009	7180426982
66	Hot rolled coil	S30408	10*1500*C	9.87	1500	Slit Edge	1D	1	14.120	Actual weight	2018/8/20	GB24511-2009	7180430179
67	Hot rolled coil	S31603	4*1500*C	3.946	1500	Slit Edge	1D	1	13.490	Actual weight	2018/8/20	GB24511-2009	7180430783
68	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122733
69	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122736
70	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122737
71	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122738
72	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122739
73	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	2018/8/22	GB24511-2009	5183122740



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Hot rolled plate	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.155	Actual weight	2018/8/22	GB24511-2009	5183121191
75	Hot rolled plate	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121192
76	Hot rolled plate	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121193
77	Hot rolled plate	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.150	Actual weight	2018/8/22	GB24511-2009	5183121194
78	Hot rolled plate	S30408	25*1800*6000	25	1800	Slit Edge	1D	1	2.145	Actual weight	2018/8/22	GB24511-2009	5183121195
79	Hot rolled plate	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.050	Actual weight	2018/8/22	GB24511-2009	5184124925
80	Hot rolled plate	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.025	Actual weight	2018/8/22	GB24511-2009	5184125952
81	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.375	Actual weight	2018/8/22	GB24511-2009	5183121351
82	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122734
83	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	2018/8/22	GB24511-2009	5183122735
84	Hot rolled coil	S30408	8*1800*C	7.85	1800	Slit Edge	1D	1	14.370	Actual weight	2018/8/27	GB24511-2009	7180428462
85	Hot rolled coil	S30408	14*1500*C	13.77	1500	Slit Edge	1D	1	13.980	Actual weight	2018/8/29	GB24511-2009	7180432780
86	Hot rolled coil	S30408	14*1500*C	13.77	1500	Slit Edge	1D	1	13.450	Actual weight	2018/8/29	GB24511-2009	7180432781
87	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.395	Actual weight	2018/9/3	GB24511-2009	5183128870
88	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131662
89	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131664
90	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131670
91	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131672
92	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.375	Actual weight	2018/9/3	GB24511-2009	5183131674
93	Hot rolled plate	S30408	16*1800*6000	16	1800	Slit Edge	1D	1	1.370	Actual weight	2018/9/3	GB24511-2009	5183131676
94	Hot rolled plate	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/9/3	GB24511-2009	5183133491
95	Hot rolled plate	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.890	Actual weight	2018/9/3	GB24511-2009	5183133493
96	Hot rolled plate	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/9/3	GB24511-2009	5183133494
97	Hot rolled plate	S30408	22*1800*6000	22	1800	Slit Edge	1D	1	1.895	Actual weight	2018/9/3	GB24511-2009	5183133495
98	Hot rolled plate	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.810	Actual weight	2018/9/3	GB24511-2009	5183128919
99	Hot rolled plate	S30408	35*1800*6000	35	1800	Slit Edge	1D	1	3.030	Actual weight	2018/9/3	GB24511-2009	5184127494



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled plate	S30408	18*2000*6000	18	2000	Slit Edge	1D	1	1.720	Actual weight	2018/9/6	GB24511-2009	5183134555
101	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133511
102	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133512
103	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133513
104	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133514
105	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133515
106	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.435	Actual weight	2018/9/6	GB24511-2009	5183133516
107	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.430	Actual weight	2018/9/6	GB24511-2009	5183133522
108	Hot rolled plate	S30408	20*1500*6000	20	1500	Slit Edge	1D	1	1.440	Actual weight	2018/9/6	GB24511-2009	5183133523
109	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.100	Actual weight	2018/9/6	GB24511-2009	5183138979
110	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138980
111	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138981
112	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138982
113	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	2018/9/6	GB24511-2009	5183138983
114	Hot rolled plate	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134865
115	Hot rolled plate	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134867
116	Hot rolled plate	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134868
117	Hot rolled plate	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.795	Actual weight	2018/9/6	GB24511-2009	5183134870
118	Hot rolled plate	S30408	25*1500*6000	25	1500	Slit Edge	1D	1	1.790	Actual weight	2018/9/6	GB24511-2009	5183134871
119	Hot rolled coil	S30408	8*1500*C	7.76	1500	Slit Edge	1D	1	13.650	Actual weight	2018/9/6	GB24511-2009	7180435495
120	Hot rolled coil	S30408	8*1500*C	7.76	1500	Slit Edge	1D	1	13.680	Actual weight	2018/9/6	GB24511-2009	7180435496
121	Hot rolled coil	S30408	12*1500*C	11.78	1500	Slit Edge	1D	1	13.240	Actual weight	2018/9/7	GB24511-2009	7180435133
122	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	14.600	Actual weight	2018/9/7	GB24511-2009	7180435158
123	Hot rolled coil	S30408	12*1500*C	11.83	1500	Slit Edge	1D	1	12.800	Actual weight	2018/9/7	GB24511-2009	7180435159