



# Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-metal.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
1	Cold rolled coil	SUS430	0.5*1219*C	0.465	1219	Slit Edge	2B	1	7.367	Actual weight	JIS G 4305:2012	2018/1/6	7170262106
2	Cold rolled coil	316L	2*1219*C	1.925	1253	Mill Edge	2B	1	10.514	Actual weight	ASTM A240M-15	2018/1/11	7180266687
3	Cold rolled coil	SUS304	4*2000*C	3.881	2000	Slit Edge	2B	1	14.294	Actual weight	JIS G 4305:2012	2018/1/11	7170264584
4	Cold rolled coil	SUS430	1*1219*C	0.963	1219	Slit Edge	2B	1	6.464	Actual weight	JIS G 4305:2012	2018/1/13	7180267238
5	Cold rolled coil	SUS430	0.6*1250*C	0.577	1283	Mill Edge	2B	1	8.706	Actual weight	JIS G 4305:2012	2018/1/15	7180269191
6	Cold rolled coil	SUS430	0.8*1219*C	0.792	1257	Mill Edge	2B	1	6.816	Actual weight	JIS G 4305:2012	2018/1/15	7180267888
7	Cold rolled coil	SUS430	1*1219*C	0.993	1258	Mill Edge	2B	1	10.837	Actual weight	JIS G 4305:2012	2018/1/15	7180267886
8	Cold rolled coil	SUS430	1*1219*C	0.991	1252	Mill Edge	2B	1	10.787	Actual weight	JIS G 4305:2012	2018/1/15	7180268677
9	Cold rolled coil	SUS304	2*1500*C	1.957	1538	Mill Edge	2B	1	11.381	Actual weight	JIS G 4305:2012	2018/1/19	7180268758
10	Cold rolled coil	SUS304	2.8*1500*C	2.752	1545	Mill Edge	2B	1	9.273	Actual weight	JIS G 4305:2012	2018/1/19	7170260103
11	Cold rolled coil	SUS430	0.8*1219*C	0.747	1219	Slit Edge	2B	1	8.415	Actual weight	JIS G 4305:2012	2018/1/19	7180268762
12	Cold rolled coil	SUS430	1.2*1219*C	1.115	1219	Slit Edge	2B	1	8.441	Actual weight	JIS G 4305:2012	2018/1/19	7180266772
13	Cold rolled coil	316L	2.5*1500*C	2.395	1540	Mill Edge	2B	1	10.958	Actual weight	ASTM A240M-15	2018/1/17	7180270155
14	Cold rolled coil	316L	2*1500*C	1.945	1542	Mill Edge	2B	1	11.860	Actual weight	ASTM A240M-15	2018/1/18	7180271102
15	Cold rolled coil	SUS430	0.6*1219*C	0.535	1219	Slit Edge	2B	1	6.904	Actual weight	JIS G 4305:2012	2018/1/18	7180268520
16	Cold rolled coil	SUS430	2.8*1219*C	2.761	1256	Mill Edge	2B	1	9.692	Actual weight	JIS G 4305:2012	2018/1/24	7180271299
17	Cold rolled coil	SUS304	1.1*1500*C	1.075	1534	Mill Edge	2B	1	12.821	Actual weight	JIS G 4305:2012	2018/1/19	7180270147
18	Cold rolled coil	SUS304	1.2*1500*C	1.148	1535	Mill Edge	2B	1	12.328	Actual weight	JIS G 4305:2012	2018/1/19	7180270145
19	Cold rolled coil	SUS304	1.5*1500*C	1.376	1541	Mill Edge	2B	1	12.169	Actual weight	JIS G 4305:2012	2018/1/19	7180270148
20	Cold rolled coil	SUS304	1.8*1500*C	1.698	1542	Mill Edge	2B	1	12.126	Actual weight	JIS G 4305:2012	2018/1/19	7180270152
21	Cold rolled coil	SUS304	1.9*1500*C	1.858	1539	Mill Edge	2B	1	12.427	Actual weight	JIS G 4305:2012	2018/1/19	7180270151



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
22	Cold rolled coil	SUS304	2*1500*C	1.909	1538	Mill Edge	2B	1	12.369	Actual weight	JIS G 4305:2012	2018/1/19	7180268651
23	Cold rolled coil	316L	2*1500*C	1.945	1542	Mill Edge	2B	1	11.651	Actual weight	ASTM A240M-15	2018/1/22	7180271101
24	Cold rolled coil	316L	2*1500*C	1.951	1540	Mill Edge	2B	1	12.080	Actual weight	ASTM A240M-15	2018/1/22	7180273474
25	Cold rolled coil	316L	2.5*1500*C	2.395	1540	Mill Edge	2B	1	10.599	Actual weight	ASTM A240M-15	2018/1/20	7180270154
26	Cold rolled coil	316L	2.5*1500*C	2.418	1540	Mill Edge	2B	1	11.906	Actual weight	ASTM A240M-15	2018/1/20	7180270803
27	Cold rolled coil	SUS430	0.8*1219*C	0.722	1219	Slit Edge	2B	1	6.495	Actual weight	JIS G 4305:2012	2018/1/22	7180273026
28	Cold rolled coil	SUS430	0.8*1219*C	0.792	1260	Mill Edge	2B	1	7.222	Actual weight	JIS G 4305:2012	2018/1/23	7180273016
29	Cold rolled coil	SUS430	0.8*1219*C	0.792	1260	Mill Edge	2B	1	7.461	Actual weight	JIS G 4305:2012	2018/1/23	7180273017
30	Cold rolled coil	SUS430	0.8*1219*C	0.792	1260	Mill Edge	2B	1	6.754	Actual weight	JIS G 4305:2012	2018/1/23	7180273018
31	Cold rolled coil	SUS430	1*1250*C	0.995	1290	Mill Edge	2B	1	9.164	Actual weight	JIS G 4305:2012	2018/1/23	7180271931
32	Cold rolled coil	SUS430	0.7*1219*C	0.633	1219	Slit Edge	2B	1	7.961	Actual weight	JIS G 4305:2012	2018/1/31	7180272886
33	Cold rolled coil	SUS430	0.8*1219*C	0.748	1219	Slit Edge	2B	1	8.405	Actual weight	JIS G 4305:2012	2018/1/31	7180274326
34	Cold rolled coil	SUS430	0.8*1219*C	0.741	1219	Slit Edge	2B	1	8.638	Actual weight	JIS G 4305:2012	2018/1/31	7180274444
35	Cold rolled coil	SUS430	1.2*1219*C	1.115	1219	Slit Edge	2B	1	8.202	Actual weight	JIS G 4305:2012	2018/1/25	7180272077
36	Cold rolled coil	316L	1.8*1219*C	1.767	1249	Mill Edge	2B	1	8.451	Actual weight	ASTM A240M-15	2018/1/22	7180275094
37	Cold rolled coil	316L	1.9*1219*C	1.8	1249	Mill Edge	2B	1	8.712	Actual weight	ASTM A240M-15	2018/1/22	7180274485
38	Cold rolled coil	SUS430	2.5*1219*C	2.478	1255	Mill Edge	2B	1	8.218	Actual weight	JIS G 4305:2012	2018/1/24	7180271310
39	Cold rolled coil	SUS304	0.9*1500*C	0.865	1535	Mill Edge	2B	1	12.251	Actual weight	JIS G 4305:2012	2018/1/25	7180270556
40	Cold rolled coil	SUS304	1.5*1500*C	1.463	1540	Mill Edge	2B	1	12.289	Actual weight	JIS G 4305:2012	2018/1/25	7180273341
41	Cold rolled coil	SUS430	2.5*1219*C	2.322	1219	Slit Edge	2B	1	9.634	Actual weight	JIS G 4305:2012	2018/1/26	7180270372
42	Cold rolled coil	SUS430	3*1219*C	2.847	1219	Slit Edge	2B	1	8.095	Actual weight	JIS G 4305:2012	2018/1/26	7180273356
43	Cold rolled coil	316L	1.8*1219*C	1.767	1249	Mill Edge	2B	1	8.781	Actual weight	ASTM A240M-15	2018/2/26	7180275095
44	Cold rolled coil	316L	2*1219*C	1.923	1253	Mill Edge	2B	1	9.970	Actual weight	ASTM A240M-15	2018/1/23	7180275710
45	Cold rolled coil	SUS430	0.8*1219*C	0.73	1219	Slit Edge	2B	1	6.873	Actual weight	JIS G 4305:2012	2018/1/25	7180274932
46	Cold rolled coil	SUS430	1.1*1000*C	1.095	1000	Slit Edge	2B	1	7.155	Actual weight	JIS G 4305:2012	2018/1/25	7180275938
47	Cold rolled coil	SUS304	1*1500*C	0.945	1536	Mill Edge	2B	1	11.641	Actual weight	JIS G 4305:2012	2018/1/29	7180269254



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
48	Cold rolled coil	SUS304	1.8*1500*C	1.768	1541	Mill Edge	2B	1	12.326	Actual weight	JIS G 4305:2012	2018/1/29	7180268228
49	Cold rolled coil	SUS304	2.3*1500*C	2.281	1539	Mill Edge	2B	1	11.884	Actual weight	JIS G 4305:2012	2018/1/29	7180269052
50	Cold rolled coil	316L	1.8*1219*C	1.757	1248	Mill Edge	2B	1	8.302	Actual weight	ASTM A240M-15	2018/1/23	7180275089
51	Cold rolled coil	316L	1.9*1219*C	1.808	1249	Mill Edge	2B	1	8.343	Actual weight	ASTM A240M-15	2018/1/23	7180275086
52	Cold rolled coil	316L	2*1219*C	1.937	1252	Mill Edge	2B	1	10.000	Actual weight	ASTM A240M-15	2018/1/23	7180275965
53	Cold rolled coil	316L	2*1500*C	1.913	1541	Mill Edge	2B	1	12.329	Actual weight	ASTM A240M-15	2018/1/25	7180270851
54	Cold rolled coil	316L	2.5*1219*C	2.431	1251	Mill Edge	2B	1	10.004	Actual weight	ASTM A240M-15	2018/1/23	7180275719
55	Cold rolled coil	SUS430	0.5*1000*C	0.461	1000	Slit Edge	2B	1	5.496	Actual weight	JIS G 4305:2012	2018/2/2	7180275794
56	Cold rolled coil	SUS430	0.5*1219*C	0.451	1219	Slit Edge	2B	1	7.075	Actual weight	JIS G 4305:2012	2018/1/30	7180274928
57	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	6.964	Actual weight	JIS G 4305:2012	2018/1/30	7180275316
58	Cold rolled coil	SUS430	2.3*1219*C	2.263	1219	Slit Edge	2B	1	6.863	Actual weight	JIS G 4305:2012	2018/1/25	7180276678
59	Cold rolled coil	SUS430	2.8*1219*C	2.775	1219	Slit Edge	2B	1	7.150	Actual weight	JIS G 4305:2012	2018/1/30	7180274912
60	Cold rolled coil	316L	2*1219*C	1.945	1253	Mill Edge	2B	1	10.559	Actual weight	ASTM A240M-15	2018/1/24	7180275714
61	Cold rolled coil	316L	2.3*1219*C	2.291	1260	Mill Edge	2B	1	10.432	Actual weight	ASTM A240M-15	2018/1/25	7180276695
62	Cold rolled coil	316L	2.5*1219*C	2.431	1251	Mill Edge	2B	1	10.473	Actual weight	ASTM A240M-15	2018/1/24	7180275699
63	Cold rolled coil	316L	2*1500*C	1.921	1542	Mill Edge	2B	1	12.289	Actual weight	ASTM A240M-15	2018/1/29	7180273482
64	Cold rolled coil	SUS430	0.6*1000*C	0.533	1000	Slit Edge	2B	1	8.071	Actual weight	JIS G 4305:2012	2018/1/29	7180279256
65	Cold rolled coil	SUS430	0.8*1000*C	0.715	1000	Slit Edge	2B	1	6.609	Actual weight	JIS G 4305:2012	2018/1/29	7180278144
66	Cold rolled coil	SUS430	1.5*1219*C	1.464	1219	Slit Edge	2B	1	7.300	Actual weight	JIS G 4305:2012	2018/1/29	7180279656
67	Cold rolled coil	SUS430	2*1219*C	1.954	1252	Mill Edge	2B	1	10.000	Actual weight	JIS G 4305:2012	2018/2/5	7180278014
68	Cold rolled coil	304L	1.2*1219*C	1.141	1241	Mill Edge	2B	1	8.023	Actual weight	ASTM A240M-15	2018/1/30	7180272118
69	Cold rolled coil	316L	1.9*1219*C	1.844	1251	Mill Edge	2B	1	8.552	Actual weight	ASTM A240M-15	2018/1/30	7180274464
70	Cold rolled coil	SUS430	1.9*1219*C	1.846	1219	Slit Edge	2B	1	7.125	Actual weight	JIS G 4305:2012	2018/1/30	7180280311
71	Cold rolled coil	SUS430	1.5*1219*C	1.416	1219	Slit Edge	2B	1	9.015	Actual weight	JIS G 4305:2012	2018/2/5	7180279654
72	Cold rolled coil	SUS430	1.5*1219*C	1.416	1219	Slit Edge	2B	1	8.786	Actual weight	JIS G 4305:2012	2018/2/5	7180280319
73	Cold rolled coil	SUS430	2*1219*C	1.851	1219	Slit Edge	2B	1	8.712	Actual weight	JIS G 4305:2012	2018/2/5	7180280386



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
74	Cold rolled coil	SUS430	1.9*1219*C	1.833	1219	Slit Edge	2B	1	7.319	Actual weight	JIS G 4305:2012	2018/2/1	7180281460
75	Cold rolled coil	SUS430	0.9*1219*C	0.882	1219	Slit Edge	2B	1	6.500	Actual weight	JIS G 4305:2012	2018/1/31	7180282473
76	Cold rolled coil	SUS430	1.2*1219*C	1.181	1219	Slit Edge	2B	1	7.081	Actual weight	JIS G 4305:2012	2018/1/31	7180282412
77	Cold rolled coil	SUS430	1.5*1219*C	1.394	1219	Slit Edge	2B	1	7.161	Actual weight	JIS G 4305:2012	2018/2/1	7180280479
78	Cold rolled coil	SUS430	1.5*1219*C	1.402	1219	Slit Edge	2B	1	7.151	Actual weight	JIS G 4305:2012	2018/2/1	7180280481
79	Cold rolled coil	SUS430	1.9*1219*C	1.774	1219	Slit Edge	2B	1	6.007	Actual weight	JIS G 4305:2012	2018/2/2	7180280417
80	Cold rolled coil	SUS430	1.9*1219*C	1.775	1219	Slit Edge	2B	1	6.087	Actual weight	JIS G 4305:2012	2018/2/2	7180281205
81	Cold rolled coil	SUS430	1.9*1219*C	1.761	1219	Slit Edge	2B	1	5.892	Actual weight	JIS G 4305:2012	2018/2/2	7180281458
82	Cold rolled coil	SUS430	2*1219*C	1.945	1219	Slit Edge	2B	1	7.215	Actual weight	JIS G 4305:2012	2018/2/1	7180280283
83	Cold rolled coil	304L	2.5*1219*C	2.431	1244	Mill Edge	2B	1	7.982	Actual weight	ASTM A240M-15	2018/2/1	7180279127
84	Cold rolled coil	SUS430	2*1219*C	1.925	1219	Slit Edge	2B	1	5.813	Actual weight	JIS G 4305:2012	2018/2/3	7180281462
85	Cold rolled coil	SUS430	2.3*1219*C	2.273	1219	Slit Edge	2B	1	7.168	Actual weight	JIS G 4305:2012	2018/2/1	7180279172
86	Cold rolled coil	SUS430	0.7*1250*C	0.681	1296	Mill Edge	2B	1	7.111	Actual weight	JIS G 4305:2012	2018/2/5	7180278153
87	Cold rolled coil	SUS304	1.5*1500*C	1.409	1541	Mill Edge	2B	1	11.840	Actual weight	JIS G 4305:2012	2018/2/5	7180282448
88	Cold rolled coil	316L	1*1219*C	0.959	1245	Mill Edge	2B	1	8.496	Actual weight	ASTM A240M-15	2018/2/2	7180285387
89	Cold rolled coil	316L	1.2*1219*C	1.134	1251	Mill Edge	2B	1	8.522	Actual weight	ASTM A240M-15	2018/2/2	7180284208
90	Cold rolled coil	316L	1.2*1500*C	1.165	1533	Mill Edge	2B	1	11.760	Actual weight	ASTM A240M-15	2018/2/1	7180282975
91	Cold rolled coil	316L	1.4*1219*C	1.371	1251	Mill Edge	2B	1	8.635	Actual weight	ASTM A240M-15	2018/2/2	7180284124
92	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	10.550	Actual weight	ASTM A240M-15	2018/2/2	7180284200
93	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	10.311	Actual weight	ASTM A240M-15	2018/2/2	7180284202
94	Cold rolled coil	316L	1.4*1219*C	1.369	1248	Mill Edge	2B	1	8.396	Actual weight	ASTM A240M-15	2018/2/2	7180285385
95	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	8.301	Actual weight	ASTM A240M-15	2018/2/2	7180285401
96	Cold rolled coil	316L	1.9*1219*C	1.842	1249	Mill Edge	2B	1	8.647	Actual weight	ASTM A240M-15	2018/2/6	7180285398
97	Cold rolled coil	SUS430	1.2*1219*C	1.19	1219	Slit Edge	2B	1	6.294	Actual weight	JIS G 4305:2012	2018/2/3	7180284223
98	Cold rolled coil	SUS430	1.5*1000*C	1.391	1000	Slit Edge	2B	1	8.073	Actual weight	JIS G 4305:2012	2018/2/5	7180285651
99	Cold rolled coil	SUS430	1.9*1000*C	1.847	1000	Slit Edge	2B	1	5.573	Actual weight	JIS G 4305:2012	2018/2/22	7180284228



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
100	Cold rolled coil	SUS430	1.9*1219*C	1.775	1219	Slit Edge	2B	1	5.558	Actual weight	JIS G 4305:2012	2018/2/5	7180281206
101	Cold rolled coil	SUS430	0.8*1219*C	0.718	1219	Slit Edge	2B	1	6.753	Actual weight	JIS G 4305:2012	2018/2/9	7180286239
102	Cold rolled coil	SUS430	1.2*1219*C	1.181	1219	Slit Edge	2B	1	7.091	Actual weight	JIS G 4305:2012	2018/2/3	7180282414
103	Cold rolled coil	304L	1.2*1219*C	1.151	1242	Mill Edge	2B	1	5.477	Actual weight	ASTM A240M-15	2018/2/8	7180283535
104	Cold rolled coil	316L	1.2*1219*C	1.134	1251	Mill Edge	2B	1	8.292	Actual weight	ASTM A240M-15	2018/2/8	7180284209
105	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	8.187	Actual weight	ASTM A240M-15	2018/2/8	7180285710
106	Cold rolled coil	SUS430	0.6*1000*C	0.545	1000	Slit Edge	2B	1	5.364	Actual weight	JIS G 4305:2012	2018/2/7	7180291074
107	Cold rolled coil	SUS430	1.5*1000*C	1.403	1000	Slit Edge	2B	1	6.317	Actual weight	JIS G 4305:2012	2018/2/7	7180287537
108	Cold rolled coil	SUS430	1.9*1000*C	1.847	1000	Slit Edge	2B	1	5.254	Actual weight	JIS G 4305:2012	2018/2/7	7180284229
109	Cold rolled coil	SUS430	1.9*1000*C	1.765	1000	Slit Edge	2B	1	5.050	Actual weight	JIS G 4305:2012	2018/2/7	7180285773
110	Cold rolled coil	SUS430	1.9*1000*C	1.79	1000	Slit Edge	2B	1	5.668	Actual weight	JIS G 4305:2012	2018/2/11	7180292816
111	Cold rolled coil	SUS430	1.9*1219*C	1.781	1219	Slit Edge	2B	1	5.773	Actual weight	JIS G 4305:2012	2018/2/8	7180283213
112	Cold rolled coil	SUS430	2*1219*C	1.916	1219	Slit Edge	2B	1	6.886	Actual weight	JIS G 4305:2012	2018/2/11	7180283191
113	Cold rolled coil	SUS430	2.8*1219*C	2.781	1219	Slit Edge	2B	1	6.941	Actual weight	JIS G 4305:2012	2018/2/8	7180291373
114	Cold rolled coil	SUS430	0.7*1219*C	0.647	1219	Slit Edge	2B	1	8.289	Actual weight	JIS G 4305:2012	2018/2/26	7180291435
115	Cold rolled coil	SUS430	1.2*1219*C	1.123	1219	Slit Edge	2B	1	9.966	Actual weight	JIS G 4305:2012	2018/2/13	7180288497
116	Cold rolled coil	SUS430	2*1219*C	1.853	1219	Slit Edge	2B	1	8.268	Actual weight	JIS G 4305:2012	2018/2/26	7180291197
117	Cold rolled coil	SUS430	3*1219*C	2.87	1219	Slit Edge	2B	1	9.093	Actual weight	JIS G 4305:2012	2018/2/26	7180290694
118	Cold rolled coil	SUS430	3*1219*C	2.857	1219	Slit Edge	2B	1	8.778	Actual weight	JIS G 4305:2012	2018/2/26	7180290696
119	Cold rolled coil	304L	2.5*1219*C	2.435	1254	Mill Edge	2B	1	5.322	Actual weight	ASTM A240M-15	2018/2/11	7180279117
120	Cold rolled coil	SUS430	0.5*1000*C	0.461	1000	Slit Edge	2B	1	7.895	Actual weight	JIS G 4305:2012	2018/2/11	7180294289
121	Cold rolled coil	SUS430	1.9*1000*C	1.765	1000	Slit Edge	2B	1	4.276	Actual weight	JIS G 4305:2012	2018/2/14	7180287120
122	Cold rolled coil	022Cr17Ni12Mo2	1*1219*C	0.969	1248	Mill Edge	2B	1	10.389	Actual weight	GB/T3280-2015	2018/2/22	7180289335
123	Cold rolled coil	SUS430	1.4*1219*C	1.384	1258	Mill Edge	2B	1	9.897	Actual weight	JIS G 4305:2012	2018/2/22	7180288873
124	Cold rolled coil	SUS430	2*1219*C	1.941	1261	Mill Edge	2B	1	9.331	Actual weight	JIS G 4305:2012	2018/2/22	7180287063
125	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	4.319	Actual weight	JIS G 4305:2012	2018/2/22	7180295355



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
126	Cold rolled coil	316L	2*1219*C	1.927	1219	Slit Edge	2B	1	10.066	Actual weight	ASTM A240M-15	2018/2/23	7180299226
127	Cold rolled coil	SUS430	1.1*1219*C	1.092	1219	Slit Edge	2B	1	6.795	Actual weight	JIS G 4305:2012	2018/2/26	7180302869
128	Cold rolled coil	SUS430	1.1*1219*C	1.092	1219	Slit Edge	2B	1	6.516	Actual weight	JIS G 4305:2012	2018/2/26	7180302871
129	Cold rolled coil	SUS430	0.8*1250*C	0.791	1295	Mill Edge	2B	1	7.452	Actual weight	JIS G 4305:2012	2018/2/23	7180287661
130	Cold rolled coil	SUS430	0.8*1250*C	0.785	1285	Mill Edge	2B	1	7.362	Actual weight	JIS G 4305:2012	2018/2/23	7180288494
131	Cold rolled coil	SUS430	0.8*1250*C	0.785	1285	Mill Edge	2B	1	7.283	Actual weight	JIS G 4305:2012	2018/2/23	7180288509
132	Cold rolled coil	SUS430	0.8*1250*C	0.785	1285	Mill Edge	2B	1	7.083	Actual weight	JIS G 4305:2012	2018/2/22	7180288496
133	Cold rolled coil	SUS430	1.2*1219*C	1.157	1258	Mill Edge	2B	1	8.502	Actual weight	JIS G 4305:2012	2018/2/22	7180285446
134	Cold rolled coil	316L	2.5*1500*C	2.395	1500	Slit Edge	2B	1	11.133	Actual weight	ASTM A240M-15	2018/2/22	7180299037
135	Cold rolled coil	022Cr17Ni12Mo2	0.8*1219*C	0.771	1250	Mill Edge	2B	1	10.301	Actual weight	GB/T3280-2015	2018/3/8	7180310373
136	Cold rolled coil	1.4404/316L	0.35*1219*C	0.338	1239	Mill Edge	2B	1	4.718	Actual weight	EN10088-2:2005	2016/3/31	7160050777
137	Cold rolled coil	304	3*1219*C	3.026	1219	Slit Edge	2B	1	7.035	Actual weight	ASME SA-240M-2015	2017/11/20	7170227850
138	Cold rolled coil	304	3*1219*C	3.001	1219	Slit Edge	2B	1	4.988	Actual weight	ASME SA-240M-2015	2017/12/2	7170227757
139	Cold rolled coil	304	3*1219*C	3.03	1219	Slit Edge	2B	1	5.303	Actual weight	ASME SA-240M-2015	2017/12/5	7170237484
140	Hot rolled coil	S32205	3*1500*C	2.978	1500	Slit Edge	No.1	1	9.210	Actual weight	ASME SA-240M-2015	2017/12/5	7170238378
141	Hot rolled coil	S32205	3*1500*C	2.97	1500	Slit Edge	No.1	1	8.490	Actual weight	ASME SA-240M-2015	2017/12/6	7170240317
142	Hot rolled coil	S32205	3*1500*C	2.97	1500	Slit Edge	No.1	1	8.850	Actual weight	ASME SA-240M-2015	2017/12/8	7170238386
143	Hot rolled coil	S32205	3*1500*C	2.97	1500	Slit Edge	No.1	1	9.420	Actual weight	ASME SA-240M-2015	2017/12/8	7170238387
144	Hot rolled coil	S32205	3*1500*C	2.978	1500	Slit Edge	No.1	1	8.400	Actual weight	ASME SA-240M-2015	2017/12/14	7170238376
145	Hot rolled coil	S32205	3*1500*C	2.978	1500	Slit Edge	No.1	1	8.470	Actual weight	ASME SA-240M-2015	2017/12/14	7170238377
146	Hot rolled coil	S32205	3*1500*C	2.974	1500	Slit Edge	No.1	1	8.420	Actual weight	ASME SA-240M-2015	2017/12/14	7170238381
147	Hot rolled coil	S32205	3*1500*C	2.971	1500	Slit Edge	No.1	1	8.440	Actual weight	ASME SA-240M-2015	2017/12/14	7170238382
148	Hot rolled coil	S30408	4*2000*C	3.822	2000	Slit Edge	1D	1	14.480	Actual weight	GB24511-2009	2018/1/3	7170258744
149	Hot rolled coil	S30408	4*2000*C	3.76	2043	Mill Edge	1D	1	13.680	Actual weight	GB24511-2009	2018/1/4	7170260350
150	Hot rolled coil	S30408	4*2000*C	3.76	2043	Mill Edge	1D	1	13.760	Actual weight	GB24511-2009	2018/1/10	7170260349
151	Hot rolled coil	S30408	4*2000*C	3.76	2043	Mill Edge	1D	1	14.550	Actual weight	GB24511-2009	2018/1/10	7170260351



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	Surface	Qty.	Weight	Weighing method	Implementation standards	Date of storage	Package No.
152	Hot rolled coil	S30408	4*2000*C	3.76	2043	Mill Edge	1D	1	14.570	Actual weight	GB24511-2009	2018/1/10	7170260354
153	Hot rolled coil	S30408	4*2000*C	3.822	2000	Slit Edge	1D	1	14.280	Actual weight	GB24511-2009	2018/1/10	7170258745
154	Hot rolled coil	06Cr23Ni13	8*1500*C	7.82	1500	Slit Edge	1D	1	13.710	Actual weight	GB/T4238-2015	2018/1/24	7180271959
155	Hot rolled coil	S32205	12*1500*C	11.98	1500	Slit Edge	No.1	1	19.290	Actual weight	ASME SA-240M-2015	2018/2/9	7180291617
156	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	8.070	Actual weight	ASME SA-240M-2015	2018/2/11	7180288639
157	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	7.950	Actual weight	ASME SA-240M-2015	2018/2/11	7180288677
158	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.580	Actual weight	ASME SA-240M-2015	2018/2/11	7180291666
159	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.440	Actual weight	ASME SA-240M-2015	2018/2/11	7180291667
160	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	GB24511-2009	2018/1/30	5183007354
161	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	GB24511-2009	2018/1/30	5183007387
162	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.525	Actual weight	GB24511-2009	2018/1/30	5183007388
163	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.530	Actual weight	GB24511-2009	2018/1/30	5183007389
164	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	GB24511-2009	2018/2/5	5183015810
165	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	GB24511-2009	2018/2/5	5183015812
166	Hot rolled plate	S30408	16*2000*6000	16	2000	Slit Edge	1D	1	1.520	Actual weight	GB24511-2009	2018/2/5	5183015814
167	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.095	Actual weight	GB24511-2009	2018/2/5	5183016058
168	Hot rolled plate	S30408	22*2000*6000	22	2000	Slit Edge	1D	1	2.105	Actual weight	GB24511-2009	2018/2/5	5183016059