



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS304	1.5*1500*C	1.463	1538	Mill Edge	2B	1	12.209	Actual weight	2018/1/15	JIS G 4305:2012	7170258830
2	Cold rolled coil	SUS304	2.8*1500*C	2.752	1545	Mill Edge	2B	1	11.979	Actual weight	2018/1/15	JIS G 4305:2012	7170259104
3	Cold rolled coil	316L	1.9*1219*C	1.839	1251	Mill Edge	2B	1	8.323	Actual weight	2018/1/11	ASTM A240M-15	7180266675
4	Cold rolled coil	SUS304	4*2000*C	3.881	2000	Slit Edge	2B	1	14.034	Actual weight	2018/1/13	JIS G 4305:2012	7170264583
5	Cold rolled coil	SUS304	4*2000*C	3.881	2000	Slit Edge	2B	1	14.294	Actual weight	2018/1/11	JIS G 4305:2012	7170264584
6	Cold rolled coil	SUS430	0.6*1250*C	0.577	1283	Mill Edge	2B	1	8.706	Actual weight	2018/1/15	JIS G 4305:2012	7180269191
7	Cold rolled coil	SUS304	1.8*1500*C	1.768	1541	Mill Edge	2B	1	12.176	Actual weight	2018/1/19	JIS G 4305:2012	7180268227
8	Cold rolled coil	SUS304	2.8*1500*C	2.752	1545	Mill Edge	2B	1	9.273	Actual weight	2018/1/19	JIS G 4305:2012	7170260103
9	Cold rolled coil	SUS430	0.8*1219*C	0.736	1219	Slit Edge	2B	1	8.683	Actual weight	2018/1/19	JIS G 4305:2012	7170260092
10	Cold rolled coil	SUS430	0.8*1219*C	0.747	1219	Slit Edge	2B	1	8.415	Actual weight	2018/1/19	JIS G 4305:2012	7180268762
11	Cold rolled coil	SUS430	1.2*1219*C	1.115	1219	Slit Edge	2B	1	8.441	Actual weight	2018/1/19	JIS G 4305:2012	7180266772
12	Cold rolled coil	SUS430	1.2*1219*C	1.115	1219	Slit Edge	2B	1	8.650	Actual weight	2018/1/19	JIS G 4305:2012	7180266773
13	Cold rolled coil	316L	2.5*1500*C	2.395	1540	Mill Edge	2B	1	10.958	Actual weight	2018/1/17	ASTM A240M-15	7180270155
14	Cold rolled coil	SUS304	1.1*1500*C	1.075	1534	Mill Edge	2B	1	12.811	Actual weight	2018/1/19	JIS G 4305:2012	7180270146
15	Cold rolled coil	SUS304	1.1*1500*C	1.075	1534	Mill Edge	2B	1	12.821	Actual weight	2018/1/19	JIS G 4305:2012	7180270147
16	Cold rolled coil	SUS304	1.2*1500*C	1.148	1535	Mill Edge	2B	1	12.318	Actual weight	2018/1/19	JIS G 4305:2012	7180269790
17	Cold rolled coil	SUS304	1.2*1500*C	1.148	1535	Mill Edge	2B	1	12.328	Actual weight	2018/1/19	JIS G 4305:2012	7180270145
18	Cold rolled coil	SUS304	1.5*1500*C	1.376	1541	Mill Edge	2B	1	12.169	Actual weight	2018/1/19	JIS G 4305:2012	7180270148
19	Cold rolled coil	SUS304	1.5*1500*C	1.376	1541	Mill Edge	2B	1	12.219	Actual weight	2018/1/19	JIS G 4305:2012	7180270149
20	Cold rolled coil	SUS304	1.8*1500*C	1.698	1542	Mill Edge	2B	1	12.126	Actual weight	2018/1/19	JIS G 4305:2012	7180270152
21	Cold rolled coil	SUS304	1.9*1500*C	1.858	1539	Mill Edge	2B	1	12.208	Actual weight	2018/1/19	JIS G 4305:2012	7180270150



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	SUS304	1.9*1500*C	1.858	1539	Mill Edge	2B	1	12.427	Actual weight	2018/1/19	JIS G 4305:2012	7180270151
23	Cold rolled coil	SUS304	2*1500*C	1.909	1538	Mill Edge	2B	1	12.369	Actual weight	2018/1/19	JIS G 4305:2012	7180268651
24	Cold rolled coil	316L	2.5*1500*C	2.403	1543	Mill Edge	2B	1	12.395	Actual weight	2018/1/20	ASTM A240M-15	7180269854
25	Cold rolled coil	316L	2.5*1500*C	2.395	1540	Mill Edge	2B	1	10.599	Actual weight	2018/1/20	ASTM A240M-15	7180270154
26	Cold rolled coil	SUS430	1*1250*C	0.995	1290	Mill Edge	2B	1	9.613	Actual weight	2018/1/23	JIS G 4305:2012	7180271926
27	Cold rolled coil	SUS430	1*1250*C	0.995	1290	Mill Edge	2B	1	9.164	Actual weight	2018/1/23	JIS G 4305:2012	7180271931
28	Cold rolled coil	SUS430	0.7*1219*C	0.633	1219	Slit Edge	2B	1	8.001	Actual weight	2018/1/31	JIS G 4305:2012	7180272519
29	Cold rolled coil	SUS430	0.7*1219*C	0.633	1219	Slit Edge	2B	1	7.961	Actual weight	2018/1/31	JIS G 4305:2012	7180272886
30	Cold rolled coil	SUS430	0.8*1219*C	0.747	1219	Slit Edge	2B	1	8.086	Actual weight	2018/1/25	JIS G 4305:2012	7180268763
31	Cold rolled coil	SUS430	0.8*1219*C	0.748	1219	Slit Edge	2B	1	8.405	Actual weight	2018/1/31	JIS G 4305:2012	7180274326
32	Cold rolled coil	SUS430	0.8*1219*C	0.748	1219	Slit Edge	2B	1	8.477	Actual weight	2018/1/31	JIS G 4305:2012	7180274328
33	Cold rolled coil	SUS430	0.8*1219*C	0.741	1219	Slit Edge	2B	1	8.638	Actual weight	2018/1/31	JIS G 4305:2012	7180274444
34	Cold rolled coil	SUS430	0.8*1219*C	0.741	1219	Slit Edge	2B	1	7.982	Actual weight	2018/1/31	JIS G 4305:2012	7180274501
35	Cold rolled coil	SUS430	1.2*1219*C	1.115	1219	Slit Edge	2B	1	8.202	Actual weight	2018/1/25	JIS G 4305:2012	7180272077
36	Cold rolled coil	SUS430	1.2*1219*C	1.115	1219	Slit Edge	2B	1	7.763	Actual weight	2018/1/25	JIS G 4305:2012	7180272119
37	Cold rolled coil	SUS430	2.5*1219*C	2.322	1219	Slit Edge	2B	1	8.801	Actual weight	2018/1/25	JIS G 4305:2012	7180270375
38	Cold rolled coil	316L	1.8*1219*C	1.767	1249	Mill Edge	2B	1	8.451	Actual weight	2018/1/22	ASTM A240M-15	7180275094
39	Cold rolled coil	316L	1.9*1219*C	1.809	1251	Mill Edge	2B	1	8.363	Actual weight	2018/1/22	ASTM A240M-15	7180274454
40	Cold rolled coil	SUS304	0.9*1500*C	0.865	1535	Mill Edge	2B	1	12.072	Actual weight	2018/1/25	JIS G 4305:2012	7180270552
41	Cold rolled coil	SUS304	0.9*1500*C	0.865	1535	Mill Edge	2B	1	12.251	Actual weight	2018/1/25	JIS G 4305:2012	7180270556
42	Cold rolled coil	SUS304	1*1500*C	0.941	1541	Mill Edge	2B	1	12.666	Actual weight	2018/1/25	JIS G 4305:2012	7180273563
43	Cold rolled coil	SUS304	1.5*1500*C	1.463	1540	Mill Edge	2B	1	12.289	Actual weight	2018/1/25	JIS G 4305:2012	7180273341
44	Cold rolled coil	SUS304	1.8*1500*C	1.698	1542	Mill Edge	2B	1	11.967	Actual weight	2018/1/25	JIS G 4305:2012	7180270153
45	Cold rolled coil	SUS430	2.5*1219*C	2.322	1219	Slit Edge	2B	1	9.634	Actual weight	2018/1/26	JIS G 4305:2012	7180270372
46	Cold rolled coil	316L	1.8*1219*C	1.767	1249	Mill Edge	2B	1	8.781	Actual weight	2018/2/26	ASTM A240M-15	7180275095
47	Cold rolled coil	SUS430	1.1*1000*C	1.095	1000	Slit Edge	2B	1	7.155	Actual weight	2018/1/25	JIS G 4305:2012	7180275938



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Cold rolled coil	SUS304	1.8*1500*C	1.768	1541	Mill Edge	2B	1	12.326	Actual weight	2018/1/29	JIS G 4305:2012	7180268228
49	Cold rolled coil	SUS304	2.3*1500*C	2.281	1539	Mill Edge	2B	1	11.764	Actual weight	2018/1/29	JIS G 4305:2012	7180269051
50	Cold rolled coil	SUS304	2.3*1500*C	2.281	1539	Mill Edge	2B	1	11.884	Actual weight	2018/1/29	JIS G 4305:2012	7180269052
51	Cold rolled coil	316L	1.9*1219*C	1.811	1249	Mill Edge	2B	1	8.382	Actual weight	2018/1/23	ASTM A240M-15	7180275279
52	Cold rolled coil	316L	2.5*1219*C	2.431	1251	Mill Edge	2B	1	10.004	Actual weight	2018/1/23	ASTM A240M-15	7180275719
53	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	7.003	Actual weight	2018/1/30	JIS G 4305:2012	7180275314
54	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	6.964	Actual weight	2018/1/30	JIS G 4305:2012	7180275316
55	Cold rolled coil	SUS430	2.3*1219*C	2.263	1219	Slit Edge	2B	1	6.543	Actual weight	2018/1/25	JIS G 4305:2012	7180276677
56	Cold rolled coil	SUS430	2.3*1219*C	2.263	1219	Slit Edge	2B	1	6.863	Actual weight	2018/1/25	JIS G 4305:2012	7180276678
57	Cold rolled coil	316L	2.5*1219*C	2.431	1251	Mill Edge	2B	1	10.473	Actual weight	2018/1/24	ASTM A240M-15	7180275699
58	Cold rolled coil	316L	1.9*1219*C	1.844	1251	Mill Edge	2B	1	8.552	Actual weight	2018/1/30	ASTM A240M-15	7180274464
59	Cold rolled coil	SUS430	1.5*1219*C	1.416	1219	Slit Edge	2B	1	8.786	Actual weight	2018/2/5	JIS G 4305:2012	7180280319
60	Cold rolled coil	SUS430	2*1219*C	1.851	1219	Slit Edge	2B	1	8.712	Actual weight	2018/2/5	JIS G 4305:2012	7180280386
61	Cold rolled coil	SUS430	0.9*1219*C	0.882	1219	Slit Edge	2B	1	6.948	Actual weight	2018/1/31	JIS G 4305:2012	7180282472
62	Cold rolled coil	SUS430	0.9*1219*C	0.882	1219	Slit Edge	2B	1	6.500	Actual weight	2018/1/31	JIS G 4305:2012	7180282473
63	Cold rolled coil	SUS430	0.7*1250*C	0.681	1296	Mill Edge	2B	1	7.768	Actual weight	2018/2/5	JIS G 4305:2012	7180278152
64	Cold rolled coil	SUS430	0.7*1250*C	0.681	1296	Mill Edge	2B	1	7.111	Actual weight	2018/2/5	JIS G 4305:2012	7180278153
65	Cold rolled coil	SUS430	0.7*1250*C	0.672	1292	Mill Edge	2B	1	8.514	Actual weight	2018/2/3	JIS G 4305:2012	7180278166
66	Cold rolled coil	SUS304	1.3*1500*C	1.277	1538	Mill Edge	2B	1	11.964	Actual weight	2018/2/5	JIS G 4305:2012	7180282139
67	Cold rolled coil	SUS304	1.5*1500*C	1.409	1541	Mill Edge	2B	1	11.262	Actual weight	2018/2/5	JIS G 4305:2012	7180282447
68	Cold rolled coil	SUS304	1.5*1500*C	1.409	1541	Mill Edge	2B	1	11.840	Actual weight	2018/2/5	JIS G 4305:2012	7180282448
69	Cold rolled coil	SUS304	2.8*1500*C	2.679	1543	Mill Edge	2B	1	11.989	Actual weight	2018/2/5	JIS G 4305:2012	7180282370
70	Cold rolled coil	316L	1.2*1500*C	1.166	1536	Mill Edge	2B	1	13.155	Actual weight	2018/1/31	ASTM A240M-15	7180281785
71	Cold rolled coil	316L	1.2*1500*C	1.165	1533	Mill Edge	2B	1	11.760	Actual weight	2018/2/1	ASTM A240M-15	7180282975
72	Cold rolled coil	316L	1.4*1219*C	1.371	1251	Mill Edge	2B	1	8.635	Actual weight	2018/2/2	ASTM A240M-15	7180284124
73	Cold rolled coil	316L	1.4*1219*C	1.382	1251	Mill Edge	2B	1	10.560	Actual weight	2018/2/2	ASTM A240M-15	7180284125



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	10.550	Actual weight	2018/2/2	ASTM A240M-15	7180284200
75	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	10.311	Actual weight	2018/2/2	ASTM A240M-15	7180284202
76	Cold rolled coil	316L	1.4*1219*C	1.369	1248	Mill Edge	2B	1	8.396	Actual weight	2018/2/2	ASTM A240M-15	7180285385
77	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	8.301	Actual weight	2018/2/2	ASTM A240M-15	7180285401
78	Cold rolled coil	SUS430	1.5*1000*C	1.391	1000	Slit Edge	2B	1	7.459	Actual weight	2018/2/3	JIS G 4305:2012	7180285623
79	Cold rolled coil	SUS430	1.5*1000*C	1.391	1000	Slit Edge	2B	1	8.073	Actual weight	2018/2/5	JIS G 4305:2012	7180285651
80	Cold rolled coil	SUS430	1.9*1000*C	1.847	1000	Slit Edge	2B	1	5.573	Actual weight	2018/2/22	JIS G 4305:2012	7180284228
81	Cold rolled coil	SUS430	0.9*1219*C	0.882	1219	Slit Edge	2B	1	7.317	Actual weight	2018/2/3	JIS G 4305:2012	7180282471
82	Cold rolled coil	SUS430	0.8*1219*C	0.748	1219	Slit Edge	2B	1	9.361	Actual weight	2018/3/2	JIS G 4305:2012	7180280818
83	Cold rolled coil	SUS430	0.8*1219*C	0.748	1219	Slit Edge	2B	1	9.152	Actual weight	2018/3/2	JIS G 4305:2012	7180280819
84	Cold rolled coil	SUS430	2*1219*C	1.851	1219	Slit Edge	2B	1	8.572	Actual weight	2018/3/2	JIS G 4305:2012	7180280384
85	Cold rolled coil	316L	1.4*1219*C	1.378	1251	Mill Edge	2B	1	8.187	Actual weight	2018/2/8	ASTM A240M-15	7180285710
86	Cold rolled coil	SUS430	1.9*1000*C	1.765	1000	Slit Edge	2B	1	5.050	Actual weight	2018/2/7	JIS G 4305:2012	7180285773
87	Cold rolled coil	SUS430	1.9*1000*C	1.79	1000	Slit Edge	2B	1	5.383	Actual weight	2018/2/11	JIS G 4305:2012	7180292815
88	Cold rolled coil	SUS430	1.9*1000*C	1.79	1000	Slit Edge	2B	1	5.668	Actual weight	2018/2/11	JIS G 4305:2012	7180292816
89	Cold rolled coil	SUS430	1.9*1000*C	1.765	1000	Slit Edge	2B	1	4.276	Actual weight	2018/2/14	JIS G 4305:2012	7180287120
90	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	5.984	Actual weight	2018/2/22	JIS G 4305:2012	7180297296
91	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	4.319	Actual weight	2018/2/22	JIS G 4305:2012	7180295355
92	Cold rolled coil	SUS430	1.1*1000*C	1.091	1000	Slit Edge	2B	1	5.804	Actual weight	2018/2/22	JIS G 4305:2012	7180297297
93	Cold rolled coil	316L	2.5*1500*C	2.398	1500	Slit Edge	2B	1	11.113	Actual weight	2018/2/22	ASTM A240M-15	7180299036
94	Cold rolled coil	316L	2.5*1500*C	2.395	1500	Slit Edge	2B	1	11.133	Actual weight	2018/2/22	ASTM A240M-15	7180299037
95	Cold rolled coil	SUS304	2.8*1500*C	2.679	1543	Mill Edge	2B	1	12.238	Actual weight	2018/3/2	JIS G 4305:2012	7180282371
96	Cold rolled coil	SUS430	1.1*1000*C	1.081	1000	Slit Edge	2B	1	8.306	Actual weight	2018/3/1	JIS G 4305:2012	7180303697
97	Cold rolled coil	SUS430	1.1*1000*C	1.081	1000	Slit Edge	2B	1	8.335	Actual weight	2018/3/1	JIS G 4305:2012	7180303700
98	Cold rolled coil	SUS304	1.3*1500*C	1.277	1538	Mill Edge	2B	1	12.502	Actual weight	2018/3/8	JIS G 4305:2012	7180282143
99	Cold rolled coil	SUS304	2.8*1500*C	2.774	1543	Mill Edge	2B	1	12.538	Actual weight	2018/3/8	JIS G 4305:2012	7180281520



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Cold rolled coil	316L	2.5*1219*C	2.438	1219	Slit Edge	2B	1	13.967	Actual weight	2018/3/26	ASTM A240M-15	7180324020
101	Cold rolled coil	SUS430	2.5*1219*C	2.347	1219	Slit Edge	2B	1	9.789	Actual weight	2018/4/2	JIS G 4305:2012	7180302782
102	Cold rolled coil	SUS430	3*1219*C	2.847	1219	Slit Edge	2B	1	5.248	Actual weight	2018/4/23	JIS G 4305:2012	7180277141
103	Cold rolled coil	SUS430	1.2*1219*C	1.116	1219	Slit Edge	2B	1	7.036	Actual weight	2018/4/25	JIS G 4305:2012	7180291714
104	Cold rolled coil	304L	3*1500*C	2.946	1531	Mill Edge	2B	1	7.178	Actual weight	2018/5/2	ASTM A240M-15	7180352842
105	Cold rolled coil	304L	2*1500*C	1.92	1536	Mill Edge	2B	1	10.504	Actual weight	2018/5/4	ASTM A240M-15	7180353078
106	Cold rolled coil	304L	2*1500*C	1.92	1536	Mill Edge	2B	1	10.613	Actual weight	2018/5/4	ASTM A240M-15	7180353079
107	Cold rolled coil	304L	2*1500*C	1.929	1535	Mill Edge	2B	1	7.341	Actual weight	2018/5/4	ASTM A240M-15	7180353824
108	Cold rolled coil	304L	3*1500*C	2.946	1531	Mill Edge	2B	1	7.358	Actual weight	2018/5/3	ASTM A240M-15	7180352843
109	Cold rolled coil	304L	3*1500*C	2.946	1531	Mill Edge	2B	1	6.938	Actual weight	2018/5/3	ASTM A240M-15	7180352845
110	Cold rolled coil	304L	2*1500*C	1.929	1535	Mill Edge	2B	1	7.481	Actual weight	2018/5/4	ASTM A240M-15	7180353826
111	Cold rolled coil	304L	3*1500*C	0	0	Mill Edge	2B	1	9.245	Actual weight	2018/5/5	ASTM A240M-15	7180354398
112	Cold rolled coil	304L	3*1500*C	2.921	1540	Mill Edge	2B	1	9.005	Actual weight	2018/5/8	ASTM A240M-15	7180354397
113	Cold rolled coil	304L	3*1500*C	2.921	1540	Mill Edge	2B	1	8.516	Actual weight	2018/5/8	ASTM A240M-15	7180354399
114	Cold rolled coil	304L	2*1500*C	1.913	1531	Mill Edge	2B	1	8.069	Actual weight	2018/5/10	ASTM A240M-15	7180355586
115	Cold rolled coil	316L	1*1219*C	0.958	1247	Mill Edge	2B	1	9.019	Actual weight	2018/5/11	ASTM A240M-15	7180358630
116	Cold rolled coil	316L	1.4*1219*C	1.363	1254	Mill Edge	2B	1	10.550	Actual weight	2018/5/10	ASTM A240M-15	7180357753
117	Cold rolled coil	316L	1.4*1219*C	1.363	1254	Mill Edge	2B	1	10.430	Actual weight	2018/5/10	ASTM A240M-15	7180357754
118	Cold rolled coil	316L	1.4*1219*C	1.374	1254	Mill Edge	2B	1	9.703	Actual weight	2018/5/10	ASTM A240M-15	7180357971
119	Cold rolled coil	316L	1.4*1219*C	1.374	1254	Mill Edge	2B	1	9.204	Actual weight	2018/5/10	ASTM A240M-15	7180357972
120	Cold rolled coil	316L	1.9*1219*C	1.815	1257	Mill Edge	2B	1	9.620	Actual weight	2018/5/10	ASTM A240M-15	7180357766
121	Cold rolled coil	316L	1.9*1219*C	1.815	1257	Mill Edge	2B	1	10.309	Actual weight	2018/5/10	ASTM A240M-15	7180357767
122	Cold rolled coil	316L	2.3*1219*C	2.281	1254	Mill Edge	2B	1	9.823	Actual weight	2018/5/10	ASTM A240M-15	7180358476
123	Cold rolled coil	316L	2.3*1219*C	2.281	1254	Mill Edge	2B	1	10.033	Actual weight	2018/5/10	ASTM A240M-15	7180358477
124	Cold rolled coil	316L	2.3*1219*C	2.273	1253	Mill Edge	2B	1	9.973	Actual weight	2018/5/10	ASTM A240M-15	7180358486
125	Cold rolled coil	316L	2.3*1219*C	2.273	1253	Mill Edge	2B	1	10.143	Actual weight	2018/5/10	ASTM A240M-15	7180358487



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Cold rolled coil	316L	2.3*1219*C	2.276	1256	Mill Edge	2B	1	9.883	Actual weight	2018/5/10	ASTM A240M-15	7180358488
127	Cold rolled coil	316L	2.3*1219*C	2.276	1256	Mill Edge	2B	1	10.133	Actual weight	2018/5/10	ASTM A240M-15	7180358489
128	Cold rolled coil	316L	2.5*1219*C	2.419	1252	Mill Edge	2B	1	9.964	Actual weight	2018/5/10	ASTM A240M-15	7180358482
129	Cold rolled coil	316L	2.5*1219*C	2.419	1252	Mill Edge	2B	1	10.154	Actual weight	2018/5/10	ASTM A240M-15	7180358483
130	Cold rolled coil	316L	2.8*1219*C	2.718	1254	Mill Edge	2B	1	8.688	Actual weight	2018/5/11	ASTM A240M-15	7180358354
131	Cold rolled coil	316L	2.8*1219*C	2.718	1254	Mill Edge	2B	1	10.156	Actual weight	2018/5/10	ASTM A240M-15	7180358355
132	Cold rolled coil	316L	2.8*1219*C	2.716	1253	Mill Edge	2B	1	9.387	Actual weight	2018/5/10	ASTM A240M-15	7180358466
133	Cold rolled coil	316L	2.8*1219*C	2.716	1253	Mill Edge	2B	1	9.906	Actual weight	2018/5/10	ASTM A240M-15	7180358467
134	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.362	Actual weight	2018/5/10	JIS G 4305:2012	7180355865
135	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.033	Actual weight	2018/5/10	JIS G 4305:2012	7180355866
136	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.522	Actual weight	2018/5/14	ASTM A240M-15	7180360507
137	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.433	Actual weight	2018/5/14	ASTM A240M-15	7180360655
138	Cold rolled coil	316L	1*1500*C	0.951	1535	Mill Edge	2B	1	12.666	Actual weight	2018/5/14	ASTM A240M-15	7180360505
139	Cold rolled coil	316L	1*1500*C	0.951	1535	Mill Edge	2B	1	12.835	Actual weight	2018/5/14	ASTM A240M-15	7180360506
140	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.810	Actual weight	2018/5/15	ASTM A240M-15	7180360508
141	Cold rolled coil	316L	1.5*1500*C	1.422	1538	Mill Edge	2B	1	12.269	Actual weight	2018/5/14	ASTM A240M-15	7180361575
142	Cold rolled coil	316L	1.5*1500*C	1.422	1538	Mill Edge	2B	1	12.209	Actual weight	2018/5/14	ASTM A240M-15	7180361576
143	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.229	Actual weight	2018/5/14	ASTM A240M-15	7180361577
144	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.059	Actual weight	2018/5/14	ASTM A240M-15	7180361578
145	Cold rolled coil	316L	2.3*1500*C	2.235	1540	Mill Edge	2B	1	12.443	Actual weight	2018/5/15	ASTM A240M-15	7180360652
146	Cold rolled coil	316L	2.3*1500*C	2.235	1540	Mill Edge	2B	1	12.672	Actual weight	2018/5/15	ASTM A240M-15	7180360654
147	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	8.041	Actual weight	2018/5/14	JIS G 4305:2012	7180360634
148	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.159	Actual weight	2018/5/14	JIS G 4305:2012	7180360635
149	Cold rolled coil	316L	0.6*1219*C	0.564	1219	Slit Edge	2B	1	9.975	Actual weight	2018/5/14	ASTM A240M-15	7180361360
150	Cold rolled coil	316L	0.6*1219*C	0.564	1219	Slit Edge	2B	1	10.223	Actual weight	2018/5/14	ASTM A240M-15	7180361368
151	Cold rolled coil	316L	1.8*1500*C	1.726	1540	Mill Edge	2B	1	12.724	Actual weight	2018/5/15	ASTM A240M-15	7180361416



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
152	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	8.070	Actual weight	2018/2/11	ASME SA-240M-2015	7180288639
153	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.580	Actual weight	2018/2/11	ASME SA-240M-2015	7180291666
154	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.440	Actual weight	2018/2/11	ASME SA-240M-2015	7180291667
155	Hot rolled coil	S32205	12*1500*C	11.86	1500	Slit Edge	No.1	1	19.130	Actual weight	2018/2/11	ASME SA-240M-2015	7180291613
156	Hot rolled coil	S32205	12*1500*C	11.9	1500	Slit Edge	No.1	1	19.200	Actual weight	2018/3/15	ASME SA-240M-2015	7180312379
157	Hot rolled coil	S32205	10*1500*C	9.85	1585	Mill Edge	No.1	1	14.850	Actual weight	2018/4/17	ASME SA-240M-2015	7180341270
158	Hot rolled coil	S32205	10*1500*C	9.84	1579	Mill Edge	No.1	1	13.330	Actual weight	2018/4/17	ASME SA-240M-2015	7180341276
159	Hot rolled coil	S32205	10*1500*C	9.82	1577	Mill Edge	No.1	1	14.910	Actual weight	2018/4/17	ASME SA-240M-2015	7180341278
160	Hot rolled coil	S32205	10*1500*C	9.82	1577	Mill Edge	No.1	1	13.400	Actual weight	2018/4/18	ASME SA-240M-2015	7180341277
161	Hot rolled coil	S32205	8*2000*C	7.89	2000	Slit Edge	No.1	1	13.830	Actual weight	2018/4/19	ASME SA-240M-2015	7180341883
162	Hot rolled coil	S32205	8*2000*C	7.89	2000	Slit Edge	No.1	1	13.450	Actual weight	2018/4/19	ASME SA-240M-2015	7180341884
163	Hot rolled coil	S32205	8*2000*C	7.84	2000	Slit Edge	No.1	1	13.490	Actual weight	2018/4/19	ASME SA-240M-2015	7180341885
164	Hot rolled coil	S32205	8*2000*C	7.84	2000	Slit Edge	No.1	1	13.910	Actual weight	2018/4/19	ASME SA-240M-2015	7180341886
165	Hot rolled coil	S32205	8*2000*C	7.88	2000	Slit Edge	No.1	1	13.750	Actual weight	2018/4/19	ASME SA-240M-2015	7180341889
166	Hot rolled coil	S32205	8*2000*C	7.88	2000	Slit Edge	No.1	1	13.490	Actual weight	2018/4/19	ASME SA-240M-2015	7180341890
167	Hot rolled coil	S32205	8*2000*C	7.85	2000	Slit Edge	No.1	1	13.450	Actual weight	2018/4/19	ASME SA-240M-2015	7180341891
168	Hot rolled coil	S32205	8*2000*C	7.85	2000	Slit Edge	No.1	1	13.810	Actual weight	2018/4/19	ASME SA-240M-2015	7180341892
169	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
170	Hot rolled coil	S32205	8*2000*C	7.87	2000	Slit Edge	No.1	1	13.670	Actual weight	2018/4/20	ASME SA-240M-2015	7180341888
171	Hot rolled coil	S32205	10*1500*C	9.86	1582	Mill Edge	No.1	1	14.000	Actual weight	2018/4/20	ASME SA-240M-2015	7180341879
172	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.660	Actual weight	2018/4/23	ASME SA-240M-2015	7180343738
173	Hot rolled coil	S32205	10*1500*C	9.86	1582	Mill Edge	No.1	1	14.170	Actual weight	2018/4/21	ASME SA-240M-2015	7180341880
174	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.980	Actual weight	2018/4/25	ASME SA-240M-2015	7180343961
175	Hot rolled coil	S32205	6*1500*C	5.85	1500	Slit Edge	No.1	1	13.070	Actual weight	2018/4/28	ASME SA-240M-2015	7180344086
176	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.910	Actual weight	2018/4/28	ASME SA-240M-2015	7180345320
177	Hot rolled coil	S32205	6*1500*C	5.83	1500	Slit Edge	No.1	1	13.110	Actual weight	2018/4/28	ASME SA-240M-2015	7180345342



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
178	Hot rolled coil	S32205	3*1500*C	2.986	1500	Slit Edge	No.1	1	19.280	Actual weight	2018/5/2	ASME SA-240M-2015	7180351578
179	Hot rolled coil	S32205	3*1500*C	2.989	1500	Slit Edge	No.1	1	19.440	Actual weight	2018/5/2	ASME SA-240M-2015	7180351579
180	Hot rolled coil	S32205	3*1500*C	2.993	1500	Slit Edge	No.1	1	20.020	Actual weight	2018/5/2	ASME SA-240M-2015	7180351580
181	Hot rolled coil	S32205	3*1500*C	2.994	1500	Slit Edge	No.1	1	19.660	Actual weight	2018/5/2	ASME SA-240M-2015	7180351581
182	Hot rolled coil	S32205	3*1500*C	2.975	1500	Slit Edge	No.1	1	16.810	Actual weight	2018/5/2	ASME SA-240M-2015	7180351582
185	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.390	Actual weight	2018/5/10	ASME SA-240M-2015	7180351757
186	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.420	Actual weight	2018/5/10	ASME SA-240M-2015	7180351758
200	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.540	Actual weight	2018/4/11	GB24511-2009	7180336156
201	Hot rolled coil	S30408	6*1500*C	6.01	1500	Slit Edge	1D	1	13.350	Actual weight	2018/4/13	GB24511-2009	7180332918
202	Hot rolled coil	S30408	6*1500*C	6.01	1500	Slit Edge	1D	1	14.220	Actual weight	2018/4/13	GB24511-2009	7180333079
203	Hot rolled coil	S30403	3*1500*C	3.011	1500	Slit Edge	1D	1	13.760	Actual weight	2018/4/16	GB24511-2009	7180339383
204	Hot rolled coil	S30403	3*1500*C	3.011	1500	Slit Edge	1D	1	13.750	Actual weight	2018/4/16	GB24511-2009	7180339384
205	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.915	Actual weight	2018/4/16	GB24511-2009	7180336157
206	Hot rolled coil	S30408	10*1500*C	10.06	1500	Slit Edge	1D	1	13.900	Actual weight	2018/4/16	GB24511-2009	7180335407
207	Hot rolled coil	S30408	10*1500*C	10.06	1500	Slit Edge	1D	1	13.620	Actual weight	2018/4/16	GB24511-2009	7180335408
208	Hot rolled plate	S30408	18*1500*6000	18	1500	Slit Edge	1D	1	1.290	Actual weight	2018/4/24	GB24511-2009	5183059870
209	Hot rolled plate	S30408	18*1500*6000	18	1500	Slit Edge	1D	1	1.290	Actual weight	2018/4/24	GB24511-2009	5183059871