



Huaxiao Metal Corporation Limited

—Stainless Steel Stock

TEL: +86-21-54725826

FAX: +86-21-54717930

Email: export@huaxiao-ss.com

Website: www.huaxia-intl.com / www.huaxiaometal.com / www.huaxiao-ss.com

Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
1	Cold rolled coil	SUS430	1.9*1219*C	1.791	1219	Slit Edge	2B	1	13.431	Actual weight	2018/5/23	JIS G 4305:2012	7180313106
2	Cold rolled coil	316L	1.4*1219*C	1.363	1254	Mill Edge	2B	1	10.550	Actual weight	2018/5/10	ASTM A240M-15	7180357753
3	Cold rolled coil	316L	1.4*1219*C	1.363	1254	Mill Edge	2B	1	10.430	Actual weight	2018/5/10	ASTM A240M-15	7180357754
4	Cold rolled coil	316L	1.4*1219*C	1.374	1254	Mill Edge	2B	1	9.703	Actual weight	2018/5/10	ASTM A240M-15	7180357971
5	Cold rolled coil	316L	1.4*1219*C	1.374	1254	Mill Edge	2B	1	9.204	Actual weight	2018/5/10	ASTM A240M-15	7180357972
6	Cold rolled coil	316L	1.9*1219*C	1.815	1257	Mill Edge	2B	1	9.620	Actual weight	2018/5/10	ASTM A240M-15	7180357766
7	Cold rolled coil	316L	1.9*1219*C	1.815	1257	Mill Edge	2B	1	10.309	Actual weight	2018/5/10	ASTM A240M-15	7180357767
8	Cold rolled coil	316L	2.3*1219*C	2.281	1254	Mill Edge	2B	1	9.823	Actual weight	2018/5/10	ASTM A240M-15	7180358476
9	Cold rolled coil	316L	2.3*1219*C	2.281	1254	Mill Edge	2B	1	10.033	Actual weight	2018/5/10	ASTM A240M-15	7180358477
10	Cold rolled coil	316L	2.3*1219*C	2.273	1253	Mill Edge	2B	1	9.973	Actual weight	2018/5/10	ASTM A240M-15	7180358486
11	Cold rolled coil	316L	2.3*1219*C	2.273	1253	Mill Edge	2B	1	10.143	Actual weight	2018/5/10	ASTM A240M-15	7180358487
12	Cold rolled coil	316L	2.3*1219*C	2.276	1256	Mill Edge	2B	1	9.883	Actual weight	2018/5/10	ASTM A240M-15	7180358488
13	Cold rolled coil	316L	2.3*1219*C	2.276	1256	Mill Edge	2B	1	10.133	Actual weight	2018/5/10	ASTM A240M-15	7180358489
14	Cold rolled coil	316L	2.5*1219*C	2.419	1252	Mill Edge	2B	1	9.964	Actual weight	2018/5/10	ASTM A240M-15	7180358482
15	Cold rolled coil	316L	2.5*1219*C	2.419	1252	Mill Edge	2B	1	10.154	Actual weight	2018/5/10	ASTM A240M-15	7180358483
16	Cold rolled coil	316L	2.8*1219*C	2.718	1254	Mill Edge	2B	1	8.688	Actual weight	2018/5/11	ASTM A240M-15	7180358354
17	Cold rolled coil	316L	2.8*1219*C	2.718	1254	Mill Edge	2B	1	10.156	Actual weight	2018/5/10	ASTM A240M-15	7180358355
18	Cold rolled coil	316L	2.8*1219*C	2.716	1253	Mill Edge	2B	1	9.387	Actual weight	2018/5/10	ASTM A240M-15	7180358466
19	Cold rolled coil	316L	2.8*1219*C	2.716	1253	Mill Edge	2B	1	9.906	Actual weight	2018/5/10	ASTM A240M-15	7180358467
20	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.362	Actual weight	2018/5/10	JIS G 4305:2012	7180355865
21	Cold rolled coil	SUS304	5*2000*C	4.834	2034	Mill Edge	2B	1	8.033	Actual weight	2018/5/10	JIS G 4305:2012	7180355866



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
22	Cold rolled coil	316L	0.8*1219*C	0.775	1248	Mill Edge	2B	1	9.082	Actual weight	2018/5/10	ASTM A240M-15	7180358352
23	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.522	Actual weight	2018/5/14	ASTM A240M-15	7180360507
24	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.104	Actual weight	2018/5/31	ASTM A240M-15	7180360653
25	Cold rolled coil	316L	2.3*1500*C	2.223	1539	Mill Edge	2B	1	12.433	Actual weight	2018/5/14	ASTM A240M-15	7180360655
26	Cold rolled coil	316L	1*1500*C	0.951	1535	Mill Edge	2B	1	12.666	Actual weight	2018/5/14	ASTM A240M-15	7180360505
27	Cold rolled coil	316L	1*1500*C	0.955	1536	Mill Edge	2B	1	11.810	Actual weight	2018/5/15	ASTM A240M-15	7180360508
28	Cold rolled coil	316L	1.5*1500*C	1.422	1538	Mill Edge	2B	1	12.269	Actual weight	2018/5/14	ASTM A240M-15	7180361575
29	Cold rolled coil	316L	1.5*1500*C	1.422	1538	Mill Edge	2B	1	12.209	Actual weight	2018/5/14	ASTM A240M-15	7180361576
30	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.229	Actual weight	2018/5/14	ASTM A240M-15	7180361577
31	Cold rolled coil	316L	1.5*1500*C	1.413	1537	Mill Edge	2B	1	12.059	Actual weight	2018/5/14	ASTM A240M-15	7180361578
32	Cold rolled coil	316L	2.3*1500*C	2.235	1540	Mill Edge	2B	1	12.672	Actual weight	2018/5/15	ASTM A240M-15	7180360654
33	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	8.041	Actual weight	2018/5/14	JIS G 4305:2012	7180360634
34	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.159	Actual weight	2018/5/14	JIS G 4305:2012	7180360635
35	Cold rolled coil	304L	1.5*1219*C	1.471	1251	Mill Edge	2B	1	5.894	Actual weight	2018/5/21	ASTM A240M-15	7180365017
36	Cold rolled coil	304L	2*1219*C	1.937	1252	Mill Edge	2B	1	6.387	Actual weight	2018/5/21	ASTM A240M-15	7180365016
37	Cold rolled coil	316L	1.2*1219*C	1.143	1253	Mill Edge	2B	1	11.332	Actual weight	2018/5/21	ASTM A240M-15	7180364591
38	Cold rolled coil	316L	1.2*1219*C	1.143	1253	Mill Edge	2B	1	11.223	Actual weight	2018/5/21	ASTM A240M-15	7180364593
39	Cold rolled coil	316L	1.2*1219*C	1.156	1252	Mill Edge	2B	1	11.033	Actual weight	2018/5/21	ASTM A240M-15	7180364594
40	Cold rolled coil	316L	1.2*1219*C	1.156	1252	Mill Edge	2B	1	11.033	Actual weight	2018/5/21	ASTM A240M-15	7180364595
41	Cold rolled coil	316L	1.4*1219*C	1.341	1251	Mill Edge	2B	1	10.101	Actual weight	2018/5/21	ASTM A240M-15	7180364293
42	Cold rolled coil	316L	1.4*1219*C	1.341	1251	Mill Edge	2B	1	9.972	Actual weight	2018/5/21	ASTM A240M-15	7180364303
43	Cold rolled coil	316L	2*1219*C	1.925	1253	Mill Edge	2B	1	10.000	Actual weight	2018/5/21	ASTM A240M-15	7180364249
44	Cold rolled coil	316L	2*1219*C	1.925	1253	Mill Edge	2B	1	10.070	Actual weight	2018/5/21	ASTM A240M-15	7180364450
45	Cold rolled coil	316L	2.8*1219*C	2.767	1251	Mill Edge	2B	1	10.305	Actual weight	2018/5/24	ASTM A240M-15	7180363683
46	Cold rolled coil	316L	2.8*1219*C	2.767	1251	Mill Edge	2B	1	10.665	Actual weight	2018/5/21	ASTM A240M-15	7180363684
47	Cold rolled coil	316L	2.8*1219*C	2.768	1251	Mill Edge	2B	1	10.535	Actual weight	2018/5/24	ASTM A240M-15	7180363784



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
48	Cold rolled coil	316L	2.8*1219*C	2.768	1251	Mill Edge	2B	1	9.037	Actual weight	2018/5/18	ASTM A240M-15	7180363798
49	Cold rolled coil	316L	3*1219*C	2.902	1254	Mill Edge	2B	1	9.957	Actual weight	2018/5/17	ASTM A240M-15	7180363099
50	Cold rolled coil	316L	3*1219*C	2.897	1252	Mill Edge	2B	1	8.738	Actual weight	2018/5/18	ASTM A240M-15	7180363795
51	Cold rolled coil	316L	3*1219*C	2.897	1252	Mill Edge	2B	1	9.278	Actual weight	2018/5/18	ASTM A240M-15	7180363797
52	Cold rolled coil	SUS304	4*2000*C	3.831	2042	Mill Edge	2B	1	10.319	Actual weight	2018/5/18	JIS G 4305:2012	7180360636
53	Cold rolled coil	SUS304	5*2000*C	4.778	2043	Mill Edge	2B	1	10.531	Actual weight	2018/5/18	JIS G 4305:2012	7180360630
54	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.080	Actual weight	2018/5/22	ASTM A240M-15	7180366858
55	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.070	Actual weight	2018/5/22	ASTM A240M-15	7180366859
56	Cold rolled coil	304L	2.5*1219*C	2.419	1254	Mill Edge	2B	1	6.719	Actual weight	2018/5/22	ASTM A240M-15	7180366860
57	Cold rolled coil	304L	2.5*1219*C	2.431	1255	Mill Edge	2B	1	6.090	Actual weight	2018/5/22	ASTM A240M-15	7180366864
58	Cold rolled coil	304L	2.5*1219*C	2.431	1255	Mill Edge	2B	1	5.671	Actual weight	2018/5/22	ASTM A240M-15	7180366866
59	Cold rolled coil	316L	1*1219*C	0.968	1246	Mill Edge	2B	1	9.656	Actual weight	2018/5/22	ASTM A240M-15	7180366975
60	Cold rolled coil	316L	1*1219*C	0.968	1246	Mill Edge	2B	1	9.392	Actual weight	2018/5/28	ASTM A240M-15	7180366976
61	Cold rolled coil	316L	2*1500*C	1.917	1539	Mill Edge	2B	1	10.603	Actual weight	2018/5/30	ASTM A240M-15	7180371712
62	Cold rolled coil	316L	1.4*1500*C	1.372	1538	Mill Edge	2B	1	12.615	Actual weight	2018/5/31	ASTM A240M-15	7180372159
63	Cold rolled coil	316L	1.4*1500*C	1.372	1538	Mill Edge	2B	1	12.684	Actual weight	2018/5/31	ASTM A240M-15	7180372160
64	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.490	Actual weight	2018/6/1	JIS G 4305:2012	7180372372
65	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.585	Actual weight	2018/6/1	JIS G 4305:2012	7180372373
66	Cold rolled coil	SUS430	0.9*1219*C	0.889	1219	Slit Edge	2B	1	5.246	Actual weight	2018/6/1	JIS G 4305:2012	7180372374
67	Cold rolled coil	SUS430	3*1219*C	2.787	1219	Slit Edge	2B	1	5.668	Actual weight	2018/6/6	JIS G 4305:2012	7180374651
68	Cold rolled coil	316L	0.6*1219*C	0.551	1219	Slit Edge	2B	1	9.791	Actual weight	2018/6/6	ASTM A240M-15	7180378090
69	Cold rolled coil	316L	0.6*1219*C	0.551	1219	Slit Edge	2B	1	9.940	Actual weight	2018/6/6	ASTM A240M-15	7180378136
70	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	5.780	Actual weight	2018/6/9	GB/T3280-2015	7180379420
71	Cold rolled coil	06Cr18Ni11Ti	0.5*1219*C	0.475	1219	Slit Edge	2B	1	6.013	Actual weight	2018/6/9	GB/T3280-2015	7180379422
72	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.405	Actual weight	2018/6/6	GB/T3280-2015	7180380617
73	Cold rolled coil	SUS304	1.5*2000*C	1.465	2030	Mill Edge	2B	1	10.150	Actual weight	2018/6/8	JIS G 4305:2012	7180379013



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
74	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	6.395	Actual weight	2018/6/8	GB/T3280-2015	7180380616
75	Cold rolled coil	06Cr18Ni11Ti	0.8*1219*C	0.785	1219	Slit Edge	2B	1	5.952	Actual weight	2018/6/8	GB/T3280-2015	7180380618
76	Cold rolled coil	06Cr18Ni11Ti	2*1219*C	1.907	1219	Slit Edge	2B	1	5.768	Actual weight	2018/6/9	GB/T3280-2015	7180380604
77	Cold rolled coil	06Cr18Ni11Ti	2*1219*C	1.922	1219	Slit Edge	2B	1	5.344	Actual weight	2018/6/9	GB/T3280-2015	7180380650
78	Cold rolled coil	06Cr18Ni11Ti	2*1219*C	1.922	1219	Slit Edge	2B	1	5.848	Actual weight	2018/6/9	GB/T3280-2015	7180380662
79	Hot rolled coil	S32205	8*2000*C	7.78	2000	Slit Edge	No.1	1	8.070	Actual weight	2018/2/11	ASME SA-240M-2015	7180288639
80	Hot rolled coil	S32205	8*2000*C	7.79	2000	Slit Edge	No.1	1	9.440	Actual weight	2018/2/11	ASME SA-240M-2015	7180291667
81	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	20.430	Actual weight	2018/4/20	ASME SA-240M-2015	7180341271
82	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.660	Actual weight	2018/4/23	ASME SA-240M-2015	7180343738
83	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.980	Actual weight	2018/4/25	ASME SA-240M-2015	7180343961
84	Hot rolled coil	S32205	6*1500*C	5.85	1500	Slit Edge	No.1	1	13.070	Actual weight	2018/4/28	ASME SA-240M-2015	7180344086
85	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	12.910	Actual weight	2018/4/28	ASME SA-240M-2015	7180345320
86	Hot rolled coil	S32205	6*1500*C	5.83	1500	Slit Edge	No.1	1	13.110	Actual weight	2018/4/28	ASME SA-240M-2015	7180345342
87	Hot rolled coil	S32205	3*1500*C	2.949	1500	Slit Edge	No.1	1	19.415	Actual weight	2018/5/2	ASME SA-240M-2015	7180350319
88	Hot rolled coil	S32205	3*1500*C	2.94	1500	Slit Edge	No.1	1	18.970	Actual weight	2018/5/3	ASME SA-240M-2015	7180350320
89	Hot rolled coil	S32205	3*1500*C	2.94	1500	Slit Edge	No.1	1	19.060	Actual weight	2018/5/3	ASME SA-240M-2015	7180350330
90	Hot rolled coil	S32205	3*1500*C	2.92	1500	Slit Edge	No.1	1	19.240	Actual weight	2018/5/2	ASME SA-240M-2015	7180350331
91	Hot rolled coil	S32205	3*1500*C	2.95	1500	Slit Edge	No.1	1	19.210	Actual weight	2018/5/2	ASME SA-240M-2015	7180350409
92	Hot rolled coil	S32205	3*1500*C	2.971	1500	Slit Edge	No.1	1	18.510	Actual weight	2018/5/2	ASME SA-240M-2015	7180351577
93	Hot rolled coil	S32205	3*1500*C	2.986	1500	Slit Edge	No.1	1	19.280	Actual weight	2018/5/2	ASME SA-240M-2015	7180351578
94	Hot rolled coil	S32205	3*1500*C	2.989	1500	Slit Edge	No.1	1	19.440	Actual weight	2018/5/2	ASME SA-240M-2015	7180351579
95	Hot rolled coil	S32205	3*1500*C	2.993	1500	Slit Edge	No.1	1	20.020	Actual weight	2018/5/2	ASME SA-240M-2015	7180351580
96	Hot rolled coil	S32205	3*1500*C	2.994	1500	Slit Edge	No.1	1	19.660	Actual weight	2018/5/2	ASME SA-240M-2015	7180351581
97	Hot rolled coil	S32205	3*1500*C	2.975	1500	Slit Edge	No.1	1	16.810	Actual weight	2018/5/2	ASME SA-240M-2015	7180351582
98	Hot rolled coil	S32205	3*1500*C	2.94	1500	Slit Edge	No.1	1	18.910	Actual weight	2018/5/5	ASME SA-240M-2015	7180350850
99	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/8	GB/T4238-2015	7180356756



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
100	Hot rolled coil	06Cr25Ni20	4*1500*C	3.799	1500	Slit Edge	1D	1	13.210	Actual weight	2018/5/8	GB/T4238-2015	7180356757
101	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.390	Actual weight	2018/5/10	ASME SA-240M-2015	7180351757
102	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	8.420	Actual weight	2018/5/10	ASME SA-240M-2015	7180351758
103	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.400	Actual weight	2018/5/14	GB/T4238-2015	7180360430
104	Hot rolled coil	06Cr23Ni13	4*1500*C	3.859	1500	Slit Edge	1D	1	13.970	Actual weight	2018/5/14	GB/T4238-2015	7180360488
105	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	13.200	Actual weight	2018/5/14	GB/T4238-2015	7180360489
106	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.230	Actual weight	2018/5/14	GB/T4238-2015	7180360491
107	Hot rolled coil	06Cr23Ni13	8*1500*C	7.84	1500	Slit Edge	1D	1	13.320	Actual weight	2018/5/14	GB/T4238-2015	7180361572
108	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	13.560	Actual weight	2018/5/15	GB/T4238-2015	7180362171
109	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.710	Actual weight	2018/5/15	GB/T4238-2015	7180362260
110	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.260	Actual weight	2018/5/15	GB/T4238-2015	7180362470
111	Hot rolled coil	06Cr25Ni20	5*1500*C	4.78	1500	Slit Edge	1D	1	13.390	Actual weight	2018/5/15	GB/T4238-2015	7180362471
112	Hot rolled coil	06Cr23Ni13	6*1500*C	5.895	1500	Slit Edge	1D	1	13.040	Actual weight	2018/5/17	GB/T4238-2015	7180360490
113	Hot rolled coil	06Cr23Ni13	6*1500*C	5.889	1500	Slit Edge	1D	1	12.960	Actual weight	2018/5/17	GB/T4238-2015	7180360640
114	Hot rolled coil	06Cr23Ni13	6*1500*C	5.915	1500	Slit Edge	1D	1	12.980	Actual weight	2018/5/17	GB/T4238-2015	7180360641
115	Hot rolled coil	06Cr23Ni13	8*1500*C	7.84	1500	Slit Edge	1D	1	14.000	Actual weight	2018/5/17	GB/T4238-2015	7180361571
116	Hot rolled coil	06Cr23Ni13	4*1500*C	3.886	1500	Slit Edge	1D	1	12.910	Actual weight	2018/5/18	GB/T4238-2015	7180362374
117	Hot rolled coil	06Cr23Ni13	8*1500*C	7.88	1500	Slit Edge	1D	1	13.640	Actual weight	2018/5/18	GB/T4238-2015	7180362261
118	Hot rolled coil	310S	4*1500*C	3.8	1540	Mill Edge	No.1	1	19.660	Actual weight	2018/4/3	ASTM A240M-15	7180336574
119	Hot rolled coil	S32205	6*1500*C	5.88	1500	Slit Edge	No.1	1	9.430	Actual weight	2018/4/3	ASME SA-240M-2015	7180335205
120	Hot rolled coil	S32205	4.9*1500*C	4.74	1500	Slit Edge	No.1	1	5.600	Actual weight	2018/4/3	ASME SA-240M-2015	7180324687
121	Hot rolled coil	S32205	6*1500*C	5.98	1500	Slit Edge	No.1	1	13.370	Actual weight	2018/4/10	ASME SA-240M-2013	7180341263
122	Hot rolled coil	06Cr25Ni20	5*1500*C	4.91	1500	Slit Edge	1D	1	10.480	Actual weight	2018/4/12	GB/T4238-2015	7180342993
123	Hot rolled coil	309S	4*1500*C	3.87	1544	Mill Edge	No.1	1	17.830	Actual weight	2018/4/17	ASTM A240M-15	7180346344
124	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	7.140	Actual weight	2018/4/17	ASME SA-240M-2015	7180345462
125	Hot rolled coil	310S	6*1500*C	5.965	1548	Mill Edge	No.1	1	11.970	Actual weight	2018/4/18	ASTM A240M-15	7180347009



Item	Varieties	Material	Size	Reference thickness	Reference width	Edge	surface	Qty.	Weight	Weighing method	Date of storage	standard	Package No.
126	Hot rolled coil	310S	6*1500*C	5.965	1548	Mill Edge	No.1	1	10.560	Actual weight	2018/4/18	ASTM A240M-15	7180347010
127	Hot rolled coil	S32205	3.9*1500*C	3.79	1500	Slit Edge	No.1	1	4.500	Actual weight	2018/4/25	ASME SA-240M-2015	7180352346
128	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	12.990	Actual weight	2018/5/22	GB/T4238-2015	7180367681
129	Hot rolled coil	06Cr25Ni20	6*1500*C	5.783	1500	Slit Edge	1D	1	13.290	Actual weight	2018/5/26	GB/T4238-2015	7180367746
130	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.000	Actual weight	2018/5/29	ASME SA-240M-2015	7180371466
131	Hot rolled coil	S32205	6*1500*C	5.77	1500	Slit Edge	No.1	1	13.350	Actual weight	2018/5/29	ASME SA-240M-2015	7180371467
132	Hot rolled coil	S32205	3*1500*C	2.92	1500	Slit Edge	No.1	1	20.940	Actual weight	2018/6/2	ASME SA-240M-2015	7180376276
133	Hot rolled coil	S32205	6*1500*C	5.91	1500	Slit Edge	No.1	1	13.260	Actual weight	2018/6/2	ASME SA-240M-2015	7180371601
134	Hot rolled coil	S32205	4.9*1500*C	4.815	1500	Slit Edge	No.1	1	10.170	Actual weight	2018/6/9	ASME SA-240M-2015	7180382438
135	Hot rolled coil	S32205	4.9*1500*C	4.815	1500	Slit Edge	No.1	1	9.320	Actual weight	2018/6/11	ASME SA-240M-2015	7180383295
136	Hot rolled coil	S32205	6*1500*C	5.89	1500	Slit Edge	No.1	1	14.610	Actual weight	2018/6/11	ASME SA-240M-2015	7180382842
137	Hot rolled coil	S32205	8*1500*C	7.75	1500	Slit Edge	No.1	1	13.530	Actual weight	2018/6/11	ASME SA-240M-2015	7180383294
138	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.540	Actual weight	2018/4/11	GB24511-2009	7180336156
139	Hot rolled coil	S30408	3*1500*C	2.97	1500	Slit Edge	1D	1	13.915	Actual weight	2018/4/16	GB24511-2009	7180336157
140	Hot rolled coil	S30408	10*1500*C	10.06	1500	Slit Edge	1D	1	13.900	Actual weight	2018/4/16	GB24511-2009	7180335407
141	Hot rolled coil	S30408	10*1500*C	10.06	1500	Slit Edge	1D	1	13.620	Actual weight	2018/4/16	GB24511-2009	7180335408
142	Hot rolled coil	S30408	14*1500*C	13.87	1500	Slit Edge	1D	1	13.760	Actual weight	2018/5/23	GB24511-2009	7180362183
143	Hot rolled coil	S30408	14*1500*C	13.87	1500	Slit Edge	1D	1	13.860	Actual weight	2018/5/23	GB24511-2009	7180362185